

MSE Annual Procurement Plan -2018-19

Sl.No	Description	Quantity	UOM	Location/Unit
1	Cell Torch, 1.5-9 V, Leakproof (Large/Mini/Pencil)	8621	NOS	Tarapur TMS
2	Torch/LED light, 2/5/4 Cell, Brass body,	85	NOS	Tarapur TMS
3	Polypropylene Rope in 3 strands, Size: 8-12 mm	176	KGS	Tarapur TMS
4	Rope Nylon Good quality. Size: 6-18 mm	204	KGS	Tarapur TMS
5	Rope jute string (Sutali), Size- 3-4mm Dia	14	KGS	Tarapur TMS
6	Hose flexible rubber, cotton braided, 2 ply, Size: 1"- 3/4"OD	165	MTR	Tarapur TMS
7	Tubing PVC	275	MTR	Tarapur TMS
8	Padlock 5/6/7/8 Lever	314	NOS	Tarapur TMS
9	Painting Brush flat type made with soft nylon/stable hairs, Size- 1" -4"	880	NOS	Tarapur TMS
10	Polythene bag, yellow / Green/Transparent, With/without lock, All Sizes	4000	KGS	Tarapur TMS
11	PVC Carboy (JERRY CAN), capacity-5-20 Ltr.	110	NOS	Tarapur TMS
12	Tarpaulin HDPE, All Sizes	1000	KGS	Tarapur TMS
13	Hand gloves Surical/Post Mortam	25000	PAIR	Tarapur TMS
14	Hand gloves hosiery, 100% cotton	13750	PAIR	Tarapur TMS
15	Saw dust	825	BAG	Tarapur TMS
16	Dust Mask disposable type,	5500	NOS	Tarapur TMS
17	Cotton line dori	165	NOS	Tarapur TMS
18	Jug water with handle, complete made of glass with PVC/Glass lid, Capacity-1.5-5 Ltr.	116	NOS	Tarapur TMS
19	Glass Tumbler plain	193	NOS	Tarapur TMS
20	Tissue paper roll,	3000	NOS	Tarapur TMS
21	Mop cotton	2255	NOS	Tarapur TMS
22	Good Quality Soft/Hard Broom (Phool Jharoo/Coconut)	550	NOS	Tarapur TMS
23	Soap liquid for industrial use	1100	LTR	Tarapur TMS
24	Liquid toilet soap in spray type bottle of 90 to 100 Grm,	110	NOS	Tarapur TMS
25	Soap cake of 12-20 Gram weight.	4950	NOS	Tarapur TMS
26	Powder washing in 01 KGS pack.	660	KGS	Tarapur TMS
27	Cleaning Powder in 1Kg poly pack.	220	KGS	Tarapur TMS
28	Phenyle white normal	1100	LTR	Tarapur TMS
29	Cotton bud for instrument cleaning.	14	PKT	Tarapur TMS
30	Bottle spray PVC for cleaning purpose with spray nozzle.	14	NOS	Tarapur TMS
31	Surface/ Glass cleaner in 500 ml bottle.	100	NOS	Tarapur TMS
32	Liquid Insecticide in 500 ml pack.	18	NOS	Tarapur TMS
33	Naphthelene Balls for protection from insects. Size-25mm Dia.	70	KGS	Tarapur TMS
34	Air freshner multi fragrance spray type in 300 ml capacity pack.	193	NOS	Tarapur TMS

35	Air Purifier institutional Pack of 75 Gms in foil packing.	1100	NOS	Tarapur TMS
36	Duster Check Line/ Floor & Yellow polishing, Assorted Size	3355	NOS	Tarapur TMS
37	Cloth lint, strach free.	5500	MTR	Tarapur TMS
38	Cotton Rags(Chindi)	4400	KGS	Tarapur TMS
39	Bucket PVC 05-16 Ltr Capacity	165	NOS	Tarapur TMS
40	Mug PVC 01 Ltr Capacity in assorted colour made of virgin quality plastic.	55	NOS	Tarapur TMS
41	Dust Bin foot operated in assorted colour made of virgin quality plastic.	83	NOS	Tarapur TMS
42	Good quality PVC Dust Pan (Supdi) in assorted colour made of virgin quality plastic.	28	NOS	Tarapur TMS
43	Underwear Gents, Type-Frenchie, Colour-Multi Colour, All Sizes	4000	NOS	Tarapur TMS
44	Baniyan (Vest), Type-Half Sleeve/Sleeveless, Colour-White, All Sizes	4000	NOS	Tarapur TMS
45	Sockes (Cotton), 100% cotton,Colour- White, Size- Standard,	866	PAIR.	Tarapur TMS
46	Canvas Shoes, sole-TPR antiskid, colour-White, Size- 05-11 NOS.,	866	PAIR.	Tarapur TMS
47	GEM / 'U' Clip medium size, PVC coated,	550	NOS	Tarapur TMS
48	Thumb Tac & Push pin(Drawing pin)	28	PKT	Tarapur TMS
49	Pencil HB ordinary,	1650	NOS	Tarapur TMS
50	Sharpner for Pencil.	347	NOS	Tarapur TMS
51	Eraser Pencil	715	NOS	Tarapur TMS
52	Plastic Scale	253	NOS	Tarapur TMS
53	Rubber Band Good Quality in assorted Colours. Size- 5-10cm Dia	275	NOS	Tarapur TMS
54	Marker Permanent in assorted colours.	1100	NOS	Tarapur TMS
55	High Lighter Fluorscent pen in the set of 5 assorted colour.	522	NOS	Tarapur TMS
56	Sketch Pen (Set of 10 NOS in assorted Colours).	110	NOS	Tarapur TMS
57	Prussian Blue in 20 ML Tube,	14	NOS	Tarapur TMS
58	Tape Taransparent (Self Adhesive), Size- 1/2"-3"(12mm) x 50 MTR.	1122	NOS	Tarapur TMS
59	Punching Machine single hole. Make-Kores/ Kangaro/ Camlin or any other brands meeting/having above specification. Note:- Technical catalogue of offered brand to be enclosed along with quotation.	150	NOS	Tarapur TMS
60	Punching Machine	100	NOS	Tarapur TMS
61	Paper tray for office use in assorted colour made of virgin quality plastic.	55	NOS	Tarapur TMS
62	Scissor stainless steel with PVC handle.	110	NOS	Tarapur TMS
63	Stamp pad without ink. All Sizes	70	NOS	Tarapur TMS
64	Paper carbon (Pencil) Blue size: 210 x 330 mm Packet of 100 Sheets.	55	NOS	Tarapur TMS

65	Glue Stick, 8-10 Gram.	385	NOS	Tarapur TMS
66	Gum bottle	100	NOS	Tarapur TMS
67	Stapler All Sizes	250	NOS	Tarapur TMS
68	Staple Pin All Sizes	1200	PKT	Tarapur TMS
69	Chalk Stick (Dustless) in assorted colour.	100	BOX	Tarapur TMS
70	Sticky Pad 100 sheets in assorted Size	650	NOS	Tarapur TMS
71	File folder Assorted colour, Rodent Proof	10000	NOS	Tarapur TMS
72	File box	1000	NOS	Tarapur TMS
73	File Board	550	NOS	Tarapur TMS
74	File wrapper flap of canvas cloth.	550	NOS	Tarapur TMS
75	Register Rulled, Assorted Size	800	NOS	Tarapur TMS
76	Scribbling pad ruled small size, Assorted Sizes	1100	PAD	Tarapur TMS
77	Exercise Note Book, Assorted Sizes	130	NOS	Tarapur TMS
78	Paper Envelope, All Sizes	50000	NOS	Tarapur TMS
79	Photo Copier Paper (White Colour/ Assorted Colour)	4000	PKT	Tarapur TMS
80	Lights & all types of light fittings i.e Choke/CFL/LED/Tube lights/ Holder/Socket/Plug	6000	NOS.	Tarapur TMS
81	Hardware items i.e Hacksaw Blade HSS/Teflon Tape/Sealing wire/Lead seal/Emry Paper/Drill Bits/Wire Nails/ Measuring Tape	1000	NOS	Tarapur TMS
82	Adhesives	100	NOS	Tarapur TMS
83	Hydrochloric Acid of concentration not less than 33% for cleaning purpose as per IS:265 in 5 Ltr capacity good quality PVC carboy.	11	LTR	Tarapur TMS
84	Acetone commercial grade, Purity 95 % as per IS:7445 in in 5 Ltr capacity good quality PVC carboy.	413	LTR	Tarapur TMS
85	Acetone LR grade as per IS:7445 in 1 Ltr capacity pack.	55	LTR.	Tarapur TMS
86	Alcohol Isopropyl, AR grade in 500 ml pack,	28	LTR	Tarapur TMS
87	Bleaching Powder as per IS:1065, CL 33% in Bag of 25 KGS, Grade -1	193	KGS	Tarapur TMS
88	Machine oil (General purpose) in 50 ML pack.	55	NOS	Tarapur TMS
89	Dry Nitrogen gas commercial grade of 99.5% purity	2310	CMT	Tarapur TMS
90	Dissolved Acetylene Gas in Departmental Cylinder of 6 CMT capacity,	275	CMT	Tarapur TMS
91	Compressed Oxygen Gas (XL Grade) in Departmental Cylinder	825	CMT	Tarapur TMS
92	Hydrogen Gas	5500	CMT	Tarapur TMS
93	Carbon Di-Oxide Gas	9075	KGS	Tarapur TMS
94	Argon Gas Grade-III	660	CMT	Tarapur TMS
95	sulphuric acid	40	MT	Tarapur TMS

96	caustic soda	50	MT	Tarapur TMS
97	Hydrazine Hydrate	7000	LTR	Tarapur TMS
98	liquid nitrogen	1000	MT	Tarapur TMS
99	Sodium Chlorite	800	MT	Tarapur TMS
100	Hydrochloric Acid	500	MT	Tarapur TMS
101	Pipe & pipe fittings-CPVC	250	NOS	Tarapur TMS
102	Pipe -CPVC	150	MTR	Tarapur TMS
103	PIPE SS	1200	MTR	Tarapur TMS
104	PIPE SS Fittings	100	NOS	Tarapur TMS
105	PIPE CS	1500	MTR	Tarapur TMS
106	PIPE CS Fittings	100	NOS	Tarapur TMS
107	PIPE MS	100	MTR	Tarapur TMS
108	PIPE MS Fittings	100	NOS	Tarapur TMS
109	Valve All types (MOC-CS/SS/MS/CPVC)	50	NOS	Tarapur TMS
110	Pump All types	10	NOS	Tarapur TMS
111	Squirrel Cage Induction Motors upto and including 100 KW440 volts 3 phase	50	NOS	Tarapur TMS
112	Furniture (Steel/wooden)	10	SETS	Tarapur TMS
113	Bearings, All types	500	NOS	Tarapur TMS
114	V Belts, All Sizes	400	NOS	Tarapur TMS
115	Oils & lubricants	1000	LTR	Tarapur TMS
116	Gaskets & O-rings, All Sizes & types	1000	NOS	Tarapur TMS
117	Hand Tools	100	NOS	Tarapur TMS
118	Material Handling trolley	10	NOS	Tarapur TMS
119	Welding Electrodes	200	KGS	Tarapur TMS
120	Desktop PC	200	NOS	Tarapur TMS
121	Naphthelene Balls	100	KGS	Tarapur TMS
122	Circuit breaker with overcurrent & leakage	80	NOS	Tarapur TMS
123	Temperature Controller/Transmitter/Measuring instruments/Detectors	100	NOS	Tarapur TMS
124	Pressure Controller/Transmitter/Measuring instruments/Detectors	100	NOS	Tarapur TMS
125	Electrical Cables, All types	5000	MTR	Tarapur TMS
126	Electrical Relays	50	NOS	Tarapur TMS
127	Freight transportation	10000	KM	Tarapur TMS
128	Installation and assembly work	50	NOS	Tarapur TMS
129	Housekeeping services	5	NOS	Tarapur TMS
130	Maintenance and repair of equipment	100	NOS	Tarapur TMS
131	Audiovisual Equipments	10	NOS	Tarapur TMS
132	Hub/switch/routers	50	NOS	Tarapur TMS
133	IT Hardware	50	NOS	Tarapur TMS
134	YELLOW DUSTER, APPROX.SIZE : 20"*20" +/- 5% TOLERANCE,MINIMUM WT.35 GRAMS	500	NOS	Mumbai
135	STRIPED DUSTER CHECK LINE , APPROX.SIZE: 43 CMS* 53 CMS +/- 5% TOLERANCE ,MINIMUM WEIGHT 35 GRAMS	2500	NOS	Mumbai

136	WHITE DUSTER(Glass Cloth), SIZE : 550MM*575MM +/- 5% TOLERANCE,MINIMUM WT.75 GRAMS	2500	NOS	Mumbai
137	TURKISH TOWEL WHITE,SIZE: 30''*60'' +/- 5% TOLERANCE ,MINIMUM WEIGHT 400 GRAMS	250	NOS	Mumbai
138	SHOE POLISH,BLACK,TIN OF 40 GRAMS,CHERRY BLOSSOM.	300	NOS	Mumbai
139	PINS FOR STAPLER-45 24/6 PACKETS OF 1000 PINS KANGARO/MAX/CHROME/SWINGLINE MAKE	1000	PKT	Mumbai
140	U CLIPS BRIGHT NICKEL ELECTRO PLATED 30MM., NON CORROSIVE ,NON TEAR ENDS,PKT OF 100 CLIPS	500	PKT	Mumbai
141	U CLIPS INSULATED NON TEAR ENDS, PKT OF 100 CLIPS,ROLEX/LION/CAMEL/MAKE	500	PKT	Mumbai
142	PAPER PINS BRIGHT NICKEL ELECTRO PLATED, NON CORROSIVE, PKT OF 70/65 GRAMS	5	PKT	Mumbai
143	GLASS TUMBLER Capacity 285ml	2000	NOS	Mumbai
144	STAPLER SMALL NO.10, KANGARO/MAX/CHROME/SWINGLINE, WITH NPCIL NAME & LOGO	500	NOS	Mumbai
145	Bolt and Nut of different Sizes	540	KGS	Kalpakkam MAPS
146	Electrical Hardware	970	NOS	Kalpakkam MAPS
147	NAPTHELNE BALLS	10	KGS	Kalpakkam MAPS
148	Washers of different Sizes	60	KGS	Kalpakkam MAPS
149	PERFUMED LIQUID SOAP	2700	LITRES	Kalpakkam MAPS
150	Multicore PVC Insulated Copper Cables	9800	MTRS	Kalpakkam MAPS
151	Polythene Tubes of different sizes	990	MTRS	Kalpakkam MAPS
152	BATH SOAP	5000	NOS	Kalpakkam MAPS
153	Cotton Caps	10000	NOS	Kalpakkam MAPS
154	Cotton Undergarments	1500	NOS	Kalpakkam MAPS
155	Cotton Socks	1500	PAIRS	Kalpakkam MAPS
156	Coverall	2500	NOS	Kalpakkam MAPS
157	Housekeeping and Cleaning items like brooms	1000	NOS	Kalpakkam MAPS
158	Lab Coats	2500	NOS	Kalpakkam MAPS
159	MOP COTTON REFILLS	1000	NOS	Kalpakkam MAPS
160	Polythene Bags of different sizes	6200	NOS	Kalpakkam MAPS
161	Printing and Supply of Envelope and Registers	124000	NOS	Kalpakkam MAPS
162	Safety Shoes	750	PAIRS	Kalpakkam MAPS
163	Stationery Items	1060	NOS	Kalpakkam MAPS
164	Tarpaulin	50	NOS	Kalpakkam MAPS
165	Asbestos Hand Gloves	100	PAIRS	Kalpakkam MAPS
166	Cotton Hand Gloves	11600	PAIRS	Kalpakkam MAPS
167	Gumboots	40	PAIRS	Kalpakkam MAPS
168	Leather Hand Gloves	200	PAIRS	Kalpakkam MAPS
169	Rubber Hand Gloves	24000	PAIRS	Kalpakkam MAPS
170	PHOTOCOPIER PAPER	2000	REEMS	Kalpakkam MAPS

171	Surgical Cotton Roll	25	KGS	Kalpakkam MAPS
172	Tissue Paper	4500	ROLLS	Kalpakkam MAPS
173	Padlock double locking type.	1000	NOS	Rawathbhatta RR Site
174	Padlock Single locking type. Strong : 5- lever to 7-lever locking mechanism,	750	NOS	Rawathbhatta RR Site
175	PVC Bags, Different types of Colour & various sizes.	12500	KG	Rawathbhatta RR Site
176	Hose Agricultural Heliflex PVC Corrugated/Nylon braided of various sizes Green Hose Pipe. Size - 1"	4800	MTR	Rawathbhatta RR Site
177	Masking tape of different sizes	1600	ROLL	Rawathbhatta RR Site
178	Full Skull Cap with bar neck flap & two strings to tie below the chin. 100% cotton drill fabric quality lemon yellow fluroscent colour with Round Skull Top. Depth/width of cap is 9".	15000	NOS	Rawathbhatta RR Site
179	Post Mortem Orange Hand gloves. IS approved 4149 : 1967, ISI marked , Superior Quality, Manufactured from Purified Natural Rubber Latex . Weight should be 60 to 70 grams per pair , Size: 8" - 10"	50000	PAIR	Rawathbhatta RR Site
180	Laboratory Coat Golden yellow colour Size: Small/Medium/Large/Extra Large	5050	NOS	Rawathbhatta RR Site
181	Laboratory Coat Navy Blue colour Size: Small/Medium/Large/Extra Large	3800	NOS	Rawathbhatta RR Site
182	Boiler Suits Golden Yellow /Navy Blue colour Size: Small/Medium/Large/Extra Large	14750	NOS	Rawathbhatta RR Site
183	Shoe Cover Terricot Cloth White colour Foot length 12.5" Height of Shoe cover 6.5" Bottom sole of shoe cover should have little cushioning of same cloth & stitched nicely.	15000	PAIR	Rawathbhatta RR Site
184	Nylon soft Broom with a plastic handle	200	NOS	Rawathbhatta RR Site
185	Bucket PVC Ist quality	500	NOS	Rawathbhatta RR Site
186	Cleaning Powder for dish washing	7000	KG	Rawathbhatta RR Site
187	Detergent Powder for laundry use	5000	KG	Rawathbhatta RR Site
188	Liquid Toilet cleaner. This liquid should have thickening agent for smooth application.	1000	LTR	Rawathbhatta RR Site
189	Phenyle Black normal type Gr-3 in 5 Ltr packing, ISI Mark, IS 1061	5000	LTR	Rawathbhatta RR Site
190	Duster Floor of different colour & various sizes	30000	NOS	Rawathbhatta RR Site

191	Multi Insects killer	800	LTR	Rawathbhatta RR Site
192	Napthelene Balls in 1Kg poly pack (22-25mm) pure napthalene 99% , Certificate of purity from Manufacturer	500	KG	Rawathbhatta RR Site
193	Soap Liquid commercial grade ISI Mark, each can should have IS mark, IS 4199(2001) in 20 Ltr capacity PVC carboy	20000	LTR	Rawathbhatta RR Site
194	Commercial grade Industrial general purpose natural cleaning chemical	10000	KG	Rawathbhatta RR Site
195	NON STERILE SOFT SURGICAL RUBBER HAND GLOVES NATURAL RUBBER LATEX IN PAIR OF VARIOUS SIZES:	105000	PAIR	Rawathbhatta RR Site
196	Broom Hard/Soft B (Coconut Jharoo) Size:-36" (+/- 5%) Length, Tited with Double Wire Strip, Weight of each Broom should be -400 Gms +/- 5%.	8000	NOS	Rawathbhatta RR Site
197	Brush Painting with nylon bristles Flat Size: 1-1/2" (12mm - 100mm)	2700	NOS	Rawathbhatta RR Site
198	Brush letter writing with fiber bristles, Size No: 0 - 12	750	NOS	Rawathbhatta RR Site
199	Round Brush for lavatory Cleaning with Nylon Bristles.	200	NOS	Rawathbhatta RR Site
200	Brush Sweeping, Nylon Bristles, Bristles Size should not be less than 2.5" (W) x 7.5" (L) Total length 1' (Feet) Long.	300	NOS	Rawathbhatta RR Site
201	Rope coir string (Nariyal) 1/4" Dia	150	KG	Rawathbhatta RR Site
202	Rope jute string (Sutali)	150	KG	Rawathbhatta RR Site
203	Rope Manila (SISEL) Good quality Size: 1/2" - 1" (12mm -25mm) Dia	2100	KG	Rawathbhatta RR Site
204	Surgical Cotton Rolls Good quality Non Sterilised Net Weight of each Roll is 250 Grms. Tolerance :+/- 15 grams	1500	ROLL	Rawathbhatta RR Site
205	Cotton line dori (Green) roll of 50 Gram for masonary use	200	ROLL	Rawathbhatta RR Site
206	7 Litre Polypropylene Plastic Dustbin, Height 10" (Tolerance 5%)	500	NOS	Rawathbhatta RR Site
207	Hand Gloves Cotton - Made of White New Drill Cloth Superior Quality Size : 12" (Finger to Palm - 7"+ Cuff - 5") - 14" (Finger to Palm - 8"+ Cuff - 6")Min weight should not be less then 60-80 Grams	14000	PAIR	Rawathbhatta RR Site

208	Poly Cotton knitted seamless hand gloves unbleached white of five fingered with PVC Dots on Palm and Finger only and interlock stitching to be done on wrist side. Gloves should have good dexterity and gripping. Comfort factor should also be high. Size: 8-1/2", Colour of Hand Gloves shall be white and colour of Dots shall be of blue, Weight should be 45-55 Grams (+/- 5%)	10000	PAIR	Rawathbhatta RR Site
209	Mop Handle Bamboo (Solid) Stick Size-5 Feet long 1-1/4" Dia (Size Tolernce 10%)	1000	NOS	Rawathbhatta RR Site
210	PVC Bags, Good Finished, Clear Transparent, Self Locking Size:- 6" x 8"/12"x12"/6"x8", 120 Micron ± 5%	600	KG	Rawathbhatta RR Site
211	Lead Seal for Sealing Purpose Size: 1/2" Dia	100	KG	Rawathbhatta RR Site
212	PVC Transparent Flexible Pipe Ordinary Size:- 1/2"-3/4"-1" ID x 3mm Wall Thickness.(Roll of 30 Mtrs.)	4500	KG	Rawathbhatta RR Site
213	Match Box good quality	400	NOS	Rawathbhatta RR Site
214	Kerlite Towel yellow Colour Cotton Ordinary (Without Turkish) Size-26" (W) x 54" (L),	3000	NOS	Rawathbhatta RR Site
215	Tarpaulin HDPE conf. to IS: 7903-2005, with aluminium eyelets 250-280 GSM	150	NOS	Rawathbhatta RR Site
216	Tissue Paper Rolls, 2 Ply, Weight - 90-100 Gms. Length - 1800 cm Width - 10 cm	10000	ROLL	Rawathbhatta RR Site
217	Sponge Size: 6" x 3" x 3" Density 30	300	NOS	Rawathbhatta RR Site
218	Metallic Twisted Sealing Wire of 20 Gauge	100	KG	Rawathbhatta RR Site
219	Jug PVC with lid and side handle 2 Ltrs Capacity	500	NOS	Rawathbhatta RR Site
220	Glass Tumbler plain 190-210 ml capacity	2000	NOS	Rawathbhatta RR Site
221	Mug PVC 1 Ltr Capacity	500	NOS	Rawathbhatta RR Site
222	Canvas shoes (Brown) with lace Size: 04 to 10	8100	PAIR	Rawathbhatta RR Site
223	Underwear Gents Cotton with Elastic Band "H" Type Long Shape TRUNK in Assorted colours Size - 80/85/90/95/100CM	3650	NOS	Rawathbhatta RR Site
224	Underwear Gents Cotton Long Trunk H- type Size-80/85/90/95/100 CM	3000	NOS	Rawathbhatta RR Site
225	Sockes (Cotton) White good quality with elastic at top	10000	PAIR	Rawathbhatta RR Site
226	Toilet Soap ordinary in 90 to 100 Grams	45000	NOS	Rawathbhatta RR Site
227	Canvas shoes (Brown) with lace Size: 11	20	NOS	Rawathbhatta RR Site
228	Baniyan (Vest) sleeveless White Size - 80/85/90/95/100/105 CM	9340	NOS	Rawathbhatta RR Site

229	Underwear Gents Cotton with Elastic Band "H" Type Long Shape TRUNK in Assorted colours Size - 85/90/95/100/105/110 CM	8466	NOS	Rawathbhatta RR Site
230	High Viscosity Liquid Soap packed in 250 ML bottle with pump dispenser	200	ML	Rawathbhatta RR Site
231	Envelope (SE-4/SE-5/SE-6A/SE-6/SE-7A/SE-8/SE-8A) 70 GSM Good Quality Paper,	15000	NOS	Rawathbhatta RR Site
232	Alpin net weight 50 Grams	1000	PKT	Rawathbhatta RR Site
233	Sealing Wax , Weight 400-500 Grams per pkt.	25	PKT	Rawathbhatta RR Site
234	Metallic ends cotton string thread (coton Tags) for paper filling (Size 10")	1500	BUNCH	Rawathbhatta RR Site
235	Gum in 150 ml bottle	800	BTL	Rawathbhatta RR Site
236	Glue stick Net weight 15g	1000	NOS	Rawathbhatta RR Site
237	U Clip (GEM) made from high quality steel wire,plastic quoted 26MM, Pkt of 100 Clips	1500	PKT	Rawathbhatta RR Site
238	Thumb Tac and Push pin(Drawing pin) plastic heads & sharp steel point	200	PKT	Rawathbhatta RR Site
239	Staple Pin No-10-24/6 (Pkt of 1000 Staples)	6000	PKT	Rawathbhatta RR Site
240	Staple Pin for Heavy Duty 23/12 or 23/13	50	PKT	Rawathbhatta RR Site
241	Paper Cutting Stainless Steel Scissors Total 8" long (Plastic Handle Around 4" and Blade size 4")	300	NOS	Rawathbhatta RR Site
242	Staple Machine (Stapler) NO-10/ Big Size :24/6	850	NOS	Rawathbhatta RR Site
243	Paper Tray (PVC) Double Stage	200	NOS	Rawathbhatta RR Site
244	Cello Tape Taransparent (Self Adhesive) Size : 24mm/48mm, , thickness 30 Microns minimum	5000	ROLL	Rawathbhatta RR Site
245	Tape Edge Binding Size: 1" x 65 Mtr, thickness 30 Microns minimum	800	ROLL	Rawathbhatta RR Site
246	Tape Brown packing 1.5" x 65Mtr/48mm x65 Mtr, thickness 30 Microns minimum	8000	ROLL	Rawathbhatta RR Site
247	Electric call bell / Buzzer switchable for 240V AC (+-10%), 50 Hz. Bakelite case, IS: 2268 approved.	200	NOS	Rawathbhatta RR Site
248	18W Electro Magnetic Open Ballast suitable for 18 watt CFL Lamp,	200	NOS	Rawathbhatta RR Site
249	BALLAST 9WATT,CFC 2 X PL-S,2 PIN	500	NOS	Rawathbhatta RR Site
250	Electro Magnetic Open Ballast suitable for 7 to 13 watt CFL Lamp,	100	NOS	Rawathbhatta RR Site
251	250W - 400W - 70/80WBallast Copper wounded suitable for HPSV/MH Lamp,	2800	NOS	Rawathbhatta RR Site
252	36/40W - 18/20W Ballast Copper wounded, Power factor (cosØ) 0.4 to 0.6, Voltage 240 V AC, 50 Hz	6600	NOS	Rawathbhatta RR Site

253	GI Conduit Flexible G.I.Wire Wound, Size-20mm25mm, Thickness(minimum)-0.5-1.0 mm.	2000	MTR	Rawathbhatta RR Site
254	PVC Conduit Flexible, Size-20mm/25mm, Thickness(minimum)-0.5-1.0 mm	2000	MTR	Rawathbhatta RR Site
255	Patti type tube light fitting for 1' X 36/40 watt fluorescent lamp, Length- 4 feet complete with copper wound ballast and rotary holder, 240 V AC, 50 Hz.	200	NOS	Rawathbhatta RR Site
256	Lamp Holder, Material -Bakelite (Angle type) BC, 250V AC, 50 Hz, Rating-5/6A , suitable for 100-200W lamp. IS 1258 approved.	600	NOS	Rawathbhatta RR Site
257	Lamp Holder Material-Bakelite Rating -5/6 Amp, Straight BC type, 2 Pin, 240V AC, 50 Hz, suitable for 100-200W lamp.	600	NOS	Rawathbhatta RR Site
258	Lamp Holder Material-Bakelite, Rating- 5/6 Amp, ES type, 2 Pin, 240V AC, 50 Hz, suitable for 100-200W lamp. IS 10276 approved.	300	NOS	Rawathbhatta RR Site
259	Rotary Holder suitable for 2 x 36/40 watt tube light fitting, (self-locking) 240V AC, 50 Hz.	1500	NOS	Rawathbhatta RR Site
260	Rotary Holder suitable for 1 x 36/40 watt tube light fitting, (self-locking) 240V AC, 50 Hz.	2000	NOS	Rawathbhatta RR Site
261	2 Pin Plug Top, Rating : 5/6 Amp, ISI marked IS-1293, 250V, 50Hz.	100	NOS	Rawathbhatta RR Site
262	3 Pin Plug Top, Rating :15/16 Amp, Used for Flush Mounting/Piano Type socket , ISI marked IS-1293, 250V, 50Hz.	1500	NOS	Rawathbhatta RR Site
263	3 Pin Plug Top, Rating : 5/6 Amp Flush Mounting/ Piano Type, ISI marked IS-1293, 250V, 50Hz.	1500	NOS	Rawathbhatta RR Site
264	3 Pin Socket, Rating: 5/6 Amp., ISI marked IS-1293, 250V, 50Hz.	1000	NOS	Rawathbhatta RR Site
265	6 Pin Socket, Rating:5/15-16 Amp., Flush Type Universal, ISI marked IS-1293, 250V, 50Hz.	1000	NOS	Rawathbhatta RR Site
266	Conduit pipes	200	MTR	Rawathbhatta RR Site
267	Conduit pipes	200	MTR	Rawathbhatta RR Site
268	"Hack Saw Blade" Material:- High Speed Steel. Size:- 12" Long x 1/2" Width x 1/4" (23 gauge) Thick : 14/18/24/32 TPI Standard :- IS : 2594 : 2003	6500	NOS	Rawathbhatta RR Site
269	Hacksaw Frame folding type Size 12"	50	NOS	Rawathbhatta RR Site
270	Tape steel measuring 03 Mtr in inch/mm .	250	NOS	Rawathbhatta RR Site
271	BUTT HINGES Size 1" TO 4"	200	NOS	Rawathbhatta RR Site

272	WOOD SCREW NEDDLE FOLD OF VARIOUS SIZES	10500	NOS	Rawathbhatta RR Site
273	WIRE BRUSH MS/SS 3 ROW SIZE : 6" L X 1"/6" L X 2" W WITH WOODEN HANDLE	200	NOS	Rawathbhatta RR Site
274	WIRE NAILS PLAIN HEAD Size: 1/2"X1.25MM/3/4"X1.25MM/1"X1.25MM/1/2"X2.5MM/ 2"X2.5MM/1/2"X2.8MM/3"X 4 MM / 4"X 4 MM	80	KG	Rawathbhatta RR Site
275	PLYWOOD SHEET COMMERCIAL GRADE CONFORMING TO IS:4990, SIZE-19MM/12MM/6MM X 8 X4 FT. ITEM SHOULD BE IS MARKED.	100	NO	Kaiga- KGS
276	BLADE HACK SAW-HIGH SPEED STEEL 1/2" X 12"X 0.025" X 18 TPI AS PER IS-2594/77.	1000	NO	Kaiga- KGS
277	SOAP TOILET IN 75GMS CAKE AS PER IS 2888 : 2004.	1000	KG	Kaiga- KGS
278	SOAP LIQUID: COMMERCIAL GRADE, CONFORMING TO IS SPECIFICATIONS 4199-2001	1000	LTR	Kaiga- KGS
279	POLYTHENE SHEET, PLAIN, 1.5 METER WIDE. EXTRACTED FROM FULLY AUTOMATIC MACHINE, VIRGIN QUALITY PLASTIC, 250 TO 300 MICRON THICK, ROLL OF 25 KGS COLOR:YELLOW/GREEN	2000	KG	Kaiga- KGS
280	POLYTHENE BAGS(GREEN/YELLOW) VIRGIN WITH SIZE 1000 X 600 MM, THICKNESS; 200 TO 250 MICRONS, OPENING ON 600 MM SIDE	3000	KG	Kaiga- KGS
281	GADA CLOTH WHITE UNBLEACHED WITHOUT STARCH 1 METER WIDTH AND 100 METER LENGTH BUNDLE, MINIMUM WEIGHT PER SQUARE METER TO BE 45 GMS WITH A TOLERANCE OF +/- 2 GMS.	30000	MTR	Kaiga- KGS
282	STRETCH FILM FOR PACKING MATERIALS(WRAPPING), 500MM WIDTH (+/-10%) AND 25 MICRONS THICKNESS IN CONTINEOUS ROLL.	100	KG	Kaiga- KGS
283	BUBBLED POLYTHENE SHEET IN CONTINEOUS ROLL HAVING 1.5MTRS. WIDTH AND OF 220 GAUGE (+/- 5%)	1000	MTR	Kaiga- KGS
284	SYNTHETIC ENAMEL PAINT IN ONE LTR PACK HIGH GLOSS & HIGH BUILD AS PER IS 2932-2003.	3000	LTR	Kaiga- KGS

285	BANIAN LINT FREE CLOTH IN 1 MTR X 100 MTR BUNDLES. THE FABRIC YARN SHALL BE MADE OF COTTON WHICH HAS BEEN CLEANED, CARDED, DRAWN & SPUN INTO SINGLE YARNS PER WRAP & FILLING.	6000	MTR	Kaiga- KGS
286	METAL JACKET ZINC CARBON LEAK PROOF BATTERY CELL, DRY LEAK PROOF 1.5V 950 D R20./ R6/AA/UM 3.	6000	No	Kaiga- KGS
287	STABLE BLEACHING POWDER 34-36% GRADE-I CHLORINE IN 25 KG BAG ISI GRADE AS PER IS-1065. ITEM SHOULD BE IS MARKED. CONSIGNMENT SHOULD ACCOMPANY WITH IS CERTIFICATE.	5000	KG	Kaiga- KGS
288	TISSUE PAPER ROLL , DOUBLE PLY , 22 MTR LENGTH,10 CM WIDE, WEIGHT 100 GRAM PER ROLL (+/- 10 GRAM).	5000	NO	Kaiga- KGS
289	LINT FREE COTTON HAND GLOVES WITH ANTI SLIP RUBBER GRIP, TYPE: PALM SIDE DOTTED, SIZE 9 INCHES.	10000	PAIR	Kaiga- KGS
290	PAPER EMERY AL. OXIDE OF VARIOUS GRIT.	10000	NO	Kaiga- KGS
291	ELECTRONIC BALLAST ISI MARKED, TYPE EBC-240 SUITABLE FOR 36W/40W, 230 V AC TUBE LIGHT CONFIRMING TO IS-13021. ITEM SHOULD BE IS MARKED.	1000	NO	Kaiga- KGS
292	HAND GLOVES SURGICAL SOFT NON-STERILE, MADE FROM PURE NATURAL LATEX, AS PER IS-4148, SIZE 8" ,SUPERFINE QUALITY WEIGHT-25 GM.	35000	PAIR	Kaiga- KGS
293	HAND GLOVES POST-MORTEM RUBBER IN ASSORTED SIZES AS PER IS-4149 1967 9". ITEM SHOULD BE IS MARKED.	15000	PAIR	Kaiga- KGS
294	BOX FILE (HARD BOARD) WITH BUTTON CLIP FILE F/S 35 X 27 CMS, WEIGHT 700 GRAMS PER FILE, GOOD QUALITY, WITH PRINTING AS PER SPECIMEN, SPECIFICATION AS PER ANNEXURE.	500	NO	Kaiga- KGS

295	PAPER COPIER IN SUPER WHITE COLOUR, PAPER QUALITY 75 GSM SIZE A4 (297 MM X 210 MM), REAM OF 500 SHEETS IN MILLS ORIGINAL PACKING. MINIMUM WEIGHT PER REAM SHOULD BE 2.34 KG	3000	REAM	Kaiga- KGS
296	ANTISEPTIC LIQUID IN 500 ML BOTTLE CONTAINING FOLLOWING INGREDIENTS.1.CHLOROXYLENOL IP 4-10% W/V 2.TERPINEOL BP 9% V/V OR 1% W/W	100	NO	Kaiga- KGS
297	ROOM AIR FRESHENER IN AEROSOL SPRAY CAN. MINIMUM CONTENT 300 ML	400	NO	Kaiga- KGS
298	NAPHTHALENE BALLS 25 MM IN 500 GRAMS AIR TIGHT PVC PACKING (ABOVE 20 MICRON THICK).	30	NO	Kaiga- KGS
299	AIR FRESHENER BLOCKS IN 50 GMS IN DIFFERENT FRAGRANCE FOR INDOOR USED.	400	NO	Kaiga- KGS
300	HDPE TARPAULIN, WATER PROOF AS PER IS 7903:2011, 150 GSM, SIZE: 6 MTR X 6 MTR.	200	NO	Kaiga- KGS
301	METAL CLAD PLUG TOP FOR INDUSTRIAL PURPOSES, 240 V, 10 AMPS, 2 PIN + EARTH, IVORY COLOR. ITEM SHOULD COMPLY WITH IS/IEC-60309.	500	NO	Kaiga- KGS
302	SELF ADHESIVE PVC INSULATION TAPE FIRE RETARDANT FOR ELECTRICAL USE IN ASSORTED COLOURS AS PER IS 7809. SIZE 1.9CM X 5 MTR TO 10 MTR X 0.125MM ITEM SHOULD BE IS MARKED. LENGTH SHALL BE MIN 5 MTR COMPLYING TO IS 7809 AND IS MARKED)	3000	NO	Kaiga- KGS
303	TEFLON TAPE OF VARIOUS SIZES . ITEM SHOULD BE AS PER IS 14643	5000	NO	Kaiga- KGS
304	ENVELOP OF VARIOUS SIZES WITH PRINTING AS PER SPECIMEN PAPER QUALITY 90 GSM GREEN COLOUR SIZE 30 CM LENGTH X 40 CM WIDTH X 6 CMS FLAP IN PACKET OF 100 NO. ENVELOP (CLOTH LINED).	10000	NO	Kaiga- KGS

305	ENVELOP OF VARIOUS SIZES WITH PRINTING AS PER SPECIMEN PAPER QUALITY 90 GSM WHITE COLOUR SIZE 30 CM LENGTH X 40 CM WIDTH X 6 CMS FLAP IN PACKET OF 100 NO. ENVELOP .	10000	NO	Kaiga- KGS
306	FILE FOLDER, SIZE 35 X 28 CMS WEIGHT 120 GRAMS PER FOLDER WITH GOOD FINISHING, WITH LINING CLOTH BINDING AT THE FOLDING SIDE LOGO & 2 PVC EYELETS TO BE FIXED WITH AND PRINTING MATTER AS PER SPECIMEN	10000	NO	Kaiga- KGS
307	FILE PAD WITH FLAP WITH PRINTING NPC LOGO ON FLAP CALICO BINDED 26 CM (W) X 36 CM (L) X 3 MM (T)	2000	NO	Kaiga- KGS
308	ALPINS 26 MM SS IN 65 GMS PACKING	2000	PACK	Kaiga- KGS
309	SINGLE PUNCH 4.5 MM HOLE PERFORATOR	500	NO	Kaiga- KGS
310	YELLOW SELF STICK REMOVABLE NOTES, SIZE: 3" X 3" CONSISTING OF 100 SHEETS IN EACH PAD. MADE IN INDIA	2000	PAD	Kaiga- KGS
311	REMOVABLE SELF STICK NOTES, SIZE: 3 INCH X 1 INCH WITH 3 DIFFERENT COLORS IN ONE PACKET. EACH PACKET CONSISTING OF 100 SHEETS.	1000	NO	Kaiga- KGS
312	DOUBLE PUNCH PERFORATOR OF PUNCHING CAPACITY 1.2 MM.	500	NO	Kaiga- KGS
313	IMPRESSIONS STAMP PAD SELF INKING. MINIMUM SIZE 11.5 CM X 6.5CM	100	NO	Kaiga- KGS
314	SCRIBBLING PAD UNRULED WITH NPC EMBLEM ON RIGHT HAND TOP SIDE ON ALL SHEETS WITH PERFORATION AT TOP 21 CMS X 18 CMS 50 SHEETS PER PAD. 65 GSM	2000	NO	Kaiga- KGS
315	PENCIL CARBON PAPER 100 SHEET PKT COLOUR: ROYAL BLUE SIZE: 210 MM X 330 MM	100	NO	Kaiga- KGS
316	NOTING SHEET LIGHT GREEN 80 GSM LEDGER PAPER WITH PLASTIC HOLE STOPPER AT BOTH TOP CORNERS. EACH PAD/ PKT OF 100 SHEETS.	2000	NO	Kaiga- KGS

317	OFFICE STATIONERY ITEMS (PEN,PENCIL,SHARPNR,ERASOR, STAPLE PINS, WHITENER ETC.)IN SETS	5000	SET	Kaiga- KGS
318	TAPE MASKING 50 MM (W) X 45 MTR (L).	5000	NO	Kaiga- KGS
319	HARDWARE ITEMS LIKE WIRE NAILS, NUT BOLTS, ETC	2000	KG	Kaiga- KGS
320	GOOD QUALITY PAINTING BRUSH OF VARIOUS SIZES	2000	NO	Kaiga- KGS
321	EPOXY PUTTY FOR GENERAL PURPOSE USE IN 1 KG. PACK	1000	KG	Kaiga- KGS
322	PADLOCK WITH 5,6 & 7 LEVER LOCKING MECHANISM WITH 3 KEYS.	500	NO	Kaiga- KGS
323	INDUSTRIAL HELMET	1000	NO	Kaiga- KGS
324	SAFETY HARNESS, BOILER SUITS, LAB COATS, CAPS ETC	5000	NO	Kaiga- KGS
325	WEIGHING SCALE OF VARIOUS SIZES	100	NO	Kaiga- KGS
326	CEILING FAN WITH ELECTRONIC REGULA	1000	NO	Kaiga- KGS
327	COTTON UNDER GARNMENTS	15000	NO	Kaiga- KGS
328	SUBMERSIBLE / DEWATERING PUMPS	100	NO	Kaiga- KGS
329	STEEL STORAGE SYSTEM / RACKS	100	NO	Kaiga- KGS
330	COTTON PADS	1000	NO	Kaiga- KGS
331	METALIC STORAGE DRUMS/BARRELS	1000	NO	Kaiga- KGS
332	SUPPLY OF PRESSURE GAUGES VARIOUS RANGE, SIZE AND END CONNECTION	1000	NO	Kaiga- KGS
333	FLUSH DOORS	200	NO	Kaiga- KGS
334	METAL BRADED HOSE - SS316 ANNULAR CORRUGATED BUTT WELDED HOSE WITH SS304 SINGLE WIRE BRAIDING ON TOP. HOSE FITTING : BOTH END FITTED WITH 1/2" NPT THREAD FEMALE SWIVEL NUT ALONG WITH MALE	100	NO	Kaiga- KGS
335	SELF-LOCKING TYPE, STAINLESS STEEL/ NYLON, CABLE TIES OF BALL & LOCK TYPE WITH THE FOLLOWING SPECIFICATIONS: - WIDTH: 4.6 MM - LENGTH: 250 MM - MAXIMUM BUNDLE DIA.: 75 MM , MATERIAL: SS 316 GRADE. - 15000 NO	30000	NO	Kaiga- KGS

336	SS NEEDLE VALVE WITH END CONNECTION 1/2" FNPT, PRESSURE RATING : 6000 PSI, TEMPERATURE : 240 DEG C., STEM PACKING AND GLAND PACKING	3000	NO	Kaiga- KGS
337	HAND OPERATED HYDRAULIC CRIMPING TOOL SUITABLE FOR CRIMPING OF COPPER/ALUMINIUM CABLES UP TO 1000 SQ.MM SIZE.	200	NO	Kaiga- KGS
338	WELDING ELECTRODE AWS E-7018 SIZE 2.5MM X 350MM.	5000	NO	Kaiga- KGS
339	RE-USABLE, WASHABLE EAR PLUGS IN COMFORTABLE 3 FLANGE DESIGNS IN PREFERABLY BRIGHT ORANGE COLOUR FOR ENHANCED PROTECTION WITH SOFT BRAIDED NYLON CORD. - MATERIAL: NON-IRRITANT, ALLERGY-FREE	5000	NO	Kaiga- KGS
340	DISPOSABLE NEEDLE NO:22	5000	NO	Kaiga- KGS
341	HRC CONTROL FUSE FOR CONTROL PANEL RATED VOLTAGE 415 V, RATING 2A NS TYPE BREAKING CAPACITY 80KA, CONFORMS TO: IEC 60269-1&2 - 1/ IS 13703-1&2 - 1. -100 NO	500	NO	Kaiga- KGS
342	ELECTRONIC ULTRA BRIGHT 22.5 DIA LED INDICATION LAMP, WIDE VOLTAGE RANGE SUITABLE FOR 24V-220V AC/DC, WITH PLASTIC FRONT RING, COLOUR: RED. HSN CODE: 9405 -50 NO	200	NO	Kaiga- KGS
343	PVC / MS CONDUIT OF VARIOUS SIZES	5000	RMT	Kaiga- KGS
344	LED INDICATION LAMPS - 22.5 MM DIA. - WIDE VOLTAGE RANGE, SUITABLE FOR 42 V – 220 V AC / DC - COLOR: RED -50 NO	1000	NO	Kaiga- KGS
345	CABLE GLANDS, DOUBLE COMPRESSION, WEATHER PROOF TYPE, MADE OF BRASS DULY NICKEL PLATED	500	NO	Kaiga- KGS
346	LABORATORY GLASSWARE	100	SET	Kaiga- KGS
347	HAND TOOLS (SPANER, PLIER , SCREW DRIVER ETC)	1000	SET	Kaiga- KGS
348	Envelope of various sizes	21500	NO	Kakrapara-KAPS
349	SILICON TEFLON TAPE ROLL OF VARIOUS SIZES	350	ROLL	Kakrapara-KAPS
350	Electronic Key Guard Cabinet	2	NO	Kakrapara-KAPS
351	Electronic Printer label/Ribbon	30		Kakrapara-KAPS

352	JUMPER WIRE 0.51 MMSQ DIA IN PAIR	700	MTR	Kakrapara-KAPS
353	PTFE (TEFLON) ROUND ROD of different sizes	16	NO	Kakrapara-KAPS
354	MACHINABLE VIRGIN HYLAM & NYLON ROD OF DIFFERENT SIZES	50	NO	Kakrapara-KAPS
355	Furniture of differrant specifications- wooden& steel	17	NO	Kakrapara-KAPS
356			NO	Kakrapara-KAPS
357	Electric Switches & Sockets	930	NO	Kakrapara-KAPS
358	U-CLAMPS, both side thread	200	NO	Kakrapara-KAPS
359	Hand tools of diiferant specifications	355	NO	Kakrapara-KAPS
360	Ammeter,Voltmeter , Rectifier and other panel meters	200	NO	Kakrapara-KAPS
361	Radiography films	2	Pockets	Kakrapara-KAPS
362	Inconel filler wire	10	Kg	Kakrapara-KAPS
363	SS Hexagonal Bar	223	Kg	Kakrapara-KAPS
364	Diamond Lapping Compounds	300	No	Kakrapara-KAPS
365	Cutting Tools of different sizes & specifications	990	No	Kakrapara-KAPS
366	Laboratory Stool (HSN code - 9403) as per attached specifica		No	Kakrapara-KAPS
367	Power Supplies	13	No	Kakrapara-KAPS
368	Casing Capping of different sizes	8500	Metre	Kakrapara-KAPS
369			No	Kakrapara-KAPS
370	Workshop tools & Fixtures of different specifications	63	No	Kakrapara-KAPS
371	Lead Curie Mat of Different sizes	57	No	Kakrapara-KAPS
372	Welding Electrodes &filler wires	140	Kg	Kakrapara-KAPS
373	Spiral wound Gaskets of different specifications & sizes	161	No	Kakrapara-KAPS
374			No	Kakrapara-KAPS
375	Quick Release Coupling	40	No	Kakrapara-KAPS
376	Special purpose hand tools of different specifications	90	Set	Kakrapara-KAPS
377			No	Kakrapara-KAPS
378	Hardwares & accessories for doors	40	No	Kakrapara-KAPS
379			No	Kakrapara-KAPS
380	Standard flaw Specimen for ultrsonic testing	3	set	Kakrapara-KAPS
381	Communication Networking cables (Patch cords) & accessories	1500	No	Kakrapara-KAPS
382	Extension boards	20	No	Kakrapara-KAPS
383	MOLYCHEM MAKE Ammonium Chloride, Grade: AR/GR, packing: 500 gm	5	KG	Kakrapara-KAPS
384	MOLYCHEM MAKE Ammonium Hepta Molybdate Tetra hydrate, Grade: AR/GR, packing: 01Kg.	7	KG	Kakrapara-KAPS
385	MOLYCHEM MAKE Indigo Carmine, packing 25 gm	100	GM	Kakrapara-KAPS

386	MOLYCHEM MAKE Potassium iodate, Grade: AR/GR, packing: 100 gm	500	GM	Kakrapara-KAPS
387	MOLYCHEM MAKE Potassium iodide, Grade: AR/GR, packing: 500 gm	5	KG	Kakrapara-KAPS
388	MOLYCHEM MAKE Potassium permanganate, Grade: AR/GR, packing: 500 gm	5	KG	Kakrapara-KAPS
389	MOLYCHEM MAKE Sodium azide, Grade: AR/GR, Packing: 250 gm	500	GM	Kakrapara-KAPS
390	MOLYCHEM MAKE Silver nitrate, Grade: AR/GR, packing: 25 gm	300	GM	Kakrapara-KAPS
391	Buffer tables of pH 4.00 ± 0.05, Make: Molychem, Packing : pack of 10 tablets (100	PKT	Kakrapara-KAPS
392	Buffer tables of pH 7.00 ± 0.05, Make: Molychem, Packing : pack of 10 tablets (100	PKT	Kakrapara-KAPS
393	Buffer tables of pH 9.20 ± 0.05, Make: Molychem, Packing : pack of 10 tablets (100	PKT	Kakrapara-KAPS
394	Calcium Hardness Indicator Tablets, Grade: IT, Make: Molychem, Packing: Pack Of 100 Tablets	20	PKT	Kakrapara-KAPS
395	Calcon Indicator (Solochrome Dark Blue or Eriochrome blue black R), Grade: MI, Make: Molychem, Pack	50	GM	Kakrapara-KAPS
396	Formazin turbidity standard, strength: 4000 NTU, traceable to NIST with 24 months shelf life, Grade:	200	ML	Kakrapara-KAPS
397	Methyl Orange Indicator, Grade: AR/GR, Make: Molychem, Packing: 25gm	100	GM	Kakrapara-KAPS
398	Methyl Red Indicator, Range: 4.4 (Red)-6.2 (Yellow), Grade: GR, Make: Molychem, Packing: 25 gm	100	GM	Kakrapara-KAPS
399	Multirange pH paper, (pH 1.0-14.0), box of 10 books, Make: SDFINE,	5	BOX	Kakrapara-KAPS
400	Phenolphthalein Indicator (pH 8.2-9.8), Grade: GB, Make: Molychem, Packing: 50 gm	200	GM	Kakrapara-KAPS
401	P-Xylenol Blue Indicator, Grade: AR/GR, Make: SDFINE, Packing: 5 gm	15	GM	Kakrapara-KAPS

402	Starch Soluble, Grade: AR/GR, Make: SDFINE, Packing: 500 gm (1000	GM	Kakrapara-KAPS
403	Total Hardness Indicator tablet, Grade: IT, Make: SDFINE, Packing: Pack of 100 Tablets	20	PKT	Kakrapara-KAPS
404	BILINGUAL PRINTING AND SUPPLY OF MARBLE FILE IN ASSORTED COL	4000	NO	Kakrapara-KAPS
405	Digital time interval meter. Range: 0.0000 to 9999 seconds	2	NO	Kakrapara-KAPS
406	50 TERMINALS JUNCTION BOXES WITH NEOPRENE/EPDMGASKETS IP65	8	NO	Kakrapara-KAPS
407	SKF BEARING 51309 FOR ALFA LAVAL PLATE TYPE HEAT EXCHANGER	48	NO	Kakrapara-KAPS
408	Spare parts for KG KHOSALA make Air compressors Model No 2HA	24	NO	Kakrapara-KAPS
409	Supply of 24 Port, Layer 2, manageable, 1 gbps, Ethernet	8	NO	Kakrapara-KAPS
410	Touch screen display for monitoring of 60 KVA Control UPS	12	NO	Kakrapara-KAPS
411	12 Volt DC SMPS base power supply cum charger unit for VHF w	5	NO	Kakrapara-KAPS
412	Air operated Reverse power Impact Wrench - make Chicago Pnu	1	NO	Kakrapara-KAPS
413	PARTICULATE COUNTER: Sensor type : Laser Diode type Particu	1	NO	Kakrapara-KAPS
414	Laboratory Stool (HSN code - 9403) as per attached specifica	15	NO	Kakrapara-KAPS
415	Spare 6/16Amp Electrical sockets and switch. (HSN code - 940	20	NO	Kakrapara-KAPS
416	Spare FH Utility valve (CA/V/POW). (HSN code - 9403)	2	NO	Kakrapara-KAPS
417	Magnetic level indicating gauges, Scale range 0 to 800 mm as	8	NO	Kakrapara-KAPS
418	DIAPHRAGM FOR MBFP RECICULATION CONTROL VALVE	6	NO	Kakrapara-KAPS
419	Three valve manifold for differential pressure transmitter/D	8	NO	Kakrapara-KAPS
420	SUPPLY OF "VEKSLER"MAKE, MODEL NO. : MLG-19, SIDE MOUNTED MA	5	NO	Kakrapara-KAPS
421	Magnetic Putty for HT electrical motor	1	Kg	Kakrapara-KAPS

422	Supply Of Mono Block Centrifugal Pump. Make: Tullu Mak	2	NO	Kakrapara-KAPS
423	STROMATOLYSER- WH 500 ML(TRANSASIA)	1	BTLS	Kakrapara-KAPS
424	MP CARD (1 X 25 CARDS)	2	BOX	Kakrapara-KAPS
425	SICKLLEVUE (1 X 10 TEST)	5	BOXES	Kakrapara-KAPS
426	Supply and installation of working tables,wall storage cup	1	NO	Kakrapara-KAPS
427	SUPPLY OF LATTICE TUBE PROTECTIVE SLEEVE AS PER DRAWING KAPS	15	NO	Kakrapara-KAPS
428	ANNUAL MAINTENANCE CONTRACT OF FUJIFILM LASER IMAGER DRYPIX	1	SYSTEM	Kakrapara-KAPS
429	Stainless steel Bourdon tube pressure gauges as per specific	8	NO	Kakrapara-KAPS
430	PTFE insulated Wire: Specification: - 22/19/34 AWG, - Silver	3000	MTR	Kakrapara-KAPS
431	Silicagel Blue Indicator type Size: 9-12 mm. IS: 3401/92 N	200	Kg	Kakrapara-KAPS
432	Plane PVC pouch : Pouch should be closed at one end. Size	20	Kg	Kakrapara-KAPS
433	Supply of Des Case Make Desiccant breather Model No. DC-2 of Standard Series.	8	NOS	Kakrapara-KAPS
434	Adaptor of Material C40 / 45 of Approx. 100 mm long having one end 1 1/2" NPT (F) & other end compat	12	NOS	Kakrapara-KAPS
435	Single stage Pressure Regulator for Nitrogen Gas Cylinder, Make : ALTAIR, Model No.HPR-270 as per at	15	NO	Kakrapara-KAPS
436	Bull Nose Nipple/ Adaptor for Nitrogen Cylinder valve(IS3224)	10	NO	Kakrapara-KAPS
437	OMEGA -690 (SAE-460) SUPER EP GEAR LUBRICATING OIL . PACKING : 5 LITER BUCKET PACK	40	Litres	Kakrapara-KAPS
438	Supply of Electromagnet assembly with cable and control panel as per the specification given below-	2	UNIT	Kakrapara-KAPS
439	All in one PC with built in processor. HP MAKE MODEL No.800G3 SERIES AIO WITH NON TOUCH SCREEN MODE	5	No	Kakrapara-KAPS
440	Supply, installation & commissioning of Dial type weighing scale with rugged, dust proof & moisture	2	No	Kakrapara-KAPS

441	Alkali Blue pH Indicator Powder, Grade: PB, Make: Molychem, Packing: 5 gm	20	GM	Kakrapara-KAPS
442	Bromothymol Blue Indicator (Range: 6.0-7.6), Grade: GB, Make: Molychem, Packing: 25 gm	50	GM	Kakrapara-KAPS
443	Supply of Industrial Strength Full Wet & Dry Vacuum Cleaning and Drying Machine, Capacity - 4.5 Gal	2	NO	Kakrapara-KAPS
444	Purge Rotameters with dP Regulators(Flow Indicating Valve) for Air Application. Model No.SCG2VA.	6	No	Kakrapara-KAPS
445	3 core 2.5sq mm FRLS Unarmoured Power cable	5000	METER	Kakrapara-KAPS
446	24V Cluster type LED Hand lamp complete with lead and plug top Specifications: Illumination : > 950	20	no	Kakrapara-KAPS
447	Safety transformer in portable sheet steel enclosure. Input flexible cable 5.0m long, size 0.75 sq m	10	no	Kakrapara-KAPS
448	Tripod stand: Light weight, powder coated, Tubular steel mast, extendable from 0.6M to 1.5M, compris	2	No	Kakrapara-KAPS
449	Supply of Bosch make GO Cordless Screw Driver Kit with non removable battery in a plastic case, Mode	8	se	Kakrapara-KAPS
450	Hand operated portable pressure calibration pump. Make: R & D Instruments. Model No. HP-2. With acce	5	SET	Kakrapara-KAPS
451	Nylon hose with end fittings 1/4" (F) BSP, one meter length for item no.1.	10	NO	Kakrapara-KAPS
452	Anodized Aluminium label black colour with different nomenclature engraved on one side tag. Size of (9500	NO	Kakrapara-KAPS
453	Microcontroller based Geiger Muller Counter (G.M. Counter) with one inch Wide End Window G.M. Detec	2	NO	Kakrapara-KAPS
454	standard calibration source of Sr90 - Y90 which should be a circular disk source having dia of 22	2	NO	Kakrapara-KAPS

455	Lead Shielding of 2 inch thick, lined with aluminum sheet, which can accommodate the detector with	2	NO	Kakrapara-KAPS
456	Spare Item:One inch Wide End Window G.M. Detector should be compatible with item Sr. No. 01.	2	NO	Kakrapara-KAPS
457	Sentinel Brand Synthetic Oil S-250 (Commercial Name Viscotherm 680), Each Can Capacity 20 litres.	1	CAN	Kakrapara-KAPS
458	Eureka Forbes make Vacuum Cleaner with Specification: Single Phase 50Hz 240V AC , Hand Held, Portabl	15	NO	Kakrapara-KAPS
459	30ml Clear Glass EPA Vial with PTFE Silicone Septa Bonded to a 24mm White Screw Cap Pack Size: Packi	10	PACKET	Kakrapara-KAPS
460	Bottles Reagent, Plain Narrow Mouth, Graduated with Inter-changeable Flat Head Stopper & Supp	50	NO	Kakrapara-KAPS
461	Straight probe suitable for INSIS ECT machine ie probe A-380	5	NO	Kakrapara-KAPS
462	Flexible probe suitable for INSIS ECT machine ie probe A-370	8	NO	Kakrapara-KAPS
463	IBR Certified Gate valve of different sizes as per Design standard API 600	2	No	Narora NAPS
464	Gate valve as per Design standard API 600 Size - 6" (150 NB)	2	No	Narora NAPS
465	Copper conductor HR PVC insulated FRLS PVC sheathed armoured control cable 3 core 1.5 sq. mm as per technical specification PB-E-542	3000	Meters	Narora NAPS
466	Copper conductor HR PVC insulated FRLS PVC sheathed control cable 3 core 1.5 sq. mm as per technical specification PB-E-542 except armouring of cable.	2000	Meters	Narora NAPS
467	Copper conductor HR PVC insulated FRLS PVC sheathed control cable single pair twisted 1.5 sq. mm as per technical specification PB-E-165	1000	Meters	Narora NAPS
468	Shielded Cat-6 cable as per specifications given in ann-1	2000	Meters	Narora NAPS
469	RG-59 B/U cable as per technical specification PP-E- 1036	1000	Meters	Narora NAPS

470	5 Pair twisted Shielded cable conductor shall have 0.5189 sq. mm (20 AWG) stranded consisting of 19 strands of 0.0324 Sq.mm(32 AWG) annealed tin coated copper insulated with 0.15 mm thick ETFE insulation other specification shall be as per attached specification PC-E-093	1000	Meters	Narora NAPS
471	3 Core cable, each conductor shall have 0.5189 sq. mm (20 AWG) stranded consisting of 19 strands of 0.0324 Sq.mm(32 AWG) annealed tin coated copper insulated with 0.15 mm thick ETFE insulation other specification shall be as per attached specification PC-E-093	1000	Meters	Narora NAPS
472	Supply of Cable tray with cover made of GI Sheet gauge: 14, length: 2.5 to 3.5 meter size: 150mm(W) x 50mm(H) with tray jointing clamps (I type), tray cover closing clamps (U type) (material GI, gauge: 14 or lower) and wall mounting clamps (material MS type U/L with anchor fastener, nut, bolt & washers (one meter cable tray required one number mounting clamp (4 numbers anchor fastener) and two numbers jointing clamps)	100	Meters	Narora NAPS
473	Supply of Cable tray with cover made of GI Sheet gauge: 14 , length: 2.5 to 3.5 meter size: 75mm(W) x 50mm(H) with tray jointing clamps (I type), tray cover closing clamps (U type) (material GI, gauge: 14 or lower) and wall mounting clamps (material MS type U/L with anchor fastener, nut, bolt & washers (one meter cable tray required one number mounting clamp (4 numbers anchor fastener) and two numbers jointing clamps)	200	Meters	Narora NAPS
474	Supply of Liquid tight flexible metal conduit pipe with inside Galvanized Steel Strip and covered/jacket with PVC Insulating material Size one inches with Jointing couplers and wall mounting hospital saddles (material cast with screw and sleeve (one meter flexible required one number Jointing couplers and two numbers hospital saddles)	200	Meters	Narora NAPS
475	Supply of black painted 1/2 inch size Hospital Saddle made of Cast Iron. (Die cast) with suitable fixing countersunk head full tread screws and good quality sleeves.	2000	Nos.	Narora NAPS

476	Supply of black painted 1 inch size Hospital Saddle made of Cast Iron. (Die cast) with suitable fixing countersunk head full tread screws and good quality sleeves.	2000	Nos.	Narora NAPS
477	Supply of black painted 3/4 inch size Hospital Saddle made of Cast Iron. (Die cast) with suitable fixing countersunk head full tread screws and good quality sleeves	500	Nos.	Narora NAPS
478	AMC OF OCE TDS 450 PRINTER FOR PERIOD OF TWO YEAR AS PER TERMS AND CONDITIONS IN ANNEXURE	1	NO	Narora NAPS
479	Electrical Submersible Dewatering Pump (Make-M/s Mody Industries (F.C) Pvt Ltd) (Model-G530T) of 7.5 HP, 3 Phase, 50 Hz, 415V, 2850 rpm.	1	No.	Narora NAPS
480	Electrical Submersible Dewatering Pump (Make-M/s Mody Industries (F.C) Pvt Ltd) (Model-G506T) of 5.0 HP, 3 Phase, 50 Hz, 415 Volts, high head (twin impeller/hydraulics) pumpset.	1	No.	Narora NAPS
481	SOCKS, MAKE - BATA (Free and Full Size). Article No. 911.0501 (Material to be supplied / purchased from authorized Distributors / Dealer / Supplier / Manufacturer).	2500	Pair	Narora NAPS
482	Annual maintenance Contract of Atomic absorption Spectrophotometer AAS Model SensAA consists of Flame, Graphite Furnace and Hydride Generator Make -GBC for period of two years as per specification attached	6	Visit	Narora NAPS
483	Supply of Two Seater dual-desk chair for school children as per enclosed specification in four part supply over a period of one year as per requisition of NAPS. The furniture shall be delivered directly at suggested school premises by the supplier.	600	set	Narora NAPS
484	Annual maintenance contract of side loading ILDE make washing machine of 25kg/batch capacity .	6	Nos.	Narora NAPS
485	Annual maintenance contract of steam and electrically heated ILDE make drying tumbler of 25 kg/batch.	5	Nos.	Narora NAPS
486	Annual maintenance contract of Kleenrite make of 12.5 kg/batch capacity hydro extractor.	4	Nos.	Narora NAPS

487	Annual maintenance contract of Lucky/similar make flat bed electrical/steam heated press machine.	2	Nos.	Narora NAPS
488	Supply of CPVC Pipe conforming to ASTM F-441 specification, Physical Properties:- As per attached specifications, Size:- 150NB, Schedule:- 40, In Length of:- 5-6 meter	5	Meter	Narora NAPS
489	Supply of CPVC Pipe conforming to ASTM F-441 specification, Physical Properties:- As per attached specifications, Size:- 80NB, Schedule:- 40, In Length of:- 5-6 meter	35	Meter	Narora NAPS
490	Supply of CPVC Pipe conforming to ASTM F-441 specification, Physical Properties:- As per attached specifications, Size:- 50NB, Schedule:- 40, In Length of:- 5-6 meter	40	Nos.	Narora NAPS
491	Supply of CPVC Pipe conforming to ASTM F-441 specification, Physical Properties:- As per attached specifications, Size:- 40NB, Schedule:- 40, In Length of:- 5-6 meter	25	Meter	Narora NAPS
492	Supply of CPVC Pipe conforming to ASTM F-441 specification, Physical Properties:- As per attached specifications, Size:- 25NB, Schedule:- 40, In Length of:- 5-6 meter	15	Meter	Narora NAPS
493	Supply of CPVC 90 Degree Elbow conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 80NB, Schedule:- 80, End Connections:- Socket End	12	Nos.	Narora NAPS
494	Supply of CPVC 90 Degree Elbow conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 50NB, Schedule:- 80, End Connections:- Socket End	20	Nos.	Narora NAPS
495	Supply of CPVC 90 Degree Elbow conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 40NB, Schedule:- 80, End Connections:- Socket End	16	Nos.	Narora NAPS
496	Supply of CPVC 90 Degree Elbow conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 25NB, Schedule:- 80, End Connections:- Socket End	10	Nos.	Narora NAPS

497	Supply of CPVC Equal Tee conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 80NB, Schedule:- 80, End Connections:- Socket End	8	Nos.	Narora NAPS
498	Supply of CPVC Equal Tee conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 50NB, Schedule:- 80, End Connections:- Socket End	12	Nos.	Narora NAPS
499	Supply of CPVC Equal Tee conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 40NB, Schedule:- 80, End Connections:- Socket End	10	Nos.	Narora NAPS
500	Supply of CPVC Equal Tee conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 25NB, Schedule:- 80, End Connections:- Socket End	6	Nos.	Narora NAPS
501	Supply of CPVC Reducer Tee conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 80NB x 80NB x 40NB, Schedule:- 80, End Connections:- Socket End	4	Nos.	Narora NAPS
502	Supply of CPVC Reducer Tee conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 80NB x 80NB x 25NB, Schedule:- 80, End Connections:- Socket End	4	Nos.	Narora NAPS
503	Supply of CPVC Industrial Full Bore Ball Valve with union connections at both the end of valve, Manufactured to ASTM F-1970 specification, Material of Trim:- CPVC Type-IV ASTM D-1784 Cell Classification- 23447, Material of O-rings:- Viton, Size:- 80NB, Schedule:- 80, End Connections of union:- Socket End	12	Nos.	Narora NAPS
504	Supply of CPVC Industrial Full Bore Ball Valve with union connections at both the end of valve, Manufactured to ASTM F-1970 specification, Material of Trim:- CPVC Type-IV ASTM D-1784 Cell Classification- 23447, Material of O-rings:- Viton, Size:- 50NB, Schedule:- 80, End Connections of union:- Socket End	15	Nos.	Narora NAPS

505	Supply of CPVC Industrial Full Bore Ball Valve with union connections at both the end of valve, Manufactured to ASTM F-1970 specification, Material of Trim:- CPVC Type-IV ASTM D-1784 Cell Classification- 23447, Material of O-rings:- Viton, Size:- 40NB, Schedule:- 80, End Connections of union:- Socket End	15	Nos.	Narora NAPS
506	Supply of CPVC One Piece Flange conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 80NB, Class:- 150, End Connections:- Socket End	25	Nos.	Narora NAPS
507	Supply of CPVC One Piece Flange conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 50NB, Class:- 150, End Connections:- Socket End	30	Nos.	Narora NAPS
508	Supply of CPVC One Piece Flange conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 40NB, Class:- 150, End Connections:- Socket End	25	Nos.	Narora NAPS
509	Supply of CPVC One Piece Flange conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 25NB, Class:- 150, End Connections:- Socket End	25	Nos.	Narora NAPS
510	Supply of CPVC Two Piece Flange (Vanstone design) conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 80NB, Class:- 150, End Connections:- Socket End	18	Nos.	Narora NAPS
511	Supply of CPVC Two Piece Flange (Vanstone design) conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 50NB, Class:- 150, End Connections:- Socket End	20	Nos.	Narora NAPS
512	Supply of CPVC Two Piece Flange (Vanstone design) conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 40NB, Class:- 150, End Connections:- Socket End	12	Nos.	Narora NAPS
513	Supply of CPVC Two Piece Flange (Vanstone design) conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 25NB, Class:- 150, End Connections:- Socket End	15	Nos.	Narora NAPS

514	Supply of CPVC One Piece Blind Flange (without any hole for bolts) conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 150NB, Class:- 150	8	Nos.	Narora NAPS
515	Supply of CPVC Coupler conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 80NB, Schedule:- 80, End Connections:- Socket End	45	Nos.	Narora NAPS
516	Supply of CPVC Coupler conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 50NB, Schedule:- 80, End Connections:- Socket End	45	Nos.	Narora NAPS
517	Supply of CPVC Coupler conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 40NB, Schedule:- 80, End Connections:- Socket End	45	Nos.	Narora NAPS
518	Supply of CPVC Coupler conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 25NB, Schedule:- 80, End Connections:- Socket End	45	Nos.	Narora NAPS
519	Supply of CPVC Reducer Coupler conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 80NB x 50NB, Schedule:- 80, End Connections:- Socket End	4	Nos.	Narora NAPS
520	Supply of CPVC Reducer Coupler conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 50NB x 40NB, Schedule:- 80, End Connections:- Socket End	10	Nos.	Narora NAPS
521	Supply of CPVC Cross conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 80NB x 80NB x 80NB x 80NB, Schedule:- 80, End Connections:- Socket End	4	Nos.	Narora NAPS
522	Supply of CPVC End Cap conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 25NB, Schedule:- 80, End Connections:- Socket End	5	Nos.	Narora NAPS

523	Supply of CPVC End Cap conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 40NB, Schedule:- 80, End Connections:- Socket End	5	Nos.	Narora NAPS
524	Supply of CPVC End Cap conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 50NB, Schedule:- 80, End Connections:- Socket End	5	Nos.	Narora NAPS
525	Supply of CPVC End Cap conforming to ASTM F-439 specification, Physical Properties:- As per attached specifications, Size:- 80NB, Schedule:- 80, End Connections:- Socket End	5	Nos.	Narora NAPS
526	Supply of CPVC Adhesive (Cementing) solution (compound) in seal tight packing suitable to carry out cold cementing of above material components, Size:- 500±50ml	40	Nos.	Narora NAPS
527	Supply of CPVC Weld-on primer in seal tight packing suitable to carry out smoothening (cold melting) material components, Size:- 500±50ml	20	Nos.	Narora NAPS
528	3.5 core X 25 sqmm stranded 1.1 KV grade, single length Copper conductor cable, XLPE insulated, flat steel strip armoured and FRLS PVC sheathed, overall confirming to IS 7098 (part-1). Cable is needed to be supplied on drum. Length tolerance of ± 5% is acceptable.	500	metre	Narora NAPS
529	Supply of Water proof IP 55 CCTV Junction Box, Min Size 200 X 200 X 150 (W x H x D) , 1.2 mm thick Metal Powder Coated Size.	30	NOS	Narora NAPS
530	Supply of outdoor Housing Weather Proof with IP 66 protection and Heavy duty Mounting Bracket for Weather Proof Housing at wall, with all accessories. Dimensions minimum mm: 70 x 50 x 280 mm.	30	Nos.	Narora NAPS
531	Cat-6 SFTP 23 AWG Cable , with 23 make D-Link part code NCB-C6SGRYR-305	1520	NOS	Narora NAPS

532	IEC standardised 6U Wall Mount Network Rack '19" EQUIPMENT MOUNTING' Front Door with Toughened Glass quality, Adjustable Mounting rails - Front and Back, pre installed Fan 02 numbers , power strip/PDU, one number cantilever shelf, Top and bottom cable entry provides 1 U cable manager optimal, flexibility for cable management minimum dimensions WXHXD 460X350X490 make valrack/ precident/rittal	6	NO.	Narora NAPS
533	CAT6, RJ 45 Shielded Modular Plug make: Molex/ D-link/ Digilink/Amp.	100	Nos.	Narora NAPS
534	CAT 6 I/O Set Face Plate with Gang Box 2 Ports complete set with wall mounting box , straight types. Fully shielded jack, with metal cover for total EMI/RFI protection Modular design, Compatible with 22-26 AWG solid conductors.	50	Nos.	Narora NAPS
535	'O' Ring Kit (EPDM) for Rotex make Solenoid Valves (Model: SR 231/233 NW7)	200	Nos.	Narora NAPS
536	Plunger (EPDM) for Rotex Make Solenoid Valve (Model No. SR 231/233 NW7)	200	Nos.	Narora NAPS
537	Plunger (EPDM) for Rotex Make Solenoid Valve (Model: SRH / NW7)	100	Nos.	Narora NAPS
538	Plunger Kit (EPDM) for Rotex make Solenoid Valves,Model: SRU / NW 10	20	Nos.	Narora NAPS
539	'O' Ring Kit (EPDM) for Rotex make Solenoid Valves,Model: SRP / NW 7	150	Nos.	Narora NAPS
540	Plunger Kit (EPDM) for Rotex make Solenoid Valves,Model: SRP / NW7	150	Nos.	Narora NAPS
541	'O' Ring Kit (EPDM) for Rotex make Solenoid Valves,Model: SRV / NW 3.5	30	Nos.	Narora NAPS
542	Plunger Kit (EPDM) for Rotex make Solenoid Valves,Model: SRV / NW 3.5	30	Nos.	Narora NAPS
543	'O' Ring Kit (EPDM) for Rotex make Solenoid Valves,Model: SRH / NW7	100	Nos.	Narora NAPS
544	'O' Ring Kit (EPDM) for Rotex make Solenoid Valves,Model: SRG / NW7	250	Nos.	Narora NAPS
545	Plunger (EPDM) for Rotex Make Solenoid Valve (Model: SRG / NW7)	250	Nos.	Narora NAPS
546	'O' Ring Kit (EPDM) for Rotex make Solenoid Valves,Model: SRU / NW 10	20	Nos.	Narora NAPS
547	Supply of 415 AC power distribution board with suitable mounting arrangement.	2	Nos.	Narora NAPS
548	FRP wall supporting extension ladder as per following specification:	2	Nos.	Narora NAPS
549	FRP wall supporting extension ladder as per following specification:	3	Nos.	Narora NAPS

550	FRP Telescopic Economical Tower Ladder as per following specifications:	2	Nos.	Narora NAPS
551	FRP Telescopic Economical Tower Ladder as per following specifications:	2	Nos.	Narora NAPS
552	FRP wall supporting single ladder as per following specifications:	2	Nos.	Narora NAPS
553	FRP Self supporting Stool type ladder as per following specifications:	2	Nos.	Narora NAPS
554	Aluminum Tiltable Tower ladder as per following specifications:	2	Nos.	Narora NAPS
555	Supply of Vibration Isolator U-Type as per sketch.	100	NOS	Narora NAPS
556	LED High bay Light	50	Nos.	Narora NAPS
557	Procurement of raw material, testing, manufacturing and supply of Shuttle Tube Assembly Bearing Ring .	50	Nos.	Narora NAPS
558	GI space bar shaddles (sheet) suitable for 1/2" MS conduit pipe	5000	Nos.	Narora NAPS
559	GI space bar shaddles (sheet) suitable for 3/4" MS conduit pipe	5000	Nos.	Narora NAPS
560	GI space bar shaddles (sheet) suitable for 1" MS conduit pipe	5000	Nos.	Narora NAPS
561	Galvanaized steel flexible conduit size 12 mm	200	Mtr.	Narora NAPS
562	Galvanaized steel flexible conduit size 16 mm	200	Mtr.	Narora NAPS
563	Galvanaized steel flexible conduit size 19 mm	200	Nos.	Narora NAPS
564	Galvanaized steel flexible conduit size 25 mm	200	Mtr.	Narora NAPS
565	Different types of electrical, Mechanical and Instrumentation Maintenance Tools.	8	NOS.	Narora NAPS
566	Circular aluminium planchette capable of holding 2 ml of liquid as per the dimension given in the drawing.	20000	Piece	Narora NAPS
567	RUNNING CONTRACT FOR SUPPLY, TRANSPORTATION & SAFE DELIVERY OF BLENDING MIXTURE (CORROSION AND SCALE INHIBITOR)USED FOR WATER TREATMENT OF CONDENSER COOLING AND OTHER ASSOCIATED HEAT EXCHANGER AT NAPS SITE ON AS AND WHEN REQUIRED BASIS FOR PERIOD OF TWO YEARS AS PER SPECIFICATION IN ATTACHED ANNEXURE.	60000	KGS	Narora NAPS

568	HAND GLOVES COTTON MADE OF WHITE NEW DRILL CLOTH SIZE 12" MINIMUM WT. OF ONE PAIR SHOULD BE 80 GRAM, (± 5 gram).	6000	PAIR	Narora NAPS
569	Nylon Tube Size 12 mm OD positive tolerance + 0.08 mm, negative tolerance -0 mm OD, Wall thickness 1 mm, having very good quality, uniform surface of internal and outer diameter, white in colour, suitable for swaging in Control and Instrumentation works & withstand 10 kg/cm ² pressure at 70 Deg C.	300	Mtr.	Narora NAPS
570	Nylon Tube Size 10 mm OD positive tolerance + 0.08 mm, negative tolerance -0 mm OD, Wall thickness 1 mm, having very good quality, uniform surface of internal and outer diameter, white in colour, suitable for swaging in Control and Instrumentation works & withstand 10 kg/cm ² pressure at 70 Deg C.	750	Mtr.	Narora NAPS
571	Nylon Tube Size 6 mm OD positive tolerance + 0.08 mm, negative tolerance -0 mm OD, Wall thickness 1 mm, having very good quality, uniform surface of internal and outer diameter, white in colour, suitable for swaging in Control and Instrumentation works & withstand 10 kg/cm ² pressure at 70 Deg C.	450	Mtr.	Narora NAPS
572	SOAP LIQUID: COMMERCIAL GRADE, HOMACOL MAKE, ISI MARKED, CONFORMING TO IS - 4199 (2001)(ALL INDIA) (IN 20 KGS CAPACITY HEAVY DUTY P.V.C CAN NON-RETURNABLE) Note:- Delivery in two phase 50% qty immediately on order & 50% qty. after 6 months or on our request within a year.	14000	KG	Narora NAPS
573	Cable 3 pair x 1.5 Sq.mm. solid annealed plain copper conductor, PVC Type-C Insulation overall screened, PVC FRLS Inner sheathed, G.I. wire armoured, PVC ST-2 FRLS outer sheathed cable as per IS: 1554 (Pt-I)/1988 & BS: 5308 (Pt-II)/1986 Details Technical specifications as per uploaded file.	1000	Meter	Narora NAPS
574	LED tube light with integrated driver, 4 feet, T8 18 watt, colour temp. 6500 K & initial lumens-1600. Party shall mention make & model of offered product in their bid.	4000	Nos.	Narora NAPS

575	Heat and Oil Resistant NBR Rubber Sheet of different thickness.	6	Sheet	Narora NAPS
576	Spider - Material buna N	25	No.	Narora NAPS
577	RUNNING CONTRACT FOR SUPPLY AND SAFE DELIVERY OF STABLE BLEACHING POWDER GRADE-1 (IS-1065:1989) AT NAPS SITE (ON AS AND WHEN REQUIRED BASIS) FOR TWO YEARS & ISI MARKED PACKED IN 25 KG HDPE BAGS WITH TWO INNER LINERS (AVAILABLE CHLORINE=32%-34% MINIMUM BY WEIGHT) (SPECIFICATIONS ARE GIVEN IN ANNEXURE-1).	135	MT	Narora NAPS
578	Preventive maintenance of washer extractor(Technical specification attached as Annexure-A)	1	lumpsum	Narora NAPS
579	COTTON RAGS BLEACHED WHITE MINIMUM SIZE - WIDTH 8" TO 24" & LENGTH 12" TO 36" , ,	5000	KGS	Narora NAPS
580	High efficiency particulate air filters (HEPA FILTER) of overall size: 610x610x305mm of capacity 1700 CMH at not more than 25.0mm WG and of collection efficiency not less than 99.97% for particles of size down to 0.3 micron in epoxy powder coated CRCA steel casing (Detail specification & drawing as per Annexure-A attached)	300	NOS	Narora NAPS
581	METELIC ROTAMETERS WITH RANGE OF 0.2-2 LPM AS PAR ATTACH SPECIFICATION	30	NOS	Narora NAPS
582	RUNNING CONTRACT FOR SUPPLY, TRANSPORTATION & SAFE DELIVERY OF ALUMINO FERRIC GRADE -2 AT NAPS SITE CONFORMING TO SPECIFICATIONS AS PER IS-299:1989 ATTACHED IN ANNEXURE"A' ON AS AND WHEN REQUIRED BASIS FOR PERIOD OF TWO YEARS	200	MT	Narora NAPS
583	SUPPLY OF HINDI NOTEBOOK AS PER ENCLOSED SPECIFICATION. ONE SAMPLE SHALL BE SUBMITTED FOR APPROVAL OF NAPS BEFORE BULK SUPPLY. BULK SUPPLY SHALL BE STRICTLY AS PER APPROVED SAMPLE	20000	NOS.	Narora NAPS

584	LED lamps suitable for Continuous operation used for backlighting of Panel Annunciator legends of following Specification.	100	nos.	Narora NAPS
585	Grafoil tape with one side self adhesive feature in roll form as per given size: 1" Width X 1/64" Thick X Min: 10 Meter Length	50	Roll	Narora NAPS
586	"COPPER-NICKLE (70:30)" SOLID ROUND ROD of diameter 20 mm, length=(400 to 500) mm.	15	Kg	Narora NAPS
587	"COPPER-NICKLE (70:30)" SOLID ROUND ROD of diameter 40 mm, length=(400 to 500) mm.	30	Kg	Narora NAPS
588	Supply of Solder wire with attached specifications.	5	Kg.	Narora NAPS
589	DUSTER WHITE KHADI, WITH STITCHED, SIZE 18"X18" WITHOUT STRETCHING (± 1 ") WEIGHT 40 GRAMS (± 5 gram) .	5000	NOS	Narora NAPS
590	DUSTER OF YELLOW COLOURED MADE OF FLANNEL CLOTH , STITCHED, SIZE 18"X18" WITHOUT STRETCHING (± 1 ") WEIGHT 35 GRAMS (± 5 gram)	2000	NOS	Narora NAPS
591	Sight Flow Indicator having rotating wheel straight through flow type of following specification:	5	Nos	Narora NAPS
592	HAND GLOVES OF HOSIERY CLOTHES IN WHITE COLOR WEIGHT: 30- 35 GRAMS PER PAIR FULL SIZE GOOD STITCHING QUALITY AND ELASTIC AT WRIST.	5000	PAIRS	Narora NAPS
593	RUBBER OVER SHOE of various sizes.	600	PAIR	Narora NAPS
594	Supply of Flange of different size and types.	12	nos.	Narora NAPS
595	Procurement of material, machining, inspection, testing, packing and supply of "Ram Drive End Body Assembly" as per Drawings and MOM-5 (NPCIL-FMHHC-2013) titled "Technical requirements for raw materials to be used for FM Head and service tools for all Purchase Orders " enclosed herewith.	6	nos.	Narora NAPS
596	Procurement of Raw Materials, Machining, Heat treatment, Inspection, Testing, Cleaning, Packing and Supply of C Ram Extension Mark II Assembly as per Drg.	8	nos.	Narora NAPS

597	Procurement of Raw Materials, Machining, Heat treatment, Inspection, Testing, Cleaning, Packing and Supply of Ram Head Adaptor Assembly as per Drg.	6	nos.	Narora NAPS
598	Junction boxes of various sizes.	200	Nos.	Narora NAPS
599	Female Contact Assembly for TMG make isolator 2000A (one set for each phase of isolator)	3	Set	Narora NAPS
600	Female Contact Assembly for TMG make isolator 1250A (one set for each phase of isolator)	54	Set	Narora NAPS
601	Flexible Copper Braid Contact for TMG make isolator 2000A (16 set for each phase of isolator)	100	Set	Narora NAPS
602	Flexible Copper Braid Contact for TMG make isolator 1250A (12 no. for each phase of isolator)	650	Nos.	Narora NAPS
603	Flexible Copper Braid Contact for TMG make Grounding Switch (2 Set for each phase of GS)	25	Set	Narora NAPS
604	Bimetal Contact with 4 hole for TMG make isolator	240	Nos.	Narora NAPS
605	Bimetal Contact with 3 hole for TMG make isolator	240	Nos.	Narora NAPS
606	Piston Ring Rubber for TMG make isolator	40	Nos.	Narora NAPS
607	Bush Contact Top for TMG make isolator	90	Nos.	Narora NAPS
608	Bush Contact Middle for TMG make isolator	90	Nos.	Narora NAPS
609	Supply of Cold Rolled Coil of ALUMINIUM SHEET in form of single/double coil.	1800	Kg	Narora NAPS
610	Rubberised cork gasket (RC 70C) sheets CONFIRMING TO IS-4253/PART-II/Latest edition SUITABLE FOR POWER TRANSFORMERS IN FOLLOWING SIZE- 915MM X 915MM X 9.6MM	40	NO.	Narora NAPS
611	Supply of Non-Asbestos, High Temperature Thermal Blanket for protection against welding sparks and molten slags, Minimum Application temperature limit:- 850°C (1000°C for a short time), Resistance to Chemical PH:- 3 to 9, Non-Toxic, Incombustible (Approved for woven fabric fire category A1 according to DIN 14155), Weight per square meter:- less than 1300 gm/m ² , Thickness:- 2.0±0.5mm, Seamed border/ edges, Size:- 2000±50mm X 2000±50mm	1	Nos.	Narora NAPS

612	RUNNING CONTRACT FOR SUPPLY, TRANSPORTATION & SAFE DELIVERY OF DISPERSANT (A BLEND OF LOW MOLECULAR WEIGHT POLYANIONIC DISPERSANT) USED FOR WATER TREATMENT OF CONDENSER COOLING AND OTHER ASSOCIATED HEAT EXCHANGER AT NAPS SITE ON AS AND WHEN REQUIRED BASIS FOR THE PERIOD OF TWO YEARS . SPECIFICATIONS AS PER ATTACHED ANNEXURE	10000	KG	Narora NAPS
613	Annealed Nickel wire	2	Kg	Narora NAPS
614	BOILER SUIT (KHAKI and GREY)	1500	Nos.	Narora NAPS
615	TERRICOAT HOOD WHITE,.	15000	Nos.	Narora NAPS
616	Ammonia Solution AR/GR Grade in 2.5 litre glass bottle	4	2.5 l	Narora NAPS
617	Silver Nitrate AR/GR Grade	2	25 gm	Narora NAPS
618	Cesium Nitrate AR/GR Grade	2	50 gm	Narora NAPS
619	Potassium Iodide AR/GR Grade	2	500 gm	Narora NAPS
620	Potassium Hydroxide pallets AR/GR Grade	10	500 gm	Narora NAPS
621	Dimethyl Sulfate AR/GR Grade	2	500 ml	Narora NAPS
622	Para Dimethyl Amino Benzaldehyde AR/GR Grade	2	100 gm	Narora NAPS
623	Ferric Chloride AR/GR Grade	3	500 gm	Narora NAPS
624	SUPPLY OF TRANSPARENT GLASS BOTTLE OF 500 ML CAPACITY WITH LID OF GLASS HAVING FOLLOWING SPECIFICATION APPROXIMATE OD 80 MM AND HEIGHT OF BOTTLES 170 MM.SKETCH OF THE BOTTLE AND LID IS AS PER ANNEXURE A.	24	Nos.	Narora NAPS
625	Preventive/Breakdown Maintenance Contract for a period of 02 years against 01 Liquid Scintillation Analyzers (LSA) of ESL of Perkin Elmer make ,1220 Quantulus Model as per attached terms and conditions.	6	visit	Narora NAPS
626	"Lock Washer" :- Procurement of raw material, manufacturing, inspection, cleaning, packing and supply.	10	nos.	Narora NAPS
627	"Piston Head Dowel" :- Procurement of raw material, manufacturing, inspection, testing, cleaning, packing and supply as per drawing--NAPP/35221/3208/DD-R0	10	nos.	Narora NAPS
628	"Spacer": (five nos. of each given thickness)	80	nos.	Narora NAPS

629	“Special Locating Key” :- Procurement of raw material, manufacturing, inspection, testing, cleaning, packing and supply.	10	nos	Narora NAPS
630	"Lock nut":- Procurement of raw material, manufacturing, inspection, cleaning, packing and supply as per drawing-- 1	10	nos.	Narora NAPS
631	PAD LOCK ,6/7 LEVERS , WITH TWO/THREE KEYS, SIZE : 50 MM. chromium plated,	800	NO.	Narora NAPS
632	Half face mask with Iodine filter cartridge as per Specification attached	25	No	Narora NAPS
633	Full Face mask with Iodine filter Cartridge as per specification attached	10	No	Narora NAPS
634	Refrigeration gas R-22 in 61 Kg cylinders factory filled & sealed in supplier's cylinder. Departmental empty cylinders will be given in replacement.	244	KGS	Narora NAPS
635	COTTON YARN WASTE LIGHT WHITE TEASED ,SUPERIOR QUALITY DUST FREE,	1000	KG	Narora NAPS
636	FILE FLAP WITH BOARD ,SIZE 37CMS. X 27CMS THICKNESS 4 MM.	1000	NO	Narora NAPS
637	MARKER PEN FINE TIP, suitable for most hard surface, double tip point(medium at one end and fine point at other end,), colour black, water proof ,non toxic, Make Kores/ Camlin/ Luxor /CELLO /LINK	400	NO	Narora NAPS
638	STICKER SIZE 1" X 3", self adhesive; Yellow Orange & green colour (100 SHEET IN A PAD)	600	PAD	Narora NAPS
639	STICKER SIZE 3" X 5", self adhesive Yellow colour (100 SHEET IN A PAD)	400	PAD	Narora NAPS
640	TAG COTTON WHITE,17 CMS MINIMUM LENGTH (BUNDLE OF 50 NOS).	1000	BUNDLE	Narora NAPS
641	TAG COTTON WHITE,30 CMS LENGTH (BUNDLE OF 50 NOS)	1000	BUNDLE	Narora NAPS
642	Supply of Gravity Louver Damper as per attached drawing.	2	NOS	Narora NAPS
643	PAINTING BRUSH OF VARIOUS SIZES	30	NO	Narora NAPS
644	ROPE MANILLA, VARIOUS SIZES	200	KG	Narora NAPS
645	TRACING CUT SHEET	500	NOS	Narora NAPS
646	Preventive/Breakdown Maintenance Contract for a period of 02 years against 01 Liquid Scintillation Analysers (LSAs) of HPU and 01 LSA of ESL of Perkin Elmer make, as per attached terms and conditions.	16	No	Narora NAPS

647	Post Mortem Rubber Hand Gloves Orange colour, Size - 10", Weight 50-75 gram per pair.	10000	Pair	Narora NAPS
648	P.V.C. BAGS, OF VARIOUS SIZES	300	kg	Narora NAPS
649	Plastic Shoe Cover, Colour - Golden Yellow, made from virgin PVC material, Dimension : Bottom – 325mm, Top – 200mm, Vertical height – 200mm at back and 125mm at front (Shoe shape), PVC Sheet thickness 200 to 225 microns, good quality, full elastic at neck for better grip. Drawing for shape & dimension is enclosed.	10000	Pair	Narora NAPS
650	SUPPLY, TRANSPORTATION & SAFE DELIVERY OF ACTIVATED CARBON USED FOR WATER TREATMENT IN DM WATER TREATMENT PLANT AT NAPS SITE. SPECIFICATIONS ARE GIVEN IN ATTACHED ANNEXURE.	4000	KG	Narora NAPS
651	MOP COTTON, WHITE, WT. 600 GMS (± 30 gram) (COTTON THREAD 450 GMS+WOODEN BASE 150 GMS., GIRTH DIA 25MM AND DEPTH 40MM.	10000	NO	Narora NAPS
652	YELLOW COLOUR LAUNDRY CANVAS BAGS FOR HEAVY DUTY- AS PER SPECIFICATION & ATTACHED DRAWING.	50	Nos.	Narora NAPS
653	GREEN COLOUR LAUNDRY CANVAS BAGS FOR HEAVY DUTY- AS PER SPECIFICATION & ATTACHED DRAWING.	50	Nos.	Narora NAPS
654	Supply of Self Actuating Pressure Reducing Valve as per attached Valve Specification Sheet.	1	Nos	Narora NAPS
655	Wep make Printer ribbon for WEP make printer DSI-5235	100	nos.	Narora NAPS
656	BALL PEN GEL, WITH REFIL,MAKE CELLO /SAPPHIRE,/ CAMALIN,/ WILSON/ REYNOLDS JETTER .	100	no	Narora NAPS
657	REFILL FOR BALL PEN, MAKE CELLO LP-3000, REYNOLDS JETTER, WILSON, CAMLIN.	100	no	Narora NAPS
658	TISSUE PAPER ROLL , DOUBLE PLY , 25 mtr length,10 CM WIDE, WEIGHT 100 GRAM PER ROLL (+/- 10 GRAM)	2000	ROLL	Narora NAPS
659	DISPOSABLE STERILISED SYRINGE 2ML WITH 23X1" NEEDLE	20000	NOS	Narora NAPS

660	BROOM HARD 400 GRAM WT. (+/- 15 GRM) AVG. LENGTH 42"	1500	NO.	Narora NAPS
661	Fastners,Nuts and washers of different shape and sizes.	1000	Nos.	Narora NAPS
662	Supply of FELT SHEET	50	Kg	Narora NAPS
663	Supply of 25mm PVC batton ISI mark.	200	MTR	Narora NAPS
664	Supply of 32 mm GI flexible pipe (good quality).	20	MTR	Narora NAPS
665	RJ 45 Cat 6 connector	300	No.	Narora NAPS
666	WIRE NAILS of various sizes	10	KG	Narora NAPS
667	Supply of pair of flashback arrestor, one pair contains, one flash back arrestor for acetylene and one for oxygen end of cutting torch, end connection 3/8" BSP thread.Confirming to IS 11006	5	Per Pair	Narora NAPS
668	Supply of 50 Sq mm size (WELDING) single core cable with multi copper wire. (confirming to IS -9857/90)	50	Mtr	Narora NAPS
669	Differential pressure gauge along with matching manifold with following specifications:	7	Nos.	Narora NAPS
670	HAND GLOVES COTTON MADE OF WHITE NEW CLOTH, SIZE 12" MINIMUM WT. OF ONE PAIR SHOULD BE 80 GRAM, (± 5 gram).	6000	PAIR	Narora NAPS
671	Fully automatic star delta starter pump control Unit	2	each	Narora NAPS
672	Calibration gas standard mixture for hydrocarbons, hydrogen, nitrogen and having the following specifications as attached annexure	1	No.	Narora NAPS
673	COMMERCIAL RUBBER SHEET SIZE 2MTR X 1 MTR X 1" THK	20	SHEET	Narora NAPS
674	HAND GLOVES, SURGICAL, SOFT, MADE OF PURE NATURAL LATEX, ALL PAIR SHOULD BE ISI MARK, IS-4148, SIZE 8-1/2" (LATEST BATCH), WHILE QUOTING SPECIFY MAKE & BRAND & UPLOAD IS approval certificate for the offered item , failing which offer shall not be considered.	22000	PAIR	Narora NAPS
675	SUPPLY OF LEAD APRON WITH FRONT AND BACK PROTECTION, 0.5 MM LEAD EQUIVALENT, FRONT :100 CM x 60 CM, BACK: 90CM X 60CM, TOLERANCE IN SIZE +/-10%	10	NOS.	Narora NAPS
676	TWO PART POLY SULPHIDE SEALANT AS PER BS-4254-1983 IN 04 KG.	400	KG	Narora NAPS

677	3 phase variable AC transformer having 3 coils ganged vertically and driven manually by single shaft with separate input and output of each coil Conforms to IS: 5142. Coils should be made of high grade CRGO silicon steel & electrolytic copper. Input of each coil: 240 V AC. Output of each coil : 0-270 V AC. Current rating of each coil : 4 Amps. Insulation Resistance : Not less than 5 M Ohm at 500 V DC.	2	Nos.	Narora NAPS
678	Pressure Regulator (Filter/regulator),	25	nos	Narora NAPS
679	RUBBER OVER SHOE, COLOUR - RED, SIZE: 9 NO. (RUBBER OVER SHOE MUST BE FITTED ON CANVAS SHOES OF SIMILAR SIZE OF LIBERTY GLIDER-TENNIS-E MODEL).	600	PAIR	Narora NAPS
680	Thermocol Sheet DENSITY:18 +/- 10% KG/M3, SIZE : 1000 MM X 500 MM X 50 MM THICK suitable to be use for Chilled water ducting Insulation job.	1000	SqM	Narora NAPS
681	Thermocol Pipe Section (in two halves) suitable to insulate chilled water pipe line of various sizes.	20	Meter	Narora NAPS
682	Adhesive to be use for installation of thermocol pipe sections/sheet on chilled water pipe lines	1200	Litre	Narora NAPS
683	Lag Coating to be use as vapor barrier on chilled water pipe line Insulation	1200	Litre	Narora NAPS
684	Hexagonal GI wire netting (CHICKEN NET) with a mesh size-16 MM/18 MM, Mesh wire dia DIA 0.65 MM- 0.70 MM, Width of net 900 mm in roll.	600	kg	Narora NAPS
685	GI WIRE 0.85 MM to 0.90 MM DIA.	400	Kg	Narora NAPS
686	Sheet Metal screw; Size:8mmX20mm length	10000	Nos	Narora NAPS
687	Supply of sodium bi-carbonate commercial grade purity more than 95 % In PVC lined bag either in 25 Kg/50 Kg net weight.	1000	Kg	Narora NAPS
688	Supply of Sodium tri-phosphate commercial grade more than 95% In PVC lined bag either in 25 Kg/50 Kg net weight.	1000	Kg	Narora NAPS
689	Supply of EDTA disodium salt commercial grade purity more than 95% In PVC lined bag either in 25 Kg/50 Kg net weight.	750	Kg	Narora NAPS
690	Supply of Sodium carbonate commercial grade, minimum purity 95%, In PVC lined bag either in 25 Kg/50 Kg net weight.	1500	Kg	Narora NAPS

691	Supply of Potassium Ferro-cyanide in yellow coloured, commercial grade purity more than 95% In PVC lined bag either in 25 Kg/50 Kg net weight.	300	Kgs.	Narora NAPS
692	Supply of polyester Styrene	2500	Kgs.	Narora NAPS
693	Supply of vermiculite with minimum Ion-Exchange capacity 0.3 miliequivalent per gram. (For detail specification see enclosed annexure-I)	20	Tons	Narora NAPS
694	RUNNING CONTRACT FOR SUPPLY, TRANSPORTATION & SAFE DELIVERY OF DISPERSANT (A BLEND OF LOW MOLECULAR WEIGHT POLYANIONIC DISPERSANT) USED FOR WATER TREATMENT OF CONDENSER COOLING AND OTHER ASSOCIATED HEAT EXCHANGER AT NAPS SITE ON AS AND WHEN REQUIRED BASIS FOR THE PERIOD OF TWO YEARS . SPECIFICATIONS AS PER ATTACHED ANNEXURE	10000	KG	Narora NAPS
695	Digital Manometer, Range: 0 to 5000 mmwc, Resolution: 0.1 mmwc,	2	Nos.	Narora NAPS
696	TYRE FOR 22"BICYCLE,SIZE-28X1-1/2 (NO-635MM) 8 PLY	200	NO	Narora NAPS
697	TUBE FOR 22" BICYCLE	200	NO	Narora NAPS
698	72 W LED street light as per technical specifications attached as annexure-1	150	Nos.	Narora NAPS
699	48 W LED street light as per technical specifications attached as annexure-1	300	Nos.	Narora NAPS
700	ACETONE INDL./COMMERCIAL GRADE PURITY 99.5% PACKED IN 10 LTRS HDPE PVC CARBOY.	500	LTR	Narora NAPS
701	Lightly resin bonded mineral wool mattresses machine stitched, machine laid mattresses with one side GI wire netting of size:24G X 3/4" in size: Length:1.52M (Max: upto 1.55M)X Width:1.22M (Max: upto 1.25M)X Thick: 50 mm, shall be confirming to IS:8183 and having density:150Kg/m ³ +/-15%,Thermal conductivity value shall be less than or equal to 0.72 Mw/cm-°C at Mean Temp:300°C.	3500	SqM	Narora NAPS

702	Lightly resin bonded mineral wool mattresses machine stitched, machine laid mattresses with one side GI wire netting of size:24G X 3/4" in size: Length:1.52M (Max: upto 1.55M)X Width:1.22M (Max: upto 1.25M)X Thick: 25mm, shall be confirming to IS:8183 and having denstiy:150Kg/m3+/-15%, Thermal conductivity value hall be less than or equal to 0.72 Mw/cm-°C at Mean Temp:300°C.	2000	SqM	Narora NAPS
703	Supply of Flange, Size: 300NB, Type: WNRF, Material: ASTM A182 Gr F316, Dimension as per:ASME 16.5, Class: 150, Weld neck edge suitable to weld with 300 NB Sch-40 Pipe.	6	No's	Narora NAPS
704	Supply of Liquid tight flexible metal conduit pipe with inside Galvanized Steel Strip and covered/jacket with PVC Insulating material Size 3/4 inches with Jointing coupler	200	Meters	Narora NAPS

* Purchase Preference Clause for MSEs included in Tender Document.

* MSE Procurement Targets are reported in Annual Report.

* Above MSE Procurement is based on Goods and Services expected from MSE