

DETAILS OF PURCHASE CONTRACTS AWARDED ON SINGLE TENDER BASIS BY C&MM DIRECTORATE(SITE C&MM+ C&MM-HQ) FOR THE QUARTER ENDED September 2019												
Name Of The stations : C&MM HQ & All Site C&MM												
Sr. No.	Name of Work/Description of Item	Tender/Quotation No	Tender Publish Date	Name of Agency	Purchase Order No	Purchase Order Date	Purchase Order Value(Rs.)	Contract Period	Reasons for Single Tender	Approving Authority	Remark	SITE
1	EASUN Make Auxiliary Relay	RR Site/Projects/Unit-7&8/CMM/ELE/8213	08-03-2019	EASUN REYROLLE LIMITED	CMM/Project/Unit-7&8/ELE/8213/PO-5702	26-08-2019	556264	18-11-2019	Spares as per clause AA-2(C) (b) of HQI-2007(R-5)	SME(E) RAPP-7&8	-	RR Site
2	Annual Maintenance Contract (AMC) towards service and maintenance of FUJI CR SYSTEM	RR Site/Stations/Common/CM M/HOSP/71133	17-09-2018	Fujifilm India Private Limited	CMM/Station/Common/HOSP/71133/PO/96260	16-07-2019	59000	15-07-2020	Proprietary items As per Clause AA-2(c) of HQI -2007 (R-5)	MS RAPS Hospital	Being Proprietary Single Tender to OEM	RR Site
3	Spare for M/s Chhabi make float cum boost charger.	RR Site/Projects/Unit-7&8/CMM/ELE/8206	08-03-2019	Chhabi Electricals Private Limited	CMM/Project/Unit-7&8/ELE/8206/PO-5693	13-08-2019	370048	05-11-2019	Spares parts of existing equipment as per AA-2 C of HQI-2007	SME(E)	PO placed on OEM	RR Site
4	Hilti Make Heavy-duty anchors HSL	RR Site/Projects/Unit-7&8/CMM/Tool/8025	16-11-2018	HILTI INDIA PRIVATE LIMITED	CMM/Project/Unit-7&8/TOOL/8025/PO-5688	05-08-2019	2521340	04-10-2019	Proprietary item as per AA-2 C of HQI-2007.	ACE(M)	Proprietary item as per AA-2 C of HQI-2007.	RR Site
5	Check Valves	KKNPP/1&2/CMM/SPT/17829	19-08-2019	Fluid Power Hydraulics	KKNPP/1&2/CMM/17829/PO:13461	30-09-2019	194078.14	03-02-2020	Spares from OEM authorized dealer	SME(M)	.	KKNPP
6	Spares for mechanical seal type P11 D32 as per Drawing No. A0 5388 AA 0B suitable for Turbine lube oil pump. Mating Ring Pt. No.300.00	Tender No. RR Site/Stations/Unit-5&6/CMM/FAB/72438	17-05-2019	EagleBurgmann India Pvt. Ltd.	96450	06-09-2019	1567142	20-03-2020	Proprietary Spares as per clause AA-2(C) (b) of HQI-2007(R-5)	SME(M), RAPS Unit-5&6	PO placed on OEM	RR Site
7	Supply of Spares for Konica Minolta make Photocopier.	KAPS-1&2/C&MM/SPG/15302	28-08-2019	Patel Infotech	CMM/MMW/KAPS/SPG/15302/REV/PO-59920	28-09-2019	1068484	02-11-2019	Items are Spares-Consumables for Konica Minolta make Photocopiers and proprietary in nature	STE(PLANNING)	UPDATED	KAPS
8	SUPPLY OF ECIL MAKE FRISKAR CONTAMINATION MONITOR COMPLETE UNIT WITH PROBE & CABLE.	KAPS-1&2/CMM/CMU/14324	25-07-2018	ELECTRONICS CORPORATION OF INDIA LTD	CMM/MMW/KAPS/CMU/14324/CAP/PO-59913	26-09-2019	2331738	20-09-2020	In KAPS as well as in all stations M/s ECIL Hyderabad make frisker contamination monitors are used. Which are rugged and working trouble free since last 30 years in KAPS and at other stations. Procurement of M/s ECIL make frisker contamination monitors also gives one as to one replacement of monitor if any monitor fails. Hence it is proposed to procure two numbers of frisker contamination monitors from M/s ECIL, Hyderabad.	MS	UPDATED	KAPS

9	Supply of Seal ring composite-TC	KAPP-3&4/C&MM/CAP/3460	12-04-2019	EAGLEBURGMANN INDIA PVT. LTD.	CMM/MMW/KAPP-3&4/CAP/3460/CAP/PO-2600	27-09-2019	991163	14-02-2020	Indented items are required for one to one replacement of mechanical seal (Make- Eagleburgmann) already installed in DM water transfer pump, Degasser pump, caustic unloading pump and regeneration pumps. Other make spare may not fit to the mechanical seal thus only EagleBurgmann make mechanical seal spares can be purchased. Competent authority may please approve the proposal for brand approval.	SME(M)	UPDATED	KAPS
10	Manufacturing, testing & supply of M/S MTAR make spare Water Lubricated Bearing WLB-5A (One set Consists of 2 bearings)	Tender No. RR Site/Stations/Unit-5&6/CMM/FAB/71436	11-01-2019	MTAR TECHNOLOGIES (P) LTD	96408	23-08-2019	3013956	21-11-2020	Spares parts, attachment of existing equipment, justification given as per AA-2 C of HQI-2007	MS, RAPS-5&6	PO placed to OEM	RR Site
11	SUPPLY OF ALFA LAVAL MAKE SPARES FOR PLATE HEAT EXCHANGERS	CMM/TAPS-3&4/58858	13-09-2019	Alfa Laval (I) Ltd.	CMM/TAPS-3&4/58858/PO-88175	26-09-2019	99800270	25-07-2020	PROPRIETARY SPARES	SITE DIRECTOR	-	TMS
12	4-Reader Access Controller	CMM/NAPS/22649	29-09-2018	ELECTRONICS CORPORATION OF INDIA LIMITED	31074	10-09-2019	19697999	12-11-2020	Back ground of system RFID smart card based Access control system (ACS) with Time & attendace management system (TAMS) and Visitor managemnt system (VMS) was installed and commissioned at all NPCIL Sites, as a part of DAE common RFID card implementation during 2006 to 2007 as per DAE letter No. 1/5(1)/PPAC/2003-CSS/7455 dated 04.10.2005 . These systems were developed in assoication with ECIL and their system	CS	-	NAPS
13	Spares For Kirloskar Make Air compressors	Site/Stations/Unit-3&4/CMM/SPS/70104	19-01-2009	HSS SOLUTIONS PVT. LTD.	No:CMM/Station/Unit-3&4/SPS/70104/PO-	27-07-2019	1211461	24-11-2019	AS PER AA-2C of HQI 2007 (R5)	SME(M) RAPS 3&4	PO Placed on OEM's Authorised Dealer	RR Site
14	M/s Rathi Transpower private Limited, Pune make Complete Lovejoy coupling with model REM-25(140) II/II PB (Old model number: M-15(140) II/II)	RR Site/Stations/Unit-5&6/CMM/SPS/72869	16-07-2019	India Engineering Company	CMM/Station/Unit-5&6/SPS/72869/PO-96492 (Hard copy already send)	16-09-2019	214670.32	15-12-2019	Spares parts of existing equipment as per AA-2 C of HQI-2007	SME(M) RAPS-5&6	PO placed to OEM's authorised dealer	RR Site
15	Set of gasket and O rings, required for M/s KSB Pumps limited make OSU pumps with Model number- CPK EM 40-315 S, Serial No-04582898304. Interchangeability certificate is required along with material.	RR Site/Stations/Unit-5&6/CMM/SPS/72867	16-07-2019	KSB PUMPS LIMITES	CMM/Station/Unit-5&6/SPS/72867/PO-96493 (Hard copy already send)	16-09-2019	49560	14-03-2020	Spares parts of existing equipment as per AA-2 C of HQI-2007	SME(M) RAPS-5&6	PO placed to OEM	RR Site
16	M/S. PUNE Techtrol Pvt. Ltd make Level Indicator Controller Model No. MODEL NO.TLIC " GJ21 Display X Protection :3 1/2' (LED) x Wall Mtd. x Weather proof IP - 65. Product Series : FGT, No. of Set of points : Two, Calibration : Level in %, Supply Voltage : 230VAC, 50 Hz, O/P Relay Contacts rating : 5A, 230VAC.	RR Site/Stations/Unit-5&6/CMM/ECON/72069	27-04-2019	PUNE TECHTROL PVT LTD	CMM/Station/Unit-5&6/ECON/72069/PO-96486 (Hard copy already send)	13-09-2019	131003.6	18-11-2019	Spares parts of existing equipment as per AA-2 C of HQI-2007	SME(F) RAPS-5&6	PO placed to OEM	RR Site

17	3361-CV-1 TO 4 CV DIAPHRAGMS	CMM/TAPS3&4/58802	04-09-2019	KSB MIL	CMM/TAPS3&4/58802/P	26-09-2019	198169	12-03-2020	PROPRIETARY SPARES	SME(CMU)	-	TMS
18	FLOW TOTALISER, MASIBUS MAKE	CMM/TAPS3&4/58679	07-08-2019	MASIBUS AUTOMATION	CMM/TAPS3&4/58679/P O/88182	27-09-2019	20060	01-11-2019	PROPRIETARY SPARES	SME(CMU)	-	TMS
19	Supply of 'Parker' make FM Snout Plug 'O-Ring' as per drawing No. NAPP/35221/3365/DD R-1. MOC:- Ethylene Propylene, Shore hardness : 70 +/-5 Shore A. Note	CMM/NAPS/II/ 23337	27-07-2019	YATI INTERNATIONAL INC.	PO-31093	18-09-2019	479504	18-11-2019	Indented item i.e. Snout plug O-Ring is installed in snout plug assembly and its purpose is to hold the heavy water (D2O) inside FM head during FM off reactor mode. Failure of snout plug O-ring may leads to loss of cooling of spent fuel bundles inside FM head, which is breach of nuclear safety. Other NPCIL units i.e. RAPS-3&4, RAPS-5&6, KGS-3&4 explored for snout plug O-ring and found Parker make O-rings are being used in snout plug to ensure nuclear safety. In past we are using only Parker make	SME(F)	-	NAPS
20	Complete set of M/S Eagle Burgmann make Mechanical Seal; type 560 D20 as per drawing no. A4A HF22/A/R1 suitable for	CMM/NAPS/II/ 23187	28-03-2019	EagleBurgmann India Pvt. Ltd.	PO-31080	11-09-2019	457100	11-03-2020	Indented items are Eagle Burgmann make various seal installed in BFP Auxiliary Lub Oil Pump and Boiler Blow Down Pump. Performance of its seal are satisfactory. Being a proprietary item, Indent is initiated for purchase of said items. Hence Competent authority is kindly requested to give approval for purchase of Indented items as a proprietary item of M/S Eagle Burgmann	SME(M)	-	NAPS
21	Swagelok make 'Elbow Union', Size - 1/2 inch X 1/2 inch, Part No. SS-810-9	CMM/NAPS/III/ 22209	27-06-2019	S. P. EQUIPMENT & SERVICES	31092	18-09-2019	625900	30-04-2020	Swagelok make is the only brand for Fittings used in FHS process system approved by Designer. Indented SS fittings are spares for replacement of existing Swagelok make fittings. Hence it is proposed to procure Swagelok make fittings on specific brand basis.	SME(F)	-	NAPS

22	Saunders make Spare Diaphragm for Diaphragm valve, size 25 mm NB, Type-A, Connection with valve Bonnet- Screw , MOC - EPDM , Pressure rating - 10 bar	CMM/NAPS/II/ 23279 /	06-06-2019	HI-NUC ENGINEERING PVT. LTD.	31064	06-09-2019	29244	21-02-2020	M/S.SAUNDERS MAKE DIAPHRAGMS ARE BEING USED IN ALPAS SYSTEMS MAIN MV–S IN NAPS 1&2.PERFORMANCE OF THESE DIAPHRAGMS IS SATISFACTORY.IN PAST DIAPHRAGMS(MAKE M/S.SAUNDERS) REMOVED AFTER 6 YEAR (AS PER PM PLAN) OF SERVICE FROM ALPAS MV–S,WERE FOUND IN GOOD CONDITION.ONCE ANOTHER BRAND MAKE DIAPHRAGMS WERE INSTALLED IN THESE MV–S,BUT PASSING FROM MV–S OBSERVED,TO RECTIFY THE PASSING AGAIN M/S.SAUNDERS MAKE DIAPHRAGMS WERE INSTALLED,THAN AND NO PASSING FROM MV–S WAS OBSERVED.THESE MV–S ARE INSTALLED	SME(M)	-	NAPS
23	Oil free Piston compressor	KKNPP/CMM/16434	07-07-2019	SRI MEENAKSHI	KKNPP/1&2/CMM/16434/	25-09-2019	509760	27-11-2019	Spares from OEM authorized dealer	SME (M)	-	KKNPP
24	Spare Disc part code 7157125861M-RA for 700 NB class 600 Main steam isolating valve of M/s Audco Valves make.	Tender No. RR Site/Stations/Unit-5&6/CMM/FAB/71208	20-09-2018	N B MERCANTILE CO PVT. LTD	96533	25-09-2019	1499461	12-02-2020	Spares parts of existing equipment, justification given as per AA-2 C of HQI-2007	SME(M) RAPS-5&6	PO placed to OEM's authorised dealer	RR Site
25	Spare Gasket Rubber/Liner for 50 NB X 60.3 mm OD 'GE' coupling (Victaulic Coupling) conforming to Style 77S. Dimensions as per enclosed M/s Nanda Manufacturing Co. , Kolkata Drawing No. GE/60.3/77S/01-02. Material of construction-EPDM.	RR Site/Stations/Unit-5&6/CMM/FAB/72632	05-07-2019	NANDA MANUFACTURING CO.	CMM/Station/Unit-5&6/FAB/72632/PO-96406 (Hard copy already send)	23-08-2019	159300	21-12-2019	Spares parts of existing equipment, justification given as per AA-2 C of HQI-2007	SME(M) RAPS-5&6	PO placed to OEM	RR Site
26	Spare PUMP-GEROTOR (.875 THK, 3161 (150%) P for overhauling of WOODWARD make UG-ACTUATOR GOVERNOR	Tender No. RR Site/Stations/Unit-5&6/CMM/FAB/72691	04-07-2019	Sicagen India Ltd,	96535	25-09-2019	962311	15-01-2020	Spares parts of existing equipment, justification given as per AA-2 C of HQI-2007	SME(M) RAPS-5&6	PO placed to OEM's authorised dealer	RR Site
27	RTDs for Pump Bearings	KKNPP/1&2/CMM/SPT/17368	23-03-2019	TEMPESENS INSTRUMENTS I PVT LTD	KKNPP/1&2/CMM/17368/PO:13445	23-09-2019	1888590	21-03-2020	One to one replacement and compatibility with same make, specification, model	SME (I)	-	KKNPP
28	Reed Switch Assembly for M/s Rotex make solenoid valve of 50 NB size etc.	Tender No. RR Site/Stations/Unit-5&6/CMM/ECON/72185	11-04-2019	ROTEX AUTOMATION LTD	96420	28-08-2019	1733331	12-02-2020	Spares parts of existing equipment, justification given as per AA-2 C of HQI-2007	SME(I) RAPS-5&6	PO placed to OEM	RR Site
29	Manufacturing, testing and supply of CACW Cooler Tube Nest	RR Site/Stations/Unit-3&4/CMM/ELE/72040	28-05-2019	BHARAT HEAVY ELECTRICALS	RR Site/Stations/Unit-3&4/CMM/ELE/72040/e-	21-09-2019	3870834	15-09-2020	AS PER CLAUSE NO AA-2C of HQI - 2007 (R5)	MS, RAPS 3&4	AS PER CLAUSE NO AA-2C of HQI - 2007 (R5)	RR Site
30	Duncan Make seal kit for Schrader Duncan Ltd.make pneumatic cylinder part no. 52143-4.72	RR Site/Stations/Unit-5&6/CMM/FAB/72251	21-06-2019	T.M.Controls,	CMM/Station/Unit-5&6/FAB/72251/PO-96404 (Hard copy already	23-08-2019	25134	16-11-2019	Spares parts of existing equipment as per AA-2 C of HQI-2007	SME(F) RAPS-5&6	PO placed to OEM's authorised dealer	RR Site
31	Socket modem	KKNPP/1&2/CMM/17262	21-02-2019	Dyptronics	KKNPP/1&2/CMM/17262/PO:13446	24-09-2019	410088.35	31-12-2019	One to one replacement with existing system from OEM	SME (I)	-	KKNPP
32	Rexnord OMEGA Coupling	KKNPP/CMM/17194	18-05-2019	SNSKAR SYSTEMS INDIA PVT LTD	KKNPP/1&2/CMM/17194/PO:13451	25-09-2019	2593932.64	29-10-2019	One to one replacement of existing one - OEM authorized dealer	MS	-	KKNPP

33	SUPPLY OF MECHANICAL SEALS	CMM/MAPS/MM/00187	22-08-2019	Flowserve Sanmar Limited	CMM/MAPS/MM/00187/manual-PO/4945	27-09-2019	220752	06-02-2020	Items are spare parts, attachments, additions, ancillaries to the existing equipment.	Head (C&MM)	Spares for existing equipment.	MAPS
34	Spares for M/s. BPCL make ECCS pumps	CMM/KAIGA1-4/KGS1&2/58068	23-07-2019	BHARAT PUMPS & COMPRESSOR LIMITED	CMM/KAIGA1-4/KGS1&2/58068/e-PO/44460	25-09-2019	1491385	22-05-2020	The indented spares are for M./s BPCL make ECCS pumps and are required for one to one replacement with existing spares. competent authority is requested to approve and accord the proposal for procurement of spares from M/s BPCL.	SME (M)	NIL	KGS
35	Fuji Electric make Differential Pressure Transmitter Specifications as per Specifications compliance sheet annexure-1 item 1	RR Site/Stations/Unit-1&2/CMM/MIA/71659	23-01-2019	Indexel Engineering Pvt. Ltd.	RR Site/Stations/Unit-1&2/CMM/MIA/71659/PO/96509	21-09-2019	899868	28-02-2020	As per Clause AA-2(C) of HQI-2007 (R-5)	SME (F)-1&2	PO placed to OEM's authorised dealer	RR Site
36	ROTARY HAND SWITCH	CMM/KAIGA1-4/KGS1&2/57939	30-07-2019	NEPTUNE ASSOCIATES	CMM/KAIGA1-4/KGS1&2/57939/PO-44456	24-09-2019	97228	22-01-2020	M/s Salzer make hand switches are used in main control panels for operating the loads of various system like BPC, BLC, RRS, Vetrilation systems etc. Many of these HS are installed during initial commissioning. To ensure compatibility with the existing equipment and to reduce maintenance time it is proposed to procurement Salzer make hand switches.	SME I	nil	KGS
37	Supply of WATER LUBRICATED BEARING FOR RAM ASSEMBLY	CMM/KAIGA1-4/SPT/KGS1&2/58054	20-08-2019	MTAR TECHNOLOGIES (P) LTD	CMM/KAIGA1-4/SPT/KGS1&2/58054/e-PO/44457	24-09-2019	4243752	06-01-2021	M/s MTAR, Hyderabad make WLB's are used in all four fuelling machine of KGS-1&2, For one to one replacement the same make items are required on proprietary basis	MS	Nil	KGS
38	SPARE PARTS FOR DG SET-ENGINE CONTROL PANEL	CMM/KAIGA1-4/COMMO 1-4/58293	20-09-2019	Maniranjana Diesel Sales & Service Pvt.Ltd.,	CMM/KAIGA1-4/COMMON 1-4/58293/po-44450	23-09-2019	71958	03-10-2019	The Engine is Cummins India Limited make and the same make spares are only matching to the existing system w.r.t technical compatibility and mounting arrangement. Since the items is of proprietary nature, it is recommended for procurement of above spare parts of particular code and brand from OEM M/s. Cummins India Limited on single tender basis. Since the items are required very urgently for taking up at least one DG set out of 3 DGs in service as emergency source for Lift, streetlight & emerge	ACE	nil	KGS
39	Supply of Aeroquip Hi-Impulse Double wire braid Hose Part No- 2781-8 Size- 1/2' ID as per attached technical specification given in annexure -1	RR Site/Stations/Unit-1&2/CMM/FAB/71927	23-03-2019	SUKAN ENGINEERING PRIVATE LIMITED	96500	19-09-2019	3433837	19-09-2019	As per Clause AA-2(C) of HQI-2007 (R-5)	M.S, RAPS-1&2	PO placed to OEM's authorised dealer	RR Site

40	Supply of Geiger Muller pancake	CMM/KAIGA1-4/KGS1&2/57991	21-08-2019	SAINT-GOBAIN INDIA PRIVATE LIMITED - CRYSTALS	CMM/KAIGA1-4/KGS1&2/57991/e-PO/44449	23-09-2019	371700	18-11-2019	Pan cake detector of m/s Saint Gobain make are used in Radiation monitors of KGS 1&2. These are required for one to one replacement of pan cake detectors during maintenance. Competent authority may please approve for Make and model on proprietary basis.	SME (I)	Nil	KGS
41	Spares for M/s Kirloskar Pneumatic make COMPRESSOR model-TBTDRM	CMM/KAIGA1-4/ KGS1&2/ 57688	17-04-2019	MULTIVISTA GLOBAL LIMITED	CMM/KAIGA1-4/ KGS1&2/ 57688/e-PO/44448	23-09-2019	3444671	30-12-2019	Indented items are spare parts of M/s Kirloskar pneumatics compressor ltd Make compressor model TBTDRM. Indented items will be used in main air compressors which is a safety related equipment. Hence genuiness of indented items should be ensured. Hence,it is proposed to procure the indented items from OEM M/s Kirloskar on single tender basis	MS	Nil	KGS
42	SCHNEIDER ELECTRIC MAKE COMPLETE CAM SWITCH	CMM/KAIGA1-4/KGS1&2/57976	21-06-2019	VAMTECH Energy Solutions (P) Limited	CMM/KAIGA1-4/KGS1&2/57976/PO-44446	23-09-2019	320642	21-01-2020	Existing Diesel Generator Local control panel Hand Switches are of M/s Schneider Electric make. Spare hand switches are not available to mitigate emergencies. Problems like hard to operate are observed in recent times. These hand switches are required to be replaced one to one. M/s Schneider electric make only suitable since same contact configuration and dimension are to maintained for the control circuits. Hence proposed to procure M/s Schneider Electric make hand switches	SME (E)	Nil	KGS
43	Annual maintenance contract of 'ECIL' make XBIS (X-ray Baggage Inspection system).	RR Site/Stations/Unit-1&2/CMM/ECON/72428	13-07-2019	ECIL RAPISCAN LIMITED	RR Site/Stations/Unit-1&2/CMM/ECON/72428/PO/96497	18-09-2019	1907123	17-09-2021	M/s. ECIL-RAPISCAN is manufacturer (OEM) of 'ECIL' make XBIS	C.S., RAPS-1&2	PO placed to OEM	RR Site
44	Procurement of raw material, manufacture, assembly, shop testing, inspection, packing, supply & guarantee of B-Ram (big) ball screw and nut assemblies	RR Site/Stations/Unit-3&4/CMM/FAB/71179	26-10-2018	MTAR TECHNOLOGIES (P) LTD	RR Site/Stations/Unit-3&4/CMM/FAB/71179/e-PO/96468	11-09-2019	4821480	10-09-2020	As per AA 2C of HQI - 2007	MS, RAPS - 3&4	As per AA 2C of HQI - 2007	RR Site
45	POLYURETHENE TUBING	CMM/KAIGA1-4/KGS1&2/57926	24-07-2019	bangalore tools centre	CMM/KAIGA1-4/KGS1&2/57926/PO-44445	21-09-2019	36604	01-10-2019	These tubes and fittings are meant for one-to-one replacement in the system. Hence, for compatibility, it is proposed to procure specific make tube & couplers	SME (I)	Nil	KGS
46	SPARES FOR ALFA LAVAL MAKE OIL CENTRIFUGE	CMM/TAPS-3&4/58832	07-09-2019	Alfa Laval (I) Ltd.	CMM/TAPS-3&4/58832/PO-88150	13-09-2019	205508	23-09-2019	PROPRIETARY SPARES	SME (M)	--	TMS

47	BRUSHLESS AXIAL FAN	CMM/KAIGA1-4/KGS3&4/57944	10-07-2019	SUGI SYSTEMS AND CONTROLS	CMM/KAIGA1-4/KGS3&4/57944/PO-44440	19-09-2019	19352	04-11-2019	Sunon make fans are required for one to one replacement. Competent authority may kindly approve request for procurement of SUNON make pressure switches	SME (I)	NIL	KGS
48	SQUIRREL CAGE INDUCTION MOTOR	CMM/KAIGA1-4/KGS1&2/57998	17-07-2019	KESHAV DISTRIBUTORS	CMM/KAIGA1-4/KGS1&2/57998/PO-44439	19-09-2019	129063	18-11-2019	OEM of the existing motors is M/s ABB. Hence the spare motors are to be procured either from OEM or from their authorized dealers or Channel partners	SME (E)	Nil	KGS
49	MD 504 MOLECULAR DISTILLED OIL	CMM/KAIGA1-4/KGS1&2/58055	02-08-2019	Parco Agency ELECTRONICS CORPORATION OF INDIA LIMITED	CMM/KAIGA1-4/KGS1&2/58055/PO-44438	19-09-2019	138060	18-12-2019	THE ORIGINAL EQUIPMENT MANUFACTURER OF EXISTING VACUUM PUMPS BEING USED IN AIRLOCKS IS HIND HIGH VACUUM COMPANY PRIVATE LIMITED AND AS PER ITS RECOMMENDATIONS ONLY MD-504 OIL SHALL BE USED. MD-504 OIL PROPRIETARY ITEM OF M/S HIND HIGH VACUUM COMPANY PRIVATE LIMITED HENCE IT IS PROPOSED TO PROCURE MD-504 OIL ON SINGLE TENDER BASIS	SME(M)	nil	KGS
50	Supply of Mifare Smart Card Reader Make: ECIL, Model: CLR-Micro.	RR Site/Stations/Unit-1&2/CMM/MIA/72426	03-06-2019	INDIA LIMITED	RR Site/Stations/Unit-1&2/CMM/MIA/72426/PO/96439	03-09-2019	855471	01-01-2020	Spare parts of existing equipment as per Clause AA-2(C) of HQI-2007 (R-5)	SME (I)-1&2	PO placed to OEM	RR Site
51	M/s. SHREYAS MAKE SPARES FOR E/A CONVERTER	CMM/KAIGA1-4/KGS1&2/57909	30-07-2019	SHREYAS INSTRUMENTS PRIVATE LTD	CMM/KAIGA1-4/KGS1&2/57909/e-PO/44437	18-09-2019	611641	13-11-2019	M/s Shreyas make E/A converters are presently in service for KGS 1 & 2 various plant systems like SGPC System, SGLC system, Steam Reheat drain system, BBD System, Condensat system etc. These are one to one replacement for the existing instrument presently in service. M/s Shreyas make E/A converter is required.	SME I	Nil	KGS
52	CAMC FOR HI-PATH 4000	CMM/NAPS/18096	28-12-2017	Progility Technologies Pvt. Ltd.	31075	10-09-2019	277300	09-09-2021	AMC of system as per the rates terms and condition of original purchase order of System procurement	CS	-	NAPS
53	LOVEJOY COUPLING	CMM/KAIGA1-4/KGS1&2/57949	22-06-2019	CENTRAL STORES SUPPLYING CO	CMM/KAIGA1-4/KGS1&2/57949/PO-44435	18-09-2019	115560	18-10-2019	The spares of the indent are for one to one replacement of existing caoupling spare parts on requirement during maintenance. These are of lovejoy make and same make and type coupling spares will suit to our existing equipment.	SME M	Nil	KGS

54	ROTORK MAKE SWITCH BANK	CMM/NAPS/X/23132	13-06-2019	Chintan Sales	31077	10-09-2019	5324217	10-03-2020	Rotork make actuators are being used in NAPS in feed water system and TG auxiliary system (approx. 200 MVs in both units). On condition assessment during maintenance, the mandatory spares are being required to replace due to high temperature environment and ageing. Hence procurement of switch bank & switch mechanism for Rotork make actuators is proposed from M/s Rotork controls limited.	MS	-	NAPS
55	ANEMOMETER SENSOR	CMM/NAPS/X/23376	07-08-2019	DYNALAB WEATHERTECH PVT LTD	31072	07-09-2019	144076	07-12-2019	Dynalab make sensors and signal processing unit are installed in ESL for recording wind speed and direction in control room. These sensors are already used by ESL since long back and performance of these sensors are satisfactory. Sensors & signal processing units are installed some time ago and performing satisfactorily. As the system is tech spec related & no spares are available hence it is proposed to procure the same make sensors & signal processing units(Interface Units) to ensure the avail	SME(I)	-	NAPS
56	PRESSURE SWITCHES	CMM/KAIGA1-4/KGS 1&2/58049	02-08-2019	Smart Technologies	CMM/KAIGA1-4/KGS 1&2/58049/PO-44433	17-09-2019	1351218	15-01-2020	Indented SIRCO controls limited make pressure switches are required for one to one replacement of the existing SIRCO make pressure switches installed in SSS and LPIS system. Approval of the competent authority is requested for procurement of SIRCO controls limited make items on proprietary basis	SME (I)	nil	KGS
57	SERVOTHERM OIL	NAPS/CMM/VII/23443	29-07-2019	INDIAN OIL CORPORATION LIMITED	31076	10-09-2019	36922	10-10-2019	Indented oil (IOCL make SERVOTHERM) is in use in some very specific application at NPCIL (i.e; PHT sampling HX). As this particular make and grade oil is recommended by designer/ technical division, hence requirement of same make and grade is initiated for same application at NAPS. As this oil is proprietary product of IOCL, hence no one else can supply same item.	SME(M)	-	NAPS

58	PUMP	CMM/KAIGA1-4/KGS1&2/57442	19-03-2019	TRIVIKRAM FLO TECH	CMM/KAIGA1-4/KGS1&2/57442/PO-44431	16-09-2019	394663	16-03-2020	The indented items are proprietary nature/ M/s SAMTURBO is the OEM. The items are for one to one replacement and hecen it is poposed to procure the item from OEM M/s SAMTURBO on Single Tender basis.	SME M	Nil	KGS
59	SERVICE CONTRACT for PUBLIC ANNUNCIATION SYSTEM EQUIPMENT at Kaiga Site	CMM/KAIGA1-4/ SPT/ KGS3&4/ 57369	07-05-2019	Phi Audiocom Systems Private Limited	CMM/KAIGA1-4/ SPT/ KGS3&4/ 57369/e-PO/44430	16-09-2019	1021956	15-09-2020	The Public address system of KGS 3&4 is supplied & commissioned by M/S PHI AUDIO COMM, PUNE in 2003 along with KGS 3&4 commissioning. After commissioning, the system worked 14 years without major failures. From last two years, system failures / troubles are in increasing mode. Last 3 times, on emergency request, OEM sent their representative on free of cost & attended the call for restoration of the system. To increase the availability of system, OEM assistance is required along with spare suppo	CS	nil	KGS
60	GASKETS of M/s GEA Ecoflex make	CMM/KAIGA1-4/SPT/KGS3&4/57954	22-06-2019	KELVION INDIA PVT. LTD.	CMM/KAIGA1-4/SPT/KGS3&4/57954/e-PO/44429	16-09-2019	1059003	16-12-2019	Indented items are spare part to existing jacket water and Lube oil PHE in emergency diesel generator system. Spares gaskets are required for one to one replacement of the old gaskets. Hence only GEA Ecoflex (Now M/s Kelvion India Pvt Ltd) make gaskets are required to be purchased.	SME(M)	nil	KGS
61	SUPPLY OF ABB MAKE ELAYS	CMM/KAIGA1-4/KGS3&4/57978	25-06-2019	CONTROL & SYSTEMS	CMM/KAIGA1-4/KGS3&4/57978/PO-44427	16-09-2019	104784	15-11-2019	Existing ABB make combiflex protection/auxiliary relays are custom-built for 6.6kV ABB make switchgear. Spare relays need to compatible with ABB switchgear configuration for one-to-one replacement and hence ABB make relays are necessary.	SME (E)	Nil	KGS
62	AIRA MAKE SOLENOID VALVE	CMM/TAPS-3&4/58435	19-07-2019	AIRA EURO AUTOMATION PVT LTD	CMM/TAPS-3&4/58435/PO-88145	13-09-2019	8468	20-09-2019	PROPRIETARY SPARES	SME (E)	--	TMS
63	Document Signor Certificate	CMM/MAPS/IM/00228	22-08-2019	Ideatec Softwares (India) Pvt Ltd	CMM/MAPS/IM/00228/m anual-PO/4933	20-09-2019	28320	23-09-2019	Items are spare parts, attachments, additions, ancillaries to the existing equipment.	Head (C&MM)	Spares for existing equipment.	MAPS

64	Gas Seal (Stein Seal) â€œCompletely Built Unit of STEIN USA Make	CMM/KAIGA/SPT/ KGS3&4/ 57503	21-05-2019	Domain Industrial Solutions	CMM/KAIGA/SPT/ KGS3&4/ 57503/e- PO/44424	12-09-2019	6518261	10-03-2020	Indented items are gas seal for RSR 350 pumps (PCP) and M/s Stein Seal Company , USA is OEM. These gas seals are designed specifically for primary circulating pumps(PCP). Gas seals shall be replaced during mechanical seal replacement and also they are vulnerable to get worn off . So gas seals must be to be procured from OEM , so that one to one replacement of item is possible during seal maintenance activity. In addition to above, this is to certify that " There is no other suitable / optimum so	CS	Nil	KGS
65	SPARES for PNEUMATIC ACTUATOR of M/s ROTEX make	CMM/KAIGA1- 4/SPT/KGS3&4/ 57930 + 57940	22-06-2019	ROTEX AUTOMATION LIMITED	CMM/KAIGA1- 4/SPT/KGS3&4/ 57940/e- PO/44417	10-09-2019	195231	28-01-2020	Indented items are spare part for exiting equipments in KGS-3&4. Hence only Rotex make is required for one to one replacement.	SME (F)	nil	KGS
66	Supply of Spare Impeller	CMM/MAPS/MM/47135	17-04-2019	M/s. Wilo Mather and Platt Pumps Private Limited	CMM/MAPS/MM/47135/ manual-PO/4920	10-09-2019	194936	27-01-2020	Items are spare parts, attachments, additions, ancillaries to the existing equipment.	Head (C&MM)	Spares for existing equipment.	MAPS
67	Seal Ring for mechanical seal of Oil Supply Unit	RR Site/Stations/Unit- 3&4/CMM//71932	06-04-2019	EagleBurgmann India Pvt. Ltd.	RR Site/Stations/Unit- 3&4/CMM//71932/e- PO/96443	05-09-2019	740450.5	05-03-2020	AS PER AA-2C of HQI 2007 (R5)	SME(M) RAPS 3&4	AS PER AA-2C of HQI 2007 (R5)	RR Site
68	PRESSURE TRANSMITTER	CMM/KAIGA1- 4/KGS1&2/57891	04-07-2019	BENCHMARKS	CMM/KAIGA1- 4/KGS1&2/57891/PO- 44407	06-09-2019	361080	04-01-2020	M/S GE DRUCK make Pressure Transmitter are being used in secondary shutdown system of KGS-1&2. These Transmitters meant for one to one replacement to the presently used Pressure Transmitters	SME (I)	nil	KGS
69	Supply of Mating ring, Part. no. 4 (rotary face) for Split mechanical seal type	RR Site/Stations/Unit- 3&4/CMM/SPS/70586	29-09-2018	EagleBurgmann India Pvt. Ltd.	Purchase Order No:CMM/Station/Unit- 3&4/SPS/70586/PO- 96417	28-08-2019	2082652	12-02-2020	AS PER AA-2C of HQI - 2007 (R5)	MS, RAPS - 3&4	AS PER AA-2C of HQI - 2007 (R5)	RR Site
70	SPARES FOR EAGLE BURGMANN MECHANICAL SEAL, Type : P23 D084 C/SIC AS PER GA DRAWING NO.: D041/50164/R1 SUITABLE FOR Weir/ BHEL make Main Boiler Feed Pump ROTORY HEAD ASSEMBLY	KAPS- 1&2/C&MM/MMU/14880	09-04-2019	EAGLEBURGMANN INDIA PVT. LTD.	CMM/MMW/KAPS/MMU /14880/REV/PO-59894	04-09-2019	799045	05-02-2020	Items such as spare parts, attachments, additions, ancillaries, accessories to the existing equipment/component which are of a monopoly/proprietary product of a single manufacturer.	SME(M)	UPDATED	KAPS

71	HAND AND FOOT CONTAMINATION MONITORS	CMM/NAPS/X/21580	24-01-2018	ELECTRONICS CORPORATION OF INDIA LTD.,	31026	20-08-2019	23337795	20-08-2020	The Hand and Foot Contamination Monitors were initially developed by BARC. Later, BARC discontinued the manufacturing of Hand and Foot Contamination Monitors & other types of Radiation Monitors and transferred the technology to M/s ECIL for manufacturing. At present, numbers of ECIL make Hand & Foot Contamination Monitors are operating successfully at NAPS and other NPCIL units. Thus, it is proposed to purchase the Hand & Foot Contamination Monitors from M/s ECIL, Hyderabad only.	SD, NAPS	-	NAPS
72	Supply of O-RING for ALFA-LAVAL/ VULCAN-LAVAL make Oil Purifier (Model:-MAB-205S) of NAPS-1&2, Part No:-223401-30	CMM/NAPS/II/ 23257 /PO-31036	10-05-2019	HETAL ENTERPRISE	31036	23-08-2019	603991	31-12-2019	Indented items are spare parts for oil purifier of unit-1 &2. Oil purifier is a proprietary item of M/s Vulcan Laval which is now taken over by M/s Alfa laval. Hence C.A may kindly approve the purchase of these items from OEM i.e M/s Alfa Laval or its authorised distributor.	SME(M)	-	NAPS
73	Supply of M/s Indian Rubber Product make GENERATOR HYDROGEN COOLER GASKET EXCITER SIDE AS PER DRG. NO:- 8371.151, GR.-II,TYPE-A 0503.206, PART NO.27,(HEAT RESISTANT SOFT	CMM/NAPS/II/ 22666 /PO-31004	20-11-2018	INDIAN RUBBER PRODUCTS	31004	09-08-2019	211571	29-11-2019	Main turbine generators of NAPS were manufactured, supplied and installed by M/s BHEL, Haridwar. Indented items are spare parts of existing generators. However M/s BHEL, Haridwar does not manufacture these indented items by its own, instead they subcontract manufacturing of these rubber items to M/s Indian Rubber Products, Haridwar and then supplied to their customers. Hence M/s Indian Rubber Products, Haridwar is original manufacturer of these indented products in true sense. In view of above i	SME(M)	-	NAPS
74	SOAP LIQUID: COMMERCIAL GRADE, HOMACOL MAKE, ISI MARKED, CONFORMING TO IS - 4199 (2001)(ALL INDIA) (IN 20 KGS CAPACITY HEAVY DUTY P.V.C CAN NON-RETURNABLE)	CMM/NAPS/I/ 23394	03-07-2019	M/S NAND KISHORE KHANNA AND SONS	31052	28-08-2019	710360	24-02-2020	This is the only ISI marked product available in market hence recommended to be purchased from manufacture. Recommended by SMU/MS.	Head(C&M M)	-	NAPS

75	Flowserve Sanmar make Complete mechanical seal;type:2.625' as per drawing no:4H-14679 and being used in Auxilliary Boiler Feed Pump	CMM/NAPS/II/ 23189 /PO-31002	28-03-2019	Flowserve Sanmar Limited	31002	07-08-2019	1599821	04-03-2020	Indented items are M/S Flowserve Sanmar Ltd make Mechanical Seal (Size:2.625" as per drawing no:4H-14679) and being used in Auxiliary Boiler Feed Pump. Performance of its seal is found satisfactory. Being the proprietary item, Indent is initiated for purchase of said items, hence Competent authority is kindly requested to give approval for purchase of Indented items as a proprietary item from M/S Flowserve Sanmar Ltd	SME(M)	-	NAPS
76	PROXIMON MAKE INDUCTIVE PROXIMITY SENSOR	CMM/KAIGA1-4/KGS1&2/57946	27-06-2019	t.m.controls	CMM/KAIGA1-4/KGS1&2/57946/PO-44396	04-09-2019	9228	23-11-2019	Indented items are spare for existing equipment, match with cut out dimensions, one to one replacement during maintenance & proprietary item of M/s. PROXIMON	SME (E)	Nil	KGS
77	SUPPLY OF RELAY	CMM/KAIGA1-4/KGS3&4/57683	27-05-2019	INSTRUSYS ENTERPRISES	CMM/KAIGA1-4/KGS3&4/57683/PO-44400	04-09-2019	578200	04-11-2019	Existing IV & V qualified relays in KGS-3&4 415V level are MiCom P220. Therefore to ensure one to one replacement with existing system, Schneider Electric make MiCom P220 is necessary.	SME E	Nil	KGS
78	SAMTA make BRASS FITTING	CMM/KAIGA1-4/ KGS3&4/57508	12-03-2019	SAMTA WELDING & ENGINEERING WORKS	CMM/KAIGA1-4/ KGS3&4/ 57508/e-PO/44399	04-09-2019	1197806	11-12-2019	Samta make Brass fitting are being used in all pneumatic circuit tubing. The items are proposed for procurement as spare for existing system on ST basis for one to one replacement.	SME (I)	Nil	KGS
79	Supply of OEM spare shaft (24 mm dia) for WAK make & model -WKC 3210 water recirculation pump.	CMM/NAPS/II/ 23058 /PO-30994	04-04-2019	M/S INDUSTRIAL ENGINEERING WORKS	30994	01-08-2019	44196	16-09-2019	A pump for water storage tank's recirculation is used to maintain the temperature of condensate liquid waste and exhaust air/ fume of the oil incinerator system. OEM of this pump is M/s WAK industrial Engineering works Delhi. The spares of this type pump are not available at the site and other make pump spare could not be fitted in the pump's slot/opening. Hence to meet the operational requirement OEM spares of this pump procurement are proposed	SCE	-	NAPS

80	M/s FLOWSERVE make MECHANICAL SEALS	CMM/KAIGA1-4/ SPT/ KGS1&2/ 57787	02-05-2019	Flowserve Sanmar Limited	CMM/Kaiga 1-4/KGS1&2/57787/PO-44398	04-09-2019	1173409	03-12-2019	M/s flowserve sanmar is the OEM of reheater drain pump mechanical seal . The indent items are proprietary in nature of single manufacturer.The indent items are for one to one replacement and hence it proposed to procure the items from OEM M/s M/s flowserve sanmar chennai on single tender basis. In addition to above there is no other suitable /optimum source for procurement.As per HQI 2007 R/4 AA-2C ,Competent authority is kindly requested to approve the indent for procurement of spare reheater d	SME (M)	Nil	KGS
81	ELASTOMER SET	CMM/MAPS/IM/00106	07-08-2019	VAKO SEALS PVT.LTD	CMM/MAPS/IM/00106/m anual-PO/4914	05-09-2019	339663	19-10-2019	Items are spare parts, attachments, additions, ancillaries to the existing equipment.	Head (C&MM)	Spares for existing equipment.	MAPS
82	Supply of Incor Detector Assembly (ICDA) to KKNPP 1&2	CMM/OPS/69-21-9-3201	05-02-2019	JSC 'Rusatom Service'	35149	19-09-2019	350230466	19-06-2020	These are seemblies of dedicated design ,used in VVER-1000 Mwe reactor fuel assemblies specialized design by russian OEM and can not be procured from any other soureces either fron India or abroad	CMD	-	OPS
83	RUNNING CONTRACT FOR 12 MONTHS FOR SUPPLY OF PATHOLOGY KITS	CMM/TAPS-1&2/58592	18-07-2019	NEELES AGENCY	CMM/TAPS-1&2/58592/PO-88111	03-09-2019	475768	02-09-2020	PROPRIETARY NATURE	MS HOSP	M/S RANDOX LABORATORIES I PVT LTD (OEM) AUTHORISED TENDER TO THEIR AUTHORISED DEALER M/S NEELESH AGENCY	TMS
84	Supply and FIXING GODREJ EXECUTIVE TABLE, CHAIR & STOREWELL	KAPP-3&4/CMM/CAP/2991	12-09-2018	Godrej & Boyce Mfg. Co. Ltd	CMM/MMW/KAPP-3&4/CAP/2991/CAP/PO-2581	31-08-2019	226960	26-10-2019	GODREJ make furniture is in good quality,long life & durable. All NPCIL units are using Godrej make furniture since last 30 years. Godrej is having tie up with NPCIL for giving 14% discount on furniture. Hence it is proposed to procure Godrej make furniture from M/S Godrej only.	SME(I)	UPDATED	KAPS
85	Supply of Cover gasket for 600NB APW Pump suction Basket strainer. Part No:04.Make: M/sJagtap Engineering works	KAPP-3&4/CMM/CAP/3113	14-03-2019	JAGTAP ENGINEERING WORKS	CMM/MMW/KAPP-3&4/CAP/3113/CAP/PO-2580	31-08-2019	73160	30-10-2019	The APW pump Suction Basket strainer is manufactured by M/s JAGTAP ENGINEERING WORKS. The system is safety related system. Hence it is proposed to buy the cover gasket form the OEM i.e M/s JAGTAP ENGINEERING WORKS	SME(M)	UPDATED	KAPS
86	CM7 License Key (New, Part Number 7050.0104A-ICSP) alongwith Chromeleon 7.1 GC SE	RR Site/Stations/Unit-3&4/CMM/ECON/70308	28-05-2019	Thermo Fisher Scientific India Pvt. Ltd.	Purchase Order No:CMM/Station/Unit-3&4/ECON/70308/PO-96387	22-08-2019	365800	01-10-2019	AS PER CLAUSE AA-2C of HQI - 2007 (R5)	TSS - RAPS - 3&4	AS PER CLAUSE AA-2C of HQI - 2007 (R5)	RR Site

87	Diaphragm	RR Site/Stations/Unit-3&4/CMM/SPS/72042	27-03-2019	INSTRUMENTATION LIMITED	Purchase Order No:CMM/Station/Unit-3&4/SPS/72042/PO-96323	27-07-2019	408314	16-11-2019	AS PER CLAUSE AA-2C 2007(R5)	SME (I) RAPS - 3&4	AS PER CLAUSE AA-2C 2007(R5)	RR Site
88	CASTROL HYSPIIN AWS 32 OIL	CMM/TAPS-3&4/58779	29-08-2019	WESTERN LUBE COMPANY	CMM/TAPS-3&4/58779/PO-88107	29-08-2019	287448	12-09-2019	PROPRIETARY REQUIREMENT	SME (M)	M/S CASTROL INDIA LTD. HAS AUTHORISED TENDER TO THEIR AUTHORISED DEALER M/S WESTERN LUBE COMPANY	TMS
89	NEGATOR SPRING FOR RAM ASSEMBLY	CM/KAIGA1-4/KGS1&2/57913	20-06-2019	Smart Technologies	CM/KAIGA1-4/KGS1&2/57913/PO-44384	27-08-2019	349280	26-12-2019	OEM of Ram Assembly NEGATOR MOTOR SPRING IS M/S AMETEK HUNTER SPRING . For one to one replacement spare SPRING FOR Ram Assembly NEGATOR MOTOR are required from OEM.	SME (F)	Nil	KGS
90	SIC BLOCK for L&T make C-Power ACB	CMM/MAPS/EM/47103	12-06-2019	Larsen & Toubro Limited	CMM/MAPS/EM/47103/manual-PO/4910	27-08-2019	88500	25-11-2019	Items are spare parts, attachments, additions, ancillaries to the existing equipment.	Head (C&MM)	Spares for existing equipment.	MAPS
91	Spares suitable for M/s. PHOENIX INDUSTRIAL SOLUTIONS make helium leak detector model-PIS-VS 15	CMM/KAIGA5&6/COMMON1-4/57840	19-06-2019	Phoenix Industrial Solutions	CMM/KAIGA5&6/COMMON1-4/57840 /PO-44381	27-08-2019	685317	26-12-2019	Helium detectors were mainly used for helium leak testing of fresh fuel bundles. Presently all the fresh fuel bundles are subjected to helium leak testing as per station decision. In view of the helium leak testing requirements and availability of healthy helium leak testing equipment™s is necessary. For meeting this requirement, it is better to keep some important spares/ consumables which are required for operation of these two equipment™s. The items are spare parts / consumable to the existin	QAS	Nil	KGS
92	Digital Franking Machine	KKNPP/3&4/CMM/34360	03-08-2019	PITNEY BOWES INDIA PRIVATE LIMITED	KKNPP/3&4/CMM/34360/PO:60211	23-08-2019	89950.22	07-09-2019	Purchased from OEM only	Head (HR)	-	KKNPP
93	Augmentation of existing Corporate RFID Smart card based Access Control system (ACS) and its associated systems (TAMS & VMS) with indigenously developed Linux based Access control system at KGS 1&2 and KGS3&4 site.	CMM/KAIGA1-4/TPT/KGS1&2/56810 + 56863	24-12-2018	ELECTRONICS CORPORATION OF INDIA LIMITED	CMM/KAIGA1-4/TPT/KGS1&2/56810 + 56863/e-PO/44371	23-08-2019	30212961	19-05-2020	Existing ACS system along with its associated systems like TAMS and VMS was supplied and installed by ECIL in 2007 at KGS. NPC-HQ Directorate of Operation has recommended for Augmentation of the system with newly developed system by M/s. ECIL on Single tender basis	MS	Nil	KGS

94	PNEUMATIC AND HYDRAULIC TEST KIT	CMM/KAIGA1-4/KGS1&2/57908	26-07-2019	BENCHMARKS	CMM/KAIGA1-4/KGS1&2/57908/PO-44369	22-08-2019	80240	20-12-2019	GE Druck Pneumatic and Hydraulic Test kit Hand pump in FHS is faulty and needs to be replaced and servicing is to be done. For one to one replacement of hand pump assembly to present Pneumatic and Hydraulic Test kit and servicing of it by authorised service provider of GE DRUCK is proposed	SME(F)	Nil	KGS
95	ULTRASONIC LEVEL TRANSMITTER	CMM/KAIGA1-4/KGS1&2/57982	04-07-2019	PARTH ENERGY SYSTEMS PVT LTD	CMM/KAIGA1-4/KGS1&2/57982/PO-44370	22-08-2019	259364	31-10-2019	These level transmitters are used in active and non active drainage system for sump level measurement. Same make and model ultrasonic level transmitters are required for one to one replacement.	SME (I)	Nil	KGS
96	Supply of Combined Charcoal and HEPA filters	CMM/KAIGA1-4/SPT/KGS1&2/57404	06-02-2019	Industrial Filter Corporation	CMM/KAIGA1-4/SPT/KGS1&2/57404/e-PO/44367	22-08-2019	5000002	18-02-2020	M/S NPCIL has identified M/s Industrial Filters, Bharuch, for development and supply of Combined Charcoal & HEPA Filters as per Specification No: NPCIL/CH&CF/PB-E-594(I), R-1 REF: USI NO: 73140, Date of revision: August 2010. Hence, competent authority may kindly approve the procurement of these filters from M/s Industrial Filters, Bharuch, through single tender mode.	CS	Nil	KGS
97	SEAL KIT	CMM/KAIGA1-4/KGS1&2/57898	14-06-2019	Mechtel & Associates	CMM/KAIGA1-4/KGS1&2/57898/PO-44365	22-08-2019	144786	21-09-2019	Indent is for procurement of ENERPAC hydraulic jack assembly spares form OEM Enerpac =	SME M	Nil	KGS
98	BDBA Submersible pump	CMM/KAIGA1-4/CAPSKGS1&2/57933	20-06-2019	Grundfos Pumps Pvt Ltd	CMM/KAIGA1-4/CAPSKGS1&2/57933/e-PO/44366	22-08-2019	496632	09-01-2020	M/s Grundfos make pump is installed and commissioned in BDBA fire water sump. Indented Item is required for one to one replacement for existing submersible pump. Hence competent authority is requested to accord and approve procurement of M/s Grundfos pump	SME (M)	Nil	KGS
99	Supply and warranty of M/s. Titan Make Wrist Watch pair (Gents and Ladies set) with NPCIL Logo on dial with Model No. NK1627YM02 (Male) and 2581YM01F (Female)	CMM/MISC/00-78-5-4263	16-07-2019	M/s. Titan Company Ltd.,	34969	22-08-2019	2100000	12-09-2019	Make & model approved by competent authority	AGM(HRS)	Board approval for grant of mementos exists.	MISC

100	DIAPHRAGM	CMM/KAIGA1-4/KGS1&2/57790	30-04-2019	WEIR BDK VALVES	CMM/KAIGA1-4/KGS1&2/57790/PO-44361	21-08-2019	57613	21-10-2019	The indented items are diaphragms of various diaphragm valves installed in primary side (moderator and PHT circuit). M/S Weir BDK is the OEM of these valves and diaphragms. The diaphragms are required for one to one replacement of existing diaphragms as per PM program. Hence, competent authority is requested to approve the proposal for procurement of M/S Weir BDK make diaphragms.	SME (M)	Nil	KGS
101	SIEMENS MAKE CONTACTOR RELAY	CMM/KAIGA1-4/KGS1&2/58011	25-06-2019	siddharth electricals	CMM/KAIGA1-4/KGS1&2/58011/PO-44356	21-08-2019	27518	19-11-2019	Existing Contract Relays used in 220V DC control circuits of 220 KV circuit breakers are siemens make. Hence, for one to one replacement in existing system, M/s Siemens make contactor relays and their auxiliary contact blocks are proposed for procurment as spare.	SME E	Nil	KGS
102	Servicing of M/s Rotork make nuclear actuator.	CMM/KAIGA1-4/KGS1&2/57973	27-06-2019	ROTORK CONTROLS INDIA PVT LTD	CMM/KAIGA1-4/KGS1&2/57973/e-PO/44357	21-08-2019	59000	20-02-2020	Indent is for the servicing of M/s ROTORK make ECCS actuator. ECCS actuators are safety related critical equipments and infrequent maintenance activity on the equipment is to be carried out by competent service person from the OEM. Hence, the work is proposed to be executed by the OEM, i.e M/s Rotork Controls (India) Pvt Ltd.	SME (E)	Nil	KGS
103	COMPLETE SET OF O RINGS AND GASKETS	CMM/KAIGA1-4/KGS1&2/57643	26-04-2019	KSB Pumps Limited	CMM/KAIGA1-4/KGS1&2/57643/e-PO/44358	21-08-2019	1999991	05-02-2020	Indent is for the servicing of M/s ROTORK make ECCS actuator. ECCS actuators are safety related critical equipments and infrequent maintenance activity on the equipment is to be carried out by competent service person from the OEM. Hence, the work is proposed to be executed by the OEM, i.e M/s Rotork Controls (India) Pvt Ltd.	SME (M)	Nil	KGS
104	ANNUAL RATE CONTRACT FOR L&T MAKE SWITCH GEAR PRODUCTS	CMM/MAPS/EM/47040	26-04-2019	LARSEN & TOUBRO LIMITED,	CMM/MAPS/EM/47040/manual-PO/4897	24-08-2019	1000000	20-08-2020	Rate Contract on OEM	Head (C&MM)	Rate Contract.	MAPS
105	RFID Card	KKNPP/CMM/17375	21-05-2019	ELECTRONICS CORPORATION OF INDIA LIMITED	KKNPP/1&2/CMM/SPT/17375/PO:13385	20-08-2019	315343.2	22-02-2020	Original machine supplied by OEM. To meet one to one replacement to the existing one	ACE (Infra & E&I)	-	KKNPP

106	Supply of 'Pall' make high efficiency absolute rated 5 micron, 36" length Filter elements for PHT Gland System Filters (P/N. HCA230FKP36H) as per attached drawing & specification.	KAPP-3&4/C&MM/CAP/3680	29-06-2019	Pall India Pvt. Ltd.	CMM/MMW/KAPP-3&4/CAP/3680/CAP/PO-2565	09-08-2019	1542750	01-11-2019	Indented item is of proprietary nature manufactured by 'PALL' india pvt. ltd. & supplied by M/s. GSM TECHNO PRODUCTS & SERVICES, Hyderabad. Which is their sole authorised distributor.	SME(M)	UPDATED	KAPS
107	AMC for Passenger Lift	KKNPP/1&2/CMM/SPT/17156	19-03-2019	KONE ELEVATOR INDIA PRIVATE LIMITED	KKNPP/1&2/CMM/17156/PO:13374	09-08-2019	588238.26	08-08-2021	Original machine purchased from OEM. Maintenance contract issued to OEM.	CS	-	KKNPP
108	Solenoid Valves	KKNPP/1&2/CMM/17322	04-03-2019	ROTEX AUTOMATION LTD	KKNPP/1&2/CMM/17322/PO:13381	17-08-2019	29474.04	10-12-2019	Spares for existing Rotex make solenoid valve - from OEM	SME (I)	-	KKNPP
109	Impeller (Part No. 20 for stage 1/2/3/4) for Maxflow make multi stage pump, Pump Model No. 98MM5 and Pump Sr. No. 20403318 & 20403319. Material of construction is Bronze. Reference Drawing No. MPL/MM5/98/004-6965 is attached for spare part numbers	RR Site/Stations/Common/CM M/NTC/72299	30-05-2019	Maxflow pumps india Pvt Ltd.	RR Site/Stations/Common/CM MM/NTC/72299/e-PO/96359	09-08-2019	214512	18-10-2019	As per AA-2(C) of HQI-2007	STO	As per AA-2(C) of HQI-2007	RR Site
110	IR IMPROVEMENT, CALIBRATION & TESTING OF M/S TEMPTECH	CMM/TAPS-3&4/58678	23-07-2019	TEMP TECH	CMM/TAPS-3&4/58678/PO-88077	14-08-2019	306387	13-11-2019	PROPRIETARY SERVICES	CS, TAPS 3&4	--	TMS
111	RUNNING CONTRACT FOR PATHOLOGY KITS	CMM/TAPS-1&2/58417	20-05-2019	The Lab Requisite.	CMM/TAPS-1&2/58417/PO-88072	09-08-2019	493920	10-08-2020	PROPRIETARY NATURE	MS HOSP	M/S BIOMERIEUX INDIA PVT LTD HAS AUTHORISED TENDER TO THEIR AUTHORISED DEALER M/S THE LAB REQUISITE	TMS
112	AMC For Total organic Carbon	KKNPP/CMM/17024	08-01-2019	AJ Instrument India Pvt. Ltd	KKNPP/1&2/CMM/17024/PO:13378	09-08-2019	520380	09-08-2021	OEM being a foreign vendor, OEM authorized own service center for AMC in India	CS	-	KKNPP
113	Supply of Flanged end Globe valve, Size: 3inch, Make: NSSL. Valve physical	KAPP-3&4/CMM/CAP/3443	31-05-2019	NSSL Limited	CMM/MMW/KAPP-3&4/CAP/3443/CAP/PO-2564	08-08-2019	120618	28-11-2019	The valves are manufactured by M/s NSSL LIMITED. The valves are manual globe valves and are installed in service water system which is safety related system. The indented items are spare valves to replace the installed valves one to one to reduce the maintenance shut down time. Hence it is proposed to procure from the OEM i.e M/s NSSL Ltd	SME(M)	UPDATED	KAPS
114	High Speed Diesel (HSD) confirming to IS-1460:2005, BS-IV to be supplied in 12 KL Tankers on As and when required Basis for a period of Twelve months (for Phase-II consumer pump)	Tender No. RR Site/Stations/Common/CM M/PROV/72702	29-06-2019	INDIAN OIL CORPORATION LTD.	Tender No. RR Site/Stations/Common/CM MM/PROV/72702/e-PO/96356	08-08-2019	10545085	07-08-2020	As per AA-2(C) of HQI-2007	DGM(C&M M)	As per AA-2(C) of HQI-2007	RR Site
115	AMC for Hematology Analyser	KKNPP/1&2/CMM/SPT/17161	08-05-2019	Agappe Diagnostics Ltd	KKNPP/1&2/CMM/17161/PO:13359	06-08-2019	31097.48	05-08-2020	AMC for the existing equipment supplied by OEM	SD (1&2)	-	KKNPP

116	Supply of thrust bearing cooling coil.	KAPP-3&4/CMM/CAP/3394	01-03-2019	SUPERIOR ENGINEERING AND SERVICES	CMM/MMW/KAPP-3&4/CAP/3394/CAP/PO-2561	03-08-2019	68352	11-11-2019	Indented item is THRUST BEARING COOLING COIL for the Auxiliary service water pumps. The OEM of the pump is M/s Mther+platt pumps pvt ltd. The cooling coil is one to one replaced item. Hence it is proposed to procure from the OEM i.e from the Mther+platt pumps pvt ltd or its authorised dealers .	SME(M)	UPDATED	KAPS
117	LUBE OIL	NAPS/CMM/VII/23315	13-06-2019	INDIAN OIL CORPORATION LIMITED	30997	03-08-2019	532073.8	31-08-2019	A committee was constituted by Station Director, NAPS to review the list of common stock items for the year 2019-2020. While reviewing the list, the committee was also entrusted the responsibility to standardize the items with respect to Description, Specification, Make/brand of common consumables item to be procured. After deliberated discussion and exploring the brands available in market, the committee has recommended the indented make/brand to avoid procurement of sub standard make/brand avai	Head(CMM)	-	NAPS
118	AMC for Gas Chromatograph	KKNPP/1&2/CMM/SPT/17069	11-01-2019	Dins Technologies Pvt Ltd	KKNPP/1&2/CMM/17069/PO:13329	01-08-2019	857845.25	31-07-2021	Proprietaray and OEM from Russia authorized exclusive service provider in India	CS	-	KKNPP
119	RUNNING CONTRACT FOR PATHOLOGY KITS	CMM/TAPS-1&2/58418	20-05-2019	Neelesh Agency	CMM/TAPS-1&2/58418/PO-88059	03-08-2019	481724	03-08-2020	PROPRIETARY NATURE	MS HOSP	M/S RANDOX LABORATORIES I PVT LTD AUTHORISED TENDER TO THEIR AUTHORISED DEALER M/S NEELESH AGENCY	TMS
120	AMC for X-Ray Baggage Machine	KKNPP/3&4/CMM/SPT/34232	06-07-2018	ECIL RAPISCAN LIMITED	KKNPP/3&4/CMM/34232/PO:60209	03-08-2019	2458082	02-08-2024	OEM and Proprietary items supplied by ECIL, hence AMC is propped.	PD (3&4)	-	KKNPP
121	LEVEL INDICATOR	CMM/KAIGA1-4/KGS1&2/57952	28-06-2019	RATO COMMUNICATIONS AND ELECTRONICS PVT LTD	CMM/KAIGA1-4/KGS1&2/57952 /e-PO/44335	03-08-2019	246412	26-10-2019	These level indicators are used for sump level indication in active and non active drainage system of KGS 1&2. Same make and model indicators are required for one to one replacement.	SME (I)	Nil	KGS
122	Supply and guarantee of latest manufactured Cradle and ratchet of Industrial Safety Helmets.	CMM/KAIGA1-4/KGS3&4/57465	15-06-2019	SURE SAFETY INDIA PVT LTD	CMM/KAIGA1-4/KGS3&4/57465/e-PO/44331	03-08-2019	24072	04-11-2019	Item no. 1 procured on GeM of Sure Safety make. Cardle and ratchet is required for helmet hence suitable item has to be compatible to Helmet hence M/s Sure Safety ratchet is suitable.	Head IS&F	Nil	KGS

123	Spare for Gaurd Tour Monitoring System	CMM/KAIGA1-4/ KGS3&4/ 57608	21-05-2019	Sivananda Electronics	CMM/KAIGA1-4/ KGS3&4/ 57608/e-PO/44330	03-08-2019	116230	03-09-2019	These indented items are required for Guard tour monitoring system in Physical Protection System. This clock unit is to be carried by CISF during the operating island double fence surveillance & reader unit is required to read the data from clock unit. These are make of M/S SIVANAND ELECTORINICS & initially supplied through ECIL as a part of commissioning. For one to one replacement as spares, it is proposed to procure the above material from OEM i.e., M/S Sivananda Electronics as per proprietar	SME (I)	Nil	KGS
124	Techtrolâ€ LEVEL INDICATOR CUM TRANSMITTER AND LEVEL PROBE	CMM/KAIGA1-4/ KGS3&4/ 57849	17-05-2019	PUNE TECHTROL PVT LTD	CMM/KAIGA1-4/ KGS3&4/ 57849/e-PO/44329	03-08-2019	105799	17-09-2019	In order to have compatibility with the existing set up and for one to one replacement facility , purchase of this item from M/s Pune Techtrols is proposed on proprietary basis.	SME (I)	Nil	KGS
125	IODINE LIQUID SOURCE	CMM/KAIGA1-4/KGS3&4/57855	14-05-2019	BOARD RADIATION AND ISOTOPE TECHNOLOGY	CMM/KAIGA1-4/KGS3&4/57855/PO-44328	02-08-2019	49560	09-08-2019	In India, Liquid Iodine source is being supplied only by M/S, Board of Radiation & Isotope Technology., Dept. Of Atomic Energy, V. N. Purav Marg, Anushakti Nagar, Mumbai 400 094. For all new filters testing at KGS-3&4,Liquid Iodine source is procured only from M/S, Board of Radiation & Isotope Technology., Dept. Of Atomic Energy, V. N. Purav Marg, Anushakti Nagar, Mumbai 400 094.	TS	Nil	KGS
126	Weidmuller make beige colour AKZ4 terminal block.	CMM/NAPS/I/ 23230	06-04-2019	M/S WEIDMULLER ELECTRONICS INDIA PVT. LTD.	30989	01-08-2019	268289.52	05-09-2019	At NAPS, Weiland make terminal blocks have been used and after EQ testing this make found failed. As per the EQ test reports on terminal blocks used in NPCIL, only three nos. of makes are qualified (Designer letter is attached). For two nos. of qualified make terminal blocks, dismantling of all terminal blocks with mounting rail is required. However, with Weidmuller make terminal blocks, only terminal blocks are required to be replaced without dismantling of mounting rail. Kind approval of compe	SME(I)	-	NAPS
127	Digital Dial Gauge	KKNPP/1&2/CMM/SPT/17267	27-03-2019	M/s. Mahr Metrology India Pvt.Ltd.,	KKNPP/1&2/CMM/17267/PO:13338	31-07-2019	1401840	30-10-2019	Spare for existing one originally supplied by M/s. Mahr Metrology	SME (M)	-	KKNPP

128	Heavy duty HSL-3G Hilti anchor fasteners of size M12	RR Site/Projects/Unit-7&8/CMM/Tool/8221	02-03-2019	HILTI INDIA PRIVATE LIMITED	CMM/Projects/Unit-7&8/CMM/Tool/8221/PO/5685	30-07-2019	4866026	28-09-2019	As per Clause AA-2(c) of HQI -2007 (R-5)	CE - NNS	-	RR Site
129	RATE CONTRACT FOR SUPPLY OF FENNER MAKE V-BELTS AND PULLEYS AS PER THEIR STANDARD PRODUCT AND PRICE LIST. for A PERIOD OF 2 YRS	KAPP-3&4/CMM/CAP/2831	16-03-2019	J.K. FENNER (INDIA) LIMITED	CMM/MMW/KAPP-3&4/CAP/2831/CAP/PO-2549	31-07-2019	500000	30-07-2021	Almost 90% of the belts and pulleys installed in belt drives are Fenner make. Hence for interchangeability/replacement procurement of Fenner make V-belts and pulleys is proposed.	SME(M)	UPDATED	KAPS
130	SUPPLY OF GUN GRADE POLYSULPHIDE CAULKING COMPOUND	KAPP-3&4/CMM/CAP/3017	15-04-2019	Choksey Chemicals P Ltd	CMM/MMW/KAPP-3&4/CAP/3017/CAP/PO-2544	29-07-2019	175820	13-08-2019	The manufacturing of PP-M-400 grade poly sulphide compound is being done by NPCIL approved vendor M/s Choksey Chemicals Pvt.Ltd. The same is being supplied by them to various sites/units of NPCIL for sealing purpose and is meeting NPCILs requirement.	ACE(ELEC)	UPDATED	KAPS
131	Service, Maintenance contract for Avery make weigh bridge & weighing scale	CMM/KAIGA 1-4/KAIGACOMMON1-4/57902	01-06-2019	AVERY INDIA LIMITED	44321	29-07-2019	1263782	28-07-2021	M/s Avery make " Weighing Scales & Weigh Bridge " are installed at different locations in KGS Site. Service contract is required for maintenance of same and also to comply as per statutory standards. Single tender is proposed as per HQI:2015- Part:2- 6.(c-(i)): Where service/ Maintenance is required for the item which is of monopoly/proprietary product of single manufacturer.	DGM	Nil	KGS
132	Supply of Spare DOSC/RSC Cards.	RR Site/Stations/Unit-1&2/CMM/ECON/71835	29-01-2019	ELECTRONICS CORPORATION OF INDIA LTD	RR Site/Stations/Unit-1&2/CMM/ECON/71835/PO/96226	02-07-2019	8742395	01-07-2020	M/s ECIL supplied PIS and DRS system is installed at RAPS-1&2. The indented items are spare parts of Existing system and required as Spares for existing instrumentation.	C.S.-1&2	As per Clause AA-2(C) of HQI-2007 (R-5)	RR Site
133	Thurst Bearings	KKNPP/1&2/CMM/SPT/17166	16-02-2019	LG ELECTRONICS INDIA PVT LTD	KKNPP/1&2/CMM/17166/PO:13317	27-07-2019	7100425.52	30-03-2020	One to one replacement for originally supplied by OEM	CS KK (1&2)	-	KKNPP
134	INDFOS MAKE TEMPERATURE SWITCH	CMM/KAIGA1-4/KGS1&2/57937	14-06-2019	ARCENE SUPPLY SERVICES LLP	CMM/KAIGA1-4/KGS1&2/57937/PO-44319	29-07-2019	77809	17-09-2019	Indfos make temperature switches are used in Instrument air compressors, air dryers units, NASS fire alarm system & turbine oil purifier for deriving various logics & alarms. Proposed item is meant for one to one replacement to ensure compatibility & reduce maintenance time. Competent authority may kindly accord the proposal for purchase of Indfos make temperature switches.	SME (I)	Nil	KGS
135	valve Test Bench	KKNPP/1&2/CMM/SPT/17023	04-03-2019	EFCO Maschinenbau India Pvt. Ltd.	KKNPP/1&2/CMM/17023/PO:13319	27-07-2019	876117.2	25-11-2019	Spares from OEM to maintain integrity of equipment	SME (M)	-	KKNPP

136	AMC FOR KONIKA	NAPS/CMM/VII/23181	06-06-2019	Infres Methodex Pvt. Ltd.	30975	24-07-2019	375830	23-07-2021	As the CMC is for Konika make MFPs, service from OEM (Konika) or its authorised dealer is proposed.	ENC(IT)	-	NAPS
137	Supply of Intermediate Shaft, part no. 184.1 for pump model no. BHR-42 Make: M/s KBL	CMM/NAPS/II/ 22629 /PO-30936	10-08-2018	Ampee Trading Company	30936	02-07-2019	3263694	28-03-2020	The indented items are spares of NAHP pump. These pumps are supplied by the M/s Kirloskar brothers ltd. and are the proprietary items of the M/s KBL. Hence CA may kindly approve the purchase of spares under proprietary item	MS	-	NAPS
138	OFFLINE PC	CMM/NAPS/X/22966	17-01-2019	ELECTRONIC CORPORATION OF INDIA LTD.,	30981	26-07-2019	1171740	26-10-2019	Indented items are part of FHS computer system ,supplied by M/s ECIL, Hyderabad. Due to obsolescence of existing M/s ECIL assembled and tested PCs, designers have recommended to upgrade the system. Competent authority is requested to approve procurement of M/s ECIL, Hyderabad make (assembled and tested) OLSDS and Off-Line PCs.	SME(F)	-	NAPS
139	Supply of M/s Paharpur Cooling Tower Limited make 18'dia flow control valves spare parts. Valve Disc (C.I.)	CMM/NAPS/II/ 23108 /	06-04-2019	M/S PAHARPUR COOLING TOWERS LIMITED	30978	26-07-2019	209993	24-10-2019	M/s Paharpur Cooling Towers Pvt. Ltd. is the original manufacturer of IDCT tower and has prolonged experience in this field. Thus spare parts of IDCT tower are proprietary items of M/s Paharpur Cooling Towers Pvt. Ltd. In view of above it is proposed to procure the indented items from M/s Paharpur Cooling Towers Pvt. Ltd. on proprietary basis.	SME(M)	-	NAPS
140	CAM OPERATED ROTARY SWITCH	CMM/KAIGA1-4/KGS1&2/57805	07-06-2019	VEER ELECTRIC STORES	CMM/KAIGA1-4/KGS1&2/57805/PO-44315	26-07-2019	796795	24-10-2019	Indented item is spares for existing and proprietary item of M/s Salzer	SME E	Nil	KGS
141	SPARES for MECHANICAL SEAL of M/s Eagleburgmann make	CMM/KAIGA1-4/SPT/KGS1&2/ 57769	01-05-2019	EagleBurgmann India Pvt. Ltd.	CMM/KAIGA1-4/SPT/KGS1&2/ 57769/e-PO/44314	26-07-2019	767472	07-02-2020	The indented items are seal faces of mechanical seals of end shield and calandria vault cooling pumps. M/S Eagleburgmann is the OEM of these seals. The spare seal faces are required for one to one replacement of already existing faces of the mechanical seal during overhauling of pumps as per PM program. Competent authority is requested to approve the proposal for procurement of spares for M/S Eagleburgmann make mechanical seals	SME (M)	Nil	KGS

142	FILTER, OIL CE-063-126, Part NO. 55.006.12.904, FOR MAIN CHILLERS, MODEL: PEH 100 , MAKE: M/s KIRLOSKAR CHILLERS PRIVATE LIMITED	Tender No. RR Site/Stations/Unit-5&6/CMM/SPS/70089	12-03-2018	Kirloskar Chillers Pvt. Ltd	96305	25-07-2019	1020086	26-09-2019	Spares parts of existing equipment as per AA-2 C	MS, RAPS-5&6	PO placed to OEM	RR Site
143	SKF MAKE PLUMMER BLOCKS	CMM/KAIGA1-4/KGS1&2/57359	22-05-2019	Dhirajlal Morarji	CMM/KAIGA1-4/KGS1&2/57359/PO-44312	25-07-2019	137428	23-09-2019	Ventilation System Fans of KGS 1&2 are supplied with M/S SKF make Plummer block housings (with locating rings) and SKF make bearings. To ensure compatibility and fitment with existing bearings, it is proposed procure SKF make plummer-blocks with locating rings. Procurement may kindly processed through single tender mode.	SME (M)	Nil	KGS
144	Supply of Spare Plungers for M/s BPCL Naini, Allahabad Make Plunger Pump of Model	RR Site/Stations/Unit-3&4/CMM/CAP/71512	27-11-2018	BHARAT PUMPS & COMPRESSOR LIMITED	Purchase Order No:CMM/Station/Unit-3&4/CAP/71512/PO-96295	23-07-2019	1518737	19-03-2020	AS PER CLAUSE AA-2C of HQI 2007(R5)	SME(F), RAPS 3&4	AS PER CLAUSE AA-2C of HQI 2007(R5)	RR Site
145	O RING SEAL KIT of M/s ROTEX make	CMM/KAIGA1-4/ KGS3&4/57992	22-06-2019	ROTEX AUTOMATION LIMITED	CMM/KAIGA1-4/ KGS3&4/ 57992/e-PO/44308	25-07-2019	65490	24-08-2019	O rings set and plunger assembly is required to repair the existing 5/2 Solenoids which are of Rotex make.Indented item is accessories to the existing equipment which is of proprietary product of a single manufacturer. hence it is proposed to purchase indented item from Rotex automation, Approval of competent authority is requested	SME (I)	Nil	KGS
146	Supply of spares for Konica Minolta make Photocopier Model-Bizhub 363 - Part Code No. TN-414.	KAPS-1&2/C&MM/EDP/15214	01-07-2019	Patel Infotech	CMM/MMW/KAPS/EDP/15214/REV/PO-59859	23-07-2019	42480	20-08-2019	Items are Properietory in nature being the Spares-Consumables for Konica Minolta make Photocopiers and M/s. Konica Minolta is the OEM of the product.	STE	UPDATED	KAPS
147	SPARES FOR KONICA MINOLTA MAKE PHOTOCOPIER	KAPS-1&2/CMM/SPG/15193	17-06-2019	Patel Infotech	CMM/MMW/KAPS/SPG/15193/REV/PO-59856	22-07-2019	49966	22-08-2019	Items are Spares Consumbales for Konica Minolta make Photocopier and M/s Konica Gurgaon is the OEM of the product.	STE (PLANNING)	UPDATED	KAPS
148	SUPPLY OF SPARES FOR SEAL OIL PUMP	CMM/KAIGA1-4/KGS3&4/57624	16-05-2019	A&A Enterprises	CMM/KAIGA1-4/KGS3&4/57624/PO-44302	23-07-2019	940165	20-12-2019	O rings set and plunger assembly is required to repair the existing 5/2 Solenoids which are of Rotex make.Indented item is accessories to the existing equipment which is of proprietary product of a single manufacturer. hence it is proposed to purchase indented item from Rotex automation, Approval of competent authority is requested	SME (M)	Nil	KGS

149	SUPPLY OF CABLE	CMM/KAIGA1-4/KGS3&4/57634	17-05-2019	SPECTRUM BUSINESS ASSOCIATES	CMM/KAIGA1-4/KGS3&4/57634/PO-44304	23-07-2019	328512	21-10-2019	Both this Power Supplies are mounted on the Schneider Electric PLC panel on a very compact location, Both the power supplies are part of the existing Schenider Electric PLC which are of a monopoly / proprietary product of a single manufacturer. Hence it is requested to procure items of the same make for one as to one replacement	SME I	Nil	KGS
150	SKF MAKE BALL BEARING	CMM/KAIGA1-4/KGS1&2/57555	17-06-2019	Dhirajlal Morarji	CMM/KAIGA1-4/KGS1&2/57555/PO-44300	23-07-2019	140184	21-10-2019	M/S SKF Make bearings are installed in most of the Equipment's like Motors, fans, etc. These products are regularly consumed during routine maintenance activities. it is essential to ensure the ready availability of these products to reduce the downtime and to improve the availability of critical equipment's. Performance and life of SKF Make products found satisfactory. Hence Competent Authority, KGS 1&2 may accord approval for procurement of these SKF make items from OEM M/s SKF	SME (M)	Nil	KGS
151	SKF MAKE BALL BEARING	CMM/KAIGA1-4/KGS1&2/57555	17-06-2019	The New Ball Bearing Co	CMM/KAIGA1-4/KGS1&2/57555/PO-44299	23-07-2019	580745	21-09-2019	M/S SKF Make bearings are installed in most of the Equipment's like Motors, fans, etc. These products are regularly consumed during routine maintenance activities. it is essential to ensure the ready availability of these products to reduce the downtime and to improve the availability of critical equipment's. Performance and life of SKF Make products found satisfactory. Hence Competent Authority, KGS 1&2 may accord approval for procurement of these SKF make items from OEM M/s SKF	SME (M)	Nil	KGS
152	THERMOSTATIC VALVES SPARES	CMM/KAIGA1-4/KGS1&2/57706	22-04-2019	PUSHKARAJ ENTERPRISES	CMM/KAIGA1-4/KGS1&2/57706/PO-44298	23-07-2019	630385	21-09-2019	The OEM of installed thermostatic valves in EDGs are of M/s AMOT controls make. The spares are required for one to one replacement. It is proposed to procure the spares from OEM or OEM authorised dealer	SME M	Nil	KGS
153	SEAL KITS for M/s ELOMATIC make ACTUATOR ,	CMM/KAIGA1-4/ KGS1&2/ 57666	24-04-2019	ELOMATIC (INDIA) PVT. LTD.	CMM/KAIGA1-4/ KGS1&2/ 57666/e-PO/44297	23-07-2019	1678385	20-12-2019	M/S Elomatic India Pvt Ltd is OEM for Elomatic actuators of Ventilation System KGS 1&2	SME M	Nil	KGS

154	Metal Tube Rotameter	CMM/NAPS/I/ 23335	14-06-2019	M/S T.M.CONTROLS	30963	20-07-2019	121125	19-11-2019	There four numbers of metal tube flow meters M/s Instrumentation engineers private Ltd. are installed in seal oil system of NAPS-1 to measure the oil flow to seal and return. These instruments were installed since long back (more than 18 years). Working performance during the period was very satisfactory. Now it is suspected that instrument reading is high. There is no spare available at NAPS. Hence it is proposed to procure M/s Instrumentation engineers private Ltd., Hyderabad make two large sc	SME(I)	-	NAPS
155	Spares, Oil & Grease for Crawler Crane	KKNPP/3&4/CMM/SPT/34339	02-05-2019	LIEBHERR INDIA PRIVATE LIMITED	KKNPP/3&4/CMM/34339/PO:60205	22-07-2019	6989729.36	22-10-2019	OEM of the supplied crane which are proprietary in nature.	CE (Mech)	-	KKNPP
156	For supply of Internal Assembly for Turbine type Flowmeter.	RR Site/Stations/Unit-3&4/CMM/MIA/71504	27-12-2018	rockwin flowmeter india pvt ltd	Purchase Order No:CMM/Station/Unit-3&4/MIA/71504/PO-96254	12-07-2019	692070	20-09-2019	AS PER AA-2C of HQI 2007 (R5)	SME(I), RAPS-3&4	AS PER AA-2C of HQI 2007 (R5)	RR Site
157	Supply of Turbinol-46 (Lubricating Oil) in Non Returnable 210 ltr Steel drum	RR Site/Stations/Unit-3&4/CMM/POL/70961	01-11-2018	Hindustan Petroleum Corporation Limited, Jaipur	Purchase Order No:CMM/Station/Unit-3&4/POL/70961/PO-96253	12-07-2019	639324	26-08-2019	AS PER CLAUSE AA-2C of HQI 2007 (R5)	SME(M) RAPS 3&4	AS PER CLAUSE AA-2C of HQI 2007 (R5)	RR Site
158	FUSE SUITABLE FOR FLUKE MULTIMETER	CMM/KAIGA1-4/KGS1&2/57912	14-06-2019	A.N.Technologies	CMM/KAIGA1-4/KGS1&2/57912/PO-44293	22-07-2019	57372	20-09-2019	Indented items are spare parts for Fluke Multimeters and these spare items are meant for one to one replacement to the existing components which are proprietary products	SME I	Nil	KGS
159	PMC FLAW CHECK-PD-130B SOLVENT BASE DEVELOPER IN ARESOL SPRAY CANS	KAPS-1&2/CMM/QA/15057	11-04-2019	P-MET HIGH-TECH CO. PVT. LTD	CMM/MMW/KAPS/QA/15057/REV/PO-59849	19-07-2019	12272	13-08-2019	The materials will be used for dye penetrant testing of welding, turbine blades inspection and many other application such as vavles seats, pump impellers inspection.The P-met make materials are high sensitive in detecting surface defects by DPT. It is bening used at KAPS right from begining. P-met make materials are Approved material by Directorate of quality assurance NPCIL HQ.	STE(QA)	UPDATED	KAPS

160	MIL VALVE NUTS and BOLTS	CMM/KAIGA1-4/ KGS3&4/57916	15-06-2019	KSB MIL Controls Limited	CMM/KAIGA1-4/ KGS3&4/ 57916/e-PO/44292	20-07-2019	1102875	01-02-2020	Nuts and Bolts are part of Control Valve, because of continuous replacement of diaphragms nuts and bolts got eroded which needs replacement now, as it can only be procured from OEM, as OEM is only manufacturing it. in this case OEM is M/s MIL, Competent authority is requested to approve the procurement of the same on single tender basis.	SME I	Nil	KGS
161	MECHANICAL SEAL ASSEMBLY	CMM/MAPS/MM/00010	18-06-2019	HYDRO MECHANICAL SEALS	CMM/MAPS/MM/00010/manual-PO/4867	19-07-2019	42992	19-08-2019	Items are spare parts, attachments, additions, ancillaries to the existing equipment.	Head (C&MM)	-	MAPS
162	Supply Of 'Crankshaft' for Refrigeration Compressor model SMC-8-100	RR Site/Stations/Unit-1&2/CMM/ECON/72085	18-03-2019	AIR CONTROL & CHEMICAL ENGINEERING CO. LTD.	RR Site/Stations/Unit-1&2/CMM/ECON/72085/PO/96264	16-07-2019	498652	13-11-2019	Items are the spares for M/S ACCEL make compressor Model No. SMC-8-100, hence OEM spare parts need to be procured for one to one replacement fully	SME (M)-1&2	As per Clause AA-2(C) of HQI-2007 (R-5)	RR Site
163	Advanced Electronics system make three phase monitoring module model No- ACM 3Ã~01	Tender No. RR Site/Stations/Unit-5&6/CMM/ELE/71613	08-04-2019	ADVANCED ELECTRONIC SYSTEMS	96265	17-07-2019	648705	13-01-2020	Spares parts of existing equipment as per AA-2 C of HQI-2007	SME(E) RAPS-5&6	PO placed to OEM	RR Site
164	BHEL Make Nitrozen Accumulator	Tender No. RR Site/Stations/Unit-5&6/CMM/ELE/7200923/03/2019	23-03-2019	BHARAT HEAVY ELECTRICALS LIMITED JAIPUR	96266	17-07-2019	1373520	07-01-2021	Spares parts of existing equipment as per AA-2 C	SME(M) RAPS-5&6	PO placed to OEM	RR Site
165	AMC FOR CHILLER	CMM/MAPS/MM/00004	12-06-2019	KIRLOSKAR CHILLERS PVT.LTD	CMM/MAPS/MM/00004/manual-PO/4866	25-07-2019	1360214	17-07-2021	Item is Proprietary in nature and no one else can supply.	Head (C&MM)	-	MAPS
166	TIMKEN BEARING	CMM/KAIGA1-4/KGS1&2/57665	22-05-2019	pms engineers	CMM/KAIGA1-4/KGS1&2/57665/PO-44287	17-07-2019	289773	07-08-2019	Indented items are of M/s Timken make bearings and have been used in IDCT gear bozed since commissioning. Items are required for one to one replacement of existing bearings of IDCT. It is proposed to procure indented items from M/s TIMKIN.	SME M	nil	KGS
167	SBA Sentry Bag Kit	KKNPP/1&2/CMM/SPT/17479	09-05-2019	GSM TECHNO PRODUCTS & SERVICES	KKNPP/1&2/CMM/17479/PO:13291	12-07-2019	6399765.76	18-10-2019	Oil purification machine are purchased from OEM M/s. PALL. Proprietary and one to one replancement for replacement basis	CS	-	KKNPP

168	BALL VALVE LIP SEALS	CMM/KAIGA1-4/ KGS3&4/57953	21-06-2019	VAKO SEALS PVT LTD	CMM/KAIGA1-4/ KGS3&4/ 57953/e-PO/44284	17-07-2019	254007	15-10-2019	The VAKO make ball valve seals are used in Fuel transfer system ball valves. Ball valve seals are very critical component of ball valve to carry out smooth fuel transfer operations. For one to one replacement of the lip seals in ball valves during servicing this procurement action is initiated. Hence competent authority is requested to approve the procurement of these seals from the OEM of the seals i.e M/s Vako seals, Mumbai .	SME F	Nil	KGS
169	SUT/UT AVR RELAY, Make: EMCO	CMM/KAIGA1-4/ KGS3&4/57979	22-06-2019	EMCO ELECTRONICS LLP	CMM/KAIGA1-4/ KGS3&4/ 57979/e-PO/44283	17-07-2019	116289	15-10-2019	EMCO make AVR relays are used in SUT/UT for voltage controlling. The spares for these relays have consumed and no spare relays are available. For one to one replacement it is proposed to procure M/S EMCO make AVR relay	SME E	Nil	KGS
170	Supply of M/s ECIL make Potentiometers Model No. 5Y10(S) & 4CS(N).	KAPP-3&4/CMM/CAP/2850	12-04-2019	Electronics Corporation of India Limited	CMM/MMW/KAPP-3&4/CAP/2850/CAP/PO-2508	11-07-2019	1044512	06-02-2020	The M/S ECIL make rotary potentiometers are being used in Fuel Handling system. These ECIL make potentiometers shall be spare for existing potentiometers. In India M/S ECIL is only supplier for these type of potentiometers. M/S ECIL has also supplied these items to MTAR and FIP packages for KAPP 3&4 Fuelling Machines. Hence the M/S ECIL is recommended for supply of indented items. Competent authority may kindly approve the proposal.	SME(FHU)	UPDATED	KAPS
171	Supply & replacement of camera with 40mm distance focused with suitable optics for rope inspection system at KGS.	CMM/KAIGA1-4/KGS1-4/57788	13-06-2019	SHAIL INTEGRATIONS	CMM/KAIGA1-4/KGS1-4/57788/PO-44277	15-07-2019	35400	14-08-2019	System is designed and constructed by M/s Shail Integrations Thane, it is proposed to process the indent in Single tender basis.	QAS	Nil	KGS
172	HILTI ANCHOR FASTENER	CMM/MAPS/MM/00007	19-06-2019	HILTI INDIA P LTD	CMM/MAPS/MM/00007/manual-PO/4864	23-07-2019	710687	22-08-2019	Item is Proprietary in nature and no one else can supply.	Head (C&MM)	-	MAPS

173	Allied connectors	CMM/KAIGA1-4/KGS1&2/57895	01-06-2019	Allied Electronics Corporation	CMM/KAIGA1-4/KGS1&2/57895/e-PO/44280	15-07-2019	423090	21-10-2019	Allied make connectors are OEM for all connectors used in Fuelling Machine control cables and BARCIS cables. The proposed items are for replacement of existing cables connectors (male and female connectors) and no other connectors will match with ALLIED make connectors which are already existing in system. Hence, for one to one replacement of connector, procurement of M/s Allied make connectors from OEM is proposed on single tender basis	SME F	Nil	KGS
174	Supply of Parker Spares.	CMM/KAIGA1-4/KGS1&2/57811	08-05-2019	C.P. FLUID SYSTEMS PVT.LTD	CMM/KAIGA1-4/KGS1&2/57811/e-PO/44276	15-07-2019	338837	13-01-2020	Presently Parker make O rings are used in ECCS EMV actuator terminal box covers, limit switch assembly and covers. Therefore Parker make O Rings of particular part nos. are required for one to one replacement as part of condition base dmaintenance. Hence Parker make O rings are poposed for procurement.	SME E	Nil	KGS
175	SPARES FOR CONDENSER VACUUM PUMP	CMM/KAIGA1-4/KGS3&4/57510	12-03-2019	MILLENNIUM IMPEX PVT.LTD	CMM/KAIGA1-4/KGS3&4/57510/PO-44273	12-07-2019	1418025	07-02-2020	The spares are being procured for NASH make condenser vacuum pump model no. ELMO 2BE1 403 OBY4 Z. The items will be utilized for one to one replacement of existing components in the vacuum pump. For interchangeability, the spares are proposed to be procured from the OEM.	SME M	Nil	KGS
176	'SEAL KIT' BELLOW SEALED GLOBE VALVE ACTUATOR	CMM/KAIGA1-4/SPT/KGS3&4/ 56438	22-02-2019	KSB MIL Controls Limited	CMM/KAIGA1-4/SPT/KGS3&4/ 56438/e-PO/44272	12-07-2019	1257644	24-01-2020	M/s MIL control is OEM of control valves & Motorized bellow sealed valves installed in PHT system, SSS and Moderator purification system of KGS-3&4. Indented item are critical spares for control/motorized valves specific to model no. and sr.no. Hence it is proposed to procure spares from OEM on proprietary basis.	SME M	Nil	KGS
177	Spares for Metrohm Instruments	KKNPP/1&2/CMM/SPT/17357	13-03-2019	M/s. Native Lab Solutions LLP	KKNPP/1&2/CMM/17357/PO:13287	09-07-2019	3065523.73	24-09-2019	One to one replacement for existing one. OEM authorised dealer	TSS	-	KKNPP
178	ethernet to fiber optic converter	cmm/kaiga1-4/kgs3&4/58006	25-06-2019	t.m.controls	CMM/KAIGA1-4/KGS3&4/58006/PO-44267	11-07-2019	105634	07-10-2019	Allied Telesyn Internation make Ethernet to Fiber optic converters are being used in TG PLC system for inter communication between PLC high level and low level system. The items are proposed for procurement as spare for existing system for one to one replacement	SME I	Nil	KGS

179	SOLVENT REMOVABLE PENETRANT	CMM/TAPS1&2/58096	22-02-2019	P-MET HIGH TECH CO PVT LTD	CMM/TAPS1&2/58096/P O/88010	11-07-2019	27706	09-10-2019	-	-	-	TMS
180	Electronic speed switch timer- control card (PCB-312) Make Wilo/ MATHER+PLATT	RR Site/Stations/Unit- 5&6/CMM/ELE/72059	30-03-2019	TRADE CENTRE	CMM/Station/Unit- 5&6/ELE/72059/PO- 96246 (Hard copy already send)	09-07-2019	270363.96	05-03-2020	Spares parts of existing equipment as per AA-2 C of HQI-2007	SME(E) RAPS-5&6	PO placed to OEM's authorised dealer	RR Site
181	Calibration of Dual Channel Mensor	KKNPP/1&2/CMM/SPT/169 84	24-11-2018	WIKA INSTRUMENTS INDIA PVT LTD	KKNPP/1&2/CMM/SPT/16 984/PO:13286	09-07-2019	239776	13-07-2019	Issued to OEM.	SME (I)	-	KKNPP
182	Manufacturing, Inspection, Examination, Testing, Tropical Packing and Ex-Works supply of Incoloy-800 Tubes for Steam Generators as per Tender specification and Drawings for future 700 MWe PHW Reactors	CMM/FTP/00-33-1-1180	22-01-2018	NUCLEAR FUEL COMPLEX	CMM/FTP/00-33-1- 1180/e-PO/34247	13-08-2019	11703103295	12-02-2026	-	-	-	FTP
183	CHARGING OF YHP-31, 2.0 V, 20135 AH CELL ETC.	CMM/TAPS-3&4/57839	25-01-2019	EXIDE Industries Ltd	CMM/TAPS- 3&4/57839/PO-88004	10-07-2019	3709527	27-01-2020	PROPRIETARY SPARES	MS	--	TMS
184	Supply of Rotork Electric actuator with motor	KAPP-3&4/CMM/CAP/3297	16-03-2019	Chintan Sales	CMM/MMW/KAPP- 3&4/CAP/3297/REV/PO- 2505	06-07-2019	149860	04-10-2019	The Electric valve actuator is originally supplied by M/s M/s Rotork Controls (India) Pvt. Ltd.. The valve is riding valve actuator of Active process water system which is a safety related system. Hence it is proposed to procure from the OEM i.e M/s Rotork Controls (India) Pvt. Ltd.	SME(M)	UPDATED	KAPS
185	REPAIR AND TESTING OF M/S AARTECH MAKE BTS MODULE	CMM/KAIGA1-4/ SPT/ KGS3&4/ 57713	01-07-2019	AARTECH SOLONICS LIMITED	CMM/KAIGA1-4/ SPT/ KGS3&4/ 57713/e- PO/44259	10-07-2019	2271500	25-07-2019	M/S AARTECH HAS SUPPLIED AUTO TRANSFER SYSTEM USED IN KGS-3&4. PRESENTLY NO SPARE BTS UNITS IS AVAILABLE AND TO ENSURE SMOOTH OPERATION OF ATS SYSTEM IT IS PROPOSED TO REPAIR THE FAULTY ATS MODULE BY OEM.I.E M/S AARTECH, SINCE THE REPAIR& TESTING CANNOT BE DONE BY OTHER VENDORS. HENCE IT IS PROPOSED TO FLOAT A TENDER ON SINGLE TENDER BASIS ON M/S AARTECH FOR REPAR& TESTING OF FAULTY ATS MODULE	MS	Nil	KGS
186	SET OF ELASTORMERS FOR M/S INTERVALVE CRITICAL ISOLATION DAMPER AND ELOMATIC ACTUATOR SPARES SET	CMM/KAIGA1-4/ KGS3&4/ 57647	30-04-2019	TEJ ENGINEERING	CMM/KAIGA1-4/ KGS3&4/ 57647/e- PO/44258	10-07-2019	1483652	26-12-2019	Elomatic actuator operated intervalve dampers are installed in KGS#3&4 for critical isolation of RB ventilation .So it is proposed to procure spares from M/s Eagle poonawalle who is the OEM of the products.	SME M	Nil	KGS
187	Spare for Main Air Compressor, Make- Kirloshker Pneumatic Company Limited(KPCL),	Tender No. RR Site/Stations/Unit- 5&6/CMM/SPS/71342	03-12-2018	HSS SOLUTIONS PRIVATE LIMITED	96240	08-07-2019	2290487	05-11-2019	Spares parts of existing equipment as per AA-2 C of HQI-2007	MS, RAPS- 5&6	PO placed to OEM's authorised dealer	RR Site

188	Spray Nozzles for IDCT	Tender No. RR Site/Stations/Unit-5&6/CMM/FAB/71999	26-03-2019	AMALGAMATED INDUSTRIAL COMPOSITES PVT LTD	96239	08-07-2019	538080	06-10-2019	Spares parts of existing equipment as per AA-2 C	SME(M) RAPS-5&6	PO placed to OEM	RR Site
189	SUPPLY OF O-RING SET FOR AUDCO MAKE ACTUATOR	CMM/TAPS-3&4/58304	10-04-2019	Vijayalaxmi Agencies Pvt. Ltd.	CMM/TAPS-3&4/58304/PO-87999	08-07-2019	579622	05-11-2019	PROPRIETARY SPARES	SME(M)	M/S L&T VALVES LTD AUTHORISED TENDER TO THEIR AUTHORISED DEALER M/S VIJAYALAXI AGENCIES PVT LTD	TMS
190	AMC for Gamma Spectrometer	KKNPP/1&2/CMM/SPT/17133	28-01-2019	Instruments India Pvt. Ltd.	KKNPP/1&2/CMM/17133/PO:13285	08-07-2019	566400	07-07-2020	AMC from OEM	SD	-	KKNPP
191	SUPPLY OF RUPTURE DISC	CMM/TAPS-3&4/58381	14-05-2019	BS&B SAFETY SYSTEMS (INDIA)	CMM/TAPS-3&4/58381/PO-87998	05-07-2019	289030	14-08-2019	PROPRIETARY NATURE	SME (M)	--	TMS
192	AMC for clinical Chemistry Analyser	KKNPP/1&2/CMM/SPT/17160	19-02-2019	Agappe Diagnostics Ltd	KKNPP/1&2/CMM/17160/PO:13277	04-07-2019	29500	03-07-2020	AMC for proprietary item	SD (1&2)	-	KKNPP
193	SEAL KIT	CMM/KAIGA1-4/KGS3&4/57539	01-04-2019	VARENYYA ENGINEERING PVT LTD	CMM/KAIGA1-4/KGS3&4/567539/PO-44252	05-07-2019	1260749	04-07-2020	Plant building Steel doors are fitted with Everlite door closers. For maintenance of these door closers sapres are required. To meet the requirement it is proposed to procure from the original equipmetn manufacturer as other door closer spares are not suitable to the existing one.	MS	Nil	KGS
194	M/s Kirloskar Electric make SPARES for MOTOR	CMM/Kaiga 1-4/KGS3&4/56351	28-02-2019	BVB ENGINEERING COMPANY	CMM/Kaiga 1-4/KGS3&4/56351/PO-44249	04-07-2019	683369	03-07-2020	M/S KEC MAKE MOTORS ARE BEING USED IN VARIOUS PROCESS WATER AND GENERATOR AUXILLARIES .THE SPARES FOR THESE MOTOR HAVE BEEN CONSUMED DURING THE COURSE OF TIME.HENCE TO AVOID DELAY IN MAINTENACE ,IT IS PROPOSED TO PROCURE SPARES M/S KEC MAKE MOTORS AS OTHER MAKE MAY NOT MATCH PHYSICAL DIMENSION OF EXISTING MOTOR	SME E	Nil	KGS
195	INSULATION MATERIALS LIKE OIL IMPREGNATED CREPE TAPE, GASKETS AND HYLAC PASTE	CMM/TAPS-3&4/58554	01-06-2019	Transformers & Electricals Kerala Ltd.	CMM/TAPS-3&4/58554/PO-87995	03-07-2019	24780	03-07-2019	PROPRIETARY SPARES	STATION DIRECTOR-3&4, TAPS-3&4	OPERATIONAL EMERGENCY	TMS
196	INSTRUMENT FILTER	CMM/KAIGA1-4/KGS1&2/57812	28-05-2019	NEPTUNE ASSOCIATES	CMM/KAIGA1-4/KGS1&2/57812/PO-44246	04-07-2019	130213	17-09-2019	In the existing compressed air system which is safety related regulators of Shavo Norgren make are in used .The items indented are for replacing the same make and model and hence the indented items are proprietary in nature (one to one replacement).	SME I	Nil	KGS
197	DIE CASTED LOCK WITH TRIANGULAR INSERT LOCK	CMM/TAPS-3&4/58156	21-02-2019	Pyrotech Electronics Pvt. Ltd. U-II	CMM/TAPS-3&4/58156/PO-87993	03-07-2019	12980	02-08-2019	PROPRIETARY SPARES	SME (FHU)	--	TMS

198	Iodine - 131 Source	KKNPP/1&2/CMM/17615	15-06-2019	Board of Radiation and Isotope Technology	KKNPP/1&2/CMM/SPT/17615/PO:13268	02-07-2019	9086	17-07-2019	Proprietary in nature, one to one replacement. BRIT is the only nodel agency to sell Isotope	SD	-	KKNPP
199	LINEAR VARIABLE DIFFERENTIAL TRANSFORMER	CMM/KAIGA1-4/KGS1&2/57676	15-05-2019	Smart Technologies	CMM/KAIGA1-4/KGS1&2/57676/PO-44245	03-07-2019	1716900	20-01-2020	Macro sensor, USA M11 2.5 " 0553 LVDTs are used in Fuelling Machine snout probes. No other LVDT will match for this application. Competent authority may approve procurement Macro sensor, USA M11 2.5 " 0553 LVDT for one to one replacement	SME F	Nil	KGS
200	HSD VI	NAPS/CMM/VII/23312	21-05-2019	INDIAN OIL CORPORATION LIMITED	30933	01-07-2019	30626640	01-07-2021	As HSD pump has been installed at NAPS plant site by M/s. IOCL. Therefore we have to procure the HSD from IOCL only. As per para aa 2c of HQI 2007 (R-5), SD being CA may kindly approve the procurement of HSD from IOCL on single tender basis. The contract will be valid for the period of two year or on completion of supply which ever is earlier. Prevailing rates shall be applicable during the period of contract.	SD	-	NAPS
201	DIESEL	NAPS/CMM/VII/23314	21-05-2019	INDIAN OIL CORPORATION LIMITED	30934	01-07-2019	13776721	01-07-2021	Since the consumer pump at NAPS Township is installed by M/s IOCL. Only M/s IOCL products can be dispensed by this pump. Hence item is reserved to be procured from M/s IOCL(A Govt. of India PSU)	SD	-	NAPS
202	PETROL	NAPS/CMM/VII/23313	21-05-2019	INDIAN OIL CORPORATION LIMITED	30935	01-07-2019	30007156	01-07-2021	Since the Consumer Pump at NAPS Township is installed by M/s IOCL, only M/s IOCL products can be dispensed by this pump. Hence item is reserved to be procured from M/s IOCL,A Govt. of India, PSU	SD	-	NAPS
203	SPARES FOR KSB MAKE CLEANUP PUMP	CMM/TAPS-1&2/58000	08-01-2019	KSB PUMPS LTD	CMM/TAPS-1&2/58000/PO-87986	01-07-2019	321765	30-12-2019	PROPRIETARY NATURE	SME(M)	--	TMS
204	Procurement of Raw Materials, Manufacturing, Inspection, Testing, Packing, Supply and Guarantee of Zircaloy Components to KGS - 1, Kaiga and RAPS-3, RR Site, Kota.	CMM/OPS/00-31-9-3229	05-03-2019	NUCLEAR FUEL COMPLEX	CMM/OPS/00-31-9-3229/e-PO/33895	19-09-2019	868286944	18-06-2021	NFC,Hyderabad is a DAE unit and the only Indigenous source for manufacturing of various Zirconium alloy components required for PHWR	CMD	-	OPS
205	Spare ECIL make Excitation Power Supply 5V, 2.22 KHz for fuel handling control trip unit and LVDTs.	72687	20-04-2018	M/s. Electronics Corporation of India Ltd., Hyderabad	96454	07-09-2019	1756725	06.09.2020	Repeat Order based on Single Tender for Proprietary Spares	SME(F), RAPS Unit-5&6	Repeat Order	RR Site